



HORIZONTAL SHEER COLLECTION

PRICING GUIDE

TABLE OF CONTENTS

Features & Benefits	1
Design & Operation	2-3
Measuring Instructions	4
Product Specifications	5
Price Charts.....	6-8
Price Chart 1 2" Light Filtering.....	6
Price Chart 2 2" Room Darkening	6
Price Chart 3 2 ½" Light Filtering.....	7
Price Chart 4 2 ½" Room Darkening	7
Price Chart 5 3" Light Filtering.....	8
Price Chart 6 3" Room Darkening	8
Child Safety & Warranty	9

FEATURES & BENEFITS

- Horizontal fabric vanes floating between two layers of soft, knitted fabric sheers, that soften your view outside.
- Sheer fabric vane colors are featured between two layers of white sheer fabric with the exception of Pearl Essence, color #3001, which features sheer fabric that is matched to the Pearl color of the vane creating a rich tone-on-tone appearance.
- Available in widths up to 114" and drops up to 120" that provide an elegant solution for covering larger window openings.
- Vanes glide smoothly from open to closed, to virtually, "out of sight."
- The Continuous Cord System provides five distinct vane positions for endless combinations of privacy, view, and light control.
- Partially raise the shading with the fabric vanes in the open, "view-through" position so that you can keep your view and still enjoy the beauty of the sheer horizontal vanes.
- Two different color coordinated headrail styles are available.
- A smaller width deduction provides minimal light leakage on shading sides and above the headrail for increased privacy.
- Easy to install hardware and brackets allows for effortless installations and easy removal for cleaning.
- Durable fabrics that can be ultrasonically or traditionally cleaned to keep shades bright and beautiful.
- Lifetime Limited Warranty as a commitment to your satisfaction.
- Sheer fabrics may be processed with a topical treatment to resist flames and to adhere to flammability codes. For more information, contact Automated Motorized Shades.

DESIGN & OPERATION

FABRIC COLLECTIONS

Sheer shades are available with two different fabric types. Light filtering fabric that gently diffuses light and room darkening fabric that casts deep room darkening shadows. Please note that room darkening materials are not blackout fabrics.

INSIDE MOUNT

Sheer shades feature a Continuous Cord System. The Continuous Cord System provides the ability to manipulate the shade into various viewing position using just one control. From the closed and retracted position (fabric inside the headrail), lower the fabric by pulling down on the loop cord until you reach the desired shading position. Once lowered completely to the window sill, continuing to pull the cord in the same direction will open the horizontal fabric vanes, offering spectacular views to the outside. Continuing to pull the cord in the same direction will lift the shade while still in the view-through mode. To retract the shading, simply pull down on the cord in the opposite direction until the shade reaches the desired fabric position.

VIEWING OPTIONS

The Continuous Cord System provides a number of positioning options for controlling light and privacy. This allows for more precise control of visibility through the shades as the vanes are tilted to their maximum open position. The following five positions can be obtained when using standard shading operation when viewing the shading at eye level.

CLOSED TOP, OPEN BOTTOM

By partially lowering the shade from the fully raised position, the upper portion of your window will become semi-opaque while allowing a clear view below.

FULLY PRIVATE

When lowered completely, the shade provides maximum privacy and softly diffuses light.

PARTIALLY OPEN

By adjusting the continuous cord you can gradually increase the level of light and allow varying levels of "view-through."


VIEW-THROUGH WHEN LOWERED

Completely opening the vanes in the down position provides a softened, veiled view to the outside.

VIEW-THROUGH WHEN RAISED

From the open or view-through position, continuing to pull down on the cord will raise the fabric allowing a clear view outside from below, and a veiled view above. This exclusive feature allows the shade to be raised up to 24" in this mode.

VANE CLOSURE



VANE CLOSURE

Sheer shade fabric vanes overlap and provide privacy when closed. However, the inherent nature of the fabric will cause a slight increase in the distance from the front sheer to back sheer as you move further down the shade. These vanes do not form a perfect seal against light leakage which is most visible toward the bottom of the shade.

Vane closure is measured as the distance between the front and rear fabric sheers 6" up from the lowest point of the bottom rail, with the shade fully lowered and the vanes closed. For sheer shades, the maximum distance from the front sheer to the back sheer when closed is 1/8". On room darkening fabrics, the distance is 5/8". Vane closure on all 3" fabrics will have a distance of 1".

SIDE-BY-SIDE ALIGNMENT

When sheer shades are installed side-by-side, vane alignment can be guaranteed within 1/4" only if:

- The shades are the same color and ordered at the same time.
- Side-by-side lineup is specified when the order is placed.

DESIGN & OPERATION

VANE OPENING

Vanes on the three styles of sheer shade fabrics open to slightly different degrees. Consequently, there are variations in visibility through the shades when the vanes are tilted to their maximum open positions. The variations between the products are shown in the vane illustrations. The illustration represents looking through the shading $\frac{1}{4}$ " of the way up from the bottom.

LEVELING SHEER SHADES

Sheer shades are leveled and weighted in the factory. When installed level, the fabric will not skew when raised. If the headrail is not installed level, skewing can occur that can damage the edge of the fabric. Be sure to follow the installation instructions carefully to ensure correct and balanced operation.

HARDWARE

HOLD DOWN BRACKETS

Hold down brackets are made of a clear plastic which fit into holes in the end cap of the bottom rail. Hold downs are generally used to secure the bottom of the sheer shade to prevent swaying when mounted on a door.

EXTENSION BRACKETS

Extension or "L" brackets are available which can be used to project the back of the shade $4\frac{1}{4}$ " from the mounting surface.

SPACER BLOCKS


Spacer blocks project the shade $\frac{3}{8}$ " from the mounting surface. Use spacer blocks to obtain clearance when obstructions, such as window cranks or door handles, obstruct the movement of the shade.

CORD TENSIONER

The cord tensioner keeps the cord taut to prevent children and pets from entangling and subsequently injuring themselves. Cord tensioners must be used for this product to comply with the Consumer Product Safety Commission (CPSC) Child Safety guidelines.


INSTALLATION CONSIDERATIONS

After installation, windows that are not square and level may cause the shadings to shift to one side as it rolls up, requiring adjustment of the headrail. This shifting can cause fraying and/or make the shade appear crooked. Shims can be used to lower the shade and level the headrail. Shims are available by request at no additional charge. Please specify at time of



HEIGHT CONSIDERATIONS

Automated Motorized Shades will fabricate your sheer shade to the exact height ordered. Exact height is calculated from the top of the headrail to the bottom of the shade when the vanes are in the open (or view-through) position. When the vanes are rotated to the closed position, the shade will become $\frac{3}{8}$ " longer.



When closed on an inside mount, a slight puckering may occur on the bottom of the sheer due to contact with the sill. To compensate, slightly raise the shading until the rail begins to lift off the window sill. If preferred, the shade can be ordered $\frac{3}{8}$ " less than the measured height of the window opening. In this case, the bottom rail will be positioned $\frac{3}{8}$ " above the sill when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the window sill, effectively removing any open space.

MEASURING INSTRUCTIONS

MEASUREMENTS

Precise width and height measurements are critical. Fabric width cannot be altered after the shading is fabricated. Please use a metal tape measure for accuracy.


The headrail must be installed perfectly level and evenly to ensure smooth operation. On an inside mount, it is recommended that you check to see that the mounting surface is level and consistent. If shims are necessary please specify at time of ordering.

INSIDE MOUNT

Measure across the width of your window opening in three different places - top, middle and bottom. Measurements should be taken within the window jamb. Provide the smallest of the three measurements and be exact. Automated Motorized Shades will make the necessary deductions to fit the window

opening.

Measure the height of the window opening from the underside of the soffit to the surface of the window sill in two places - use the smallest of these two measurements.



SIDE MOUNT

Sheer shades may be side mounted using "L" brackets. For side mounts, follow the instructions for inside mounts. An additional 1/2" will be taken off the standard inside mount deduction to allow room for the "L" brackets.

The maximum shade width utilizing the side mount option is 48".

OUTSIDE MOUNT

Measure the exact width and height of the area to be covered. On the width, allow at least 1-1/2" of an overlap on each side. An overlap of 3" on each side is recommended.

Be sure to take into consideration any obstructions such as window trim, molding, locks and window cranks.

PRODUCT SPECIFICATIONS

PRIVACY & LIGHT CONTROL OPTIONS

Aluminum cassette with a color coordinated fabric insert

Minimum Flush Inside Mount with Install Brackets.....	3 1/8"
Minimum Shallow Mounting Surface	3/4"
Minimum Side Mounting Surface.....	1 1/4"
Maximum Shade Width Side Mount	48"
Minimum Outside Mounting Surface.....	3/4"

CORD INFORMATION

Braided polyester cord styles will measure the height indicated below unless otherwise specified.

SHADE HEIGHT

12" - 40"
40" - 52"
52" - 72"
72" - 96"
96" - 120"

SHADE HEIGHT

2' (24")
3' (36")
4' (48")
5' (60")
6' (72")


MAXIMUM CORD HEIGHTS

- Polyester cord - 15 feet
- Cord can be ordered in custom lengths in one foot increments from 2' to 15'

CORDLESS OPTIONS

Strap available in black or white only

Minimum Size.....	20" x 20"
Maximum Size.....	84" x 84"



FINISHED DIMENSIONS

Once ordered and manufactured, the width of the fabric cannot be altered. Your fabricator makes deductions to the width of Sheer Shadings depending on the type of mounting indicated. For all mounting types, fabric will measure exactly the height ordered when the vanes are in the open or "view-through" position.

INSIDE MOUNT

- Headrail will measure ordered width minus 3/16"
- Fabric will measure ordered width minus 1 1/8"

SIDE (END) MOUNT

- Headrail will measure ordered width minus 1 1/16"
- Fabric will measure ordered width minus 1 1/8"

OUTSIDE MOUNT

- Headrail will measure ordered width plus 3/16"
- Fabric will measure ordered width minus 3/4"

EXACT (ENDCAP TO ENDCAP)

- Headrail will measure ordered width
- Fabric will measure ordered width minus 15/16"

Headrail measurements include endcaps. Width and width measurements may vary +/- 1/8".

2" VANE PRICE CHARTS 1-2

PRICE CHART 1

LIGHT FILTERING

		← Width →												
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
↑ Height ↓	36"	666	747	835	913	1000	1086	1166	1253	1467	1646	1815	2205	2595
	42"	702	790	878	977	1069	1164	1253	1344	1564	1758	1941	2367	2793
	48"	743	838	940	1033	1132	1235	1340	1444	1669	1870	2072	2535	2997
	54"	773	877	986	1095	1205	1315	1429	1550	1771	1982	2217	2774	3333
	60"	809	928	1039	1153	1270	1397	1518	1646	1864	2108	2362	2966	3568
	66"	845	971	1092	1216	1344	1478	1621	1752	1965	2242	2512	3153	3791
	72"	878	1015	1147	1276	1419	1564	1710	1855	2072	2367	2660	3360	4057
	78"	905	1049	1188	1334	1482	1637	1786	1942	2169	2488	2793	3527	4262
	84"	942	1092	1236	1403	1557	1720	1886	2049	2282	2621	2943	3706	4471
	90"	983	1132	1293	1465	1635	1813	1976	2151	2392	2746	3089	3910	4729
	96"	1018	1182	1348	1529	1710	1887	2065	2247	2503	2875	3237	4106	4975
	102"	1168	1352	1538	1740	1922	2097	2342	2571	2750	3130	3490	4220	5232
	108"	1231	1422	1621	1830	2018	2213	2462	2711	2899	3287	3674	4442	5505
	114"	1304	1509	1719	1941	2151	2351	2613	2873	3074	3490	3894	4714	5845
	120"	1403	1616	1844	2078	2294	2512	2793	3074	3288	3737	4169	5044	6247

PRICE CHART 2

ROOM DARKENING

		← Width →												
← Height →		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	733	822	919	1004	1097	1197	1281	1378	1616	1813	1996	2422	2856
	42"	776	872	967	1075	1172	1280	1378	1476	1721	1931	2136	2603	3072
	48"	817	920	1033	1132	1248	1359	1478	1590	1836	2057	2280	2790	3296
	54"	850	966	1084	1206	1323	1444	1575	1702	1945	2177	2441	3052	3662
	60"	887	1019	1142	1270	1397	1535	1669	1814	2050	2318	2596	3260	3924
	66"	927	1069	1205	1338	1476	1628	1781	1929	2160	2464	2764	3465	4169
	72"	967	1119	1261	1405	1560	1721	1877	2041	2280	2603	2923	3691	4462
	78"	997	1154	1306	1466	1628	1799	1964	2138	2383	2735	3067	3878	4690
	84"	1038	1205	1361	1538	1714	1891	2077	2249	2511	2878	3236	4078	4920
	90"	1082	1248	1422	1610	1796	1990	2175	2364	2631	3020	3399	4301	5201
	96"	1121	1303	1483	1681	1877	2078	2277	2471	2756	3161	3560	4518	5471
	102"	1284	1490	1692	1912	2116	2309	2577	2829	3029	3440	3838	4646	5756
106"	1355	1564	1781	2011	2222	2434	2711	2978	3186	3614	4039	4884	6053	

SHEER SPECIFICATIONS

Light Filtering Fabrics

- The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width 12"
 Minimum Height 12"
 Maximum Width 114"
 Maximum Height 120"

Room Darkening Fabrics

- The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width 12"
 Minimum Height 12"
 Maximum Width 114"
 Maximum Height 106"

SURCHARGES

Cordless Option \$99

Prices subject to change without notice

2 1/2" VANE PRICE CHARTS 3-4

PRICE CHART 3

LIGHT FILTERING

		<— Width —>												
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
<— Height —>	36"	699	784	876	957	1049	1141	1224	1316	1539	1726	1906	2315	2724
	42"	737	830	923	1023	1120	1223	1316	1412	1642	1846	2039	2483	2930
	48"	779	877	985	1085	1192	1293	1407	1516	1752	1963	2175	2661	3146
	54"	810	921	1036	1150	1263	1377	1502	1627	1858	2079	2328	2912	3497
	60"	849	972	1089	1209	1331	1465	1592	1727	1957	2213	2480	3115	3744
	66"	886	1018	1149	1278	1412	1553	1701	1839	2063	2353	2636	3309	3981
	72"	923	1064	1203	1338	1491	1642	1793	1947	2175	2483	2791	3526	4259
	78"	950	1100	1247	1400	1554	1719	1875	2040	2279	2612	2930	3704	4476
	84"	988	1149	1297	1471	1636	1803	1980	2151	2397	2750	3088	3892	4697
	90"	1031	1192	1359	1537	1715	1903	2075	2258	2511	2882	3244	4105	4964
	96"	1069	1240	1417	1605	1793	1982	2167	2360	2628	3017	3398	4311	5222
	102"	1225	1418	1614	1825	2017	2202	2460	2699	2886	3286	3661	4431	5496
	108"	1290	1493	1701	1921	2119	2323	2585	2845	3041	3451	3857	4663	5781
	114"	1370	1583	1802	2039	2258	2468	2743	3016	3227	3661	4088	4948	6141
	120"	1471	1696	1936	2182	2408	2636	2931	3227	3452	3924	4378	5296	6564

PRICE CHART 4

ROOM DARKENING

		<— Width —>												
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
<— Height —>	36"	769	865	966	1054	1152	1257	1344	1449	1697	1905	2095	2546	2998
	42"	816	915	1016	1129	1234	1342	1449	1553	1808	2031	2242	2735	3223
	48"	857	967	1086	1193	1309	1426	1546	1669	1928	2160	2396	2930	3461
	54"	891	1015	1139	1267	1389	1517	1655	1788	2043	2288	2563	3206	3847
	60"	932	1071	1199	1334	1466	1612	1753	1906	2154	2436	2727	3425	4120
	66"	972	1121	1264	1406	1553	1711	1872	2026	2266	2588	2902	3638	4380
	72"	1016	1174	1325	1473	1638	1808	1972	2143	2396	2735	3072	3876	4686
	78"	1048	1213	1371	1539	1711	1889	2063	2244	2502	2871	3221	4074	4925
	84"	1089	1264	1427	1616	1802	1987	2182	2362	2636	3021	3398	4283	5168
	90"	1135	1309	1494	1691	1886	2092	2284	2483	2764	3171	3571	4518	5461
	96"	1176	1370	1556	1765	1972	2183	2391	2596	2896	3319	3738	4746	5745
	102"	1347	1564	1778	2009	2225	2427	2705	2969	3177	3612	4030	4879	6044
	106"	1422	1642	1872	2114	2334	2555	2847	3128	3343	3795	4242	5129	6358

SHEER SPECIFICATIONS

Light Filtering Fabrics

- The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width 12"

Minimum Height 12"

Maximum Width 114"

Maximum Height 120"

Room Darkening Fabrics

- The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width 12"

Minimum Height 12"

Maximum Width 114"

Maximum Height 106"

SURCHARGES

Cordless Option \$99

Prices subject to change without notice

3" VANE PRICE CHARTS 5-6

PRICE CHART 5

LIGHT FILTERING

		← Width →												
↑ Height ↓		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	733	822	919	1004	1097	1197	1281	1378	1616	1813	1996	2422	2856
	42"	776	872	967	1075	1172	1280	1378	1476	1721	1931	2136	2603	3072
	48"	817	920	1033	1132	1248	1359	1472	1590	1836	2057	2280	2790	3296
	54"	850	966	1084	1206	1323	1444	1575	1702	1945	2177	2441	3052	3662
	60"	887	1019	1142	1270	1397	1535	1669	1814	2050	2318	2596	3260	3924
	66"	927	1069	1205	1338	1476	1628	1781	1929	2160	2464	2764	3465	4169
	72"	967	1119	1261	1405	1560	1721	1877	2041	2280	2603	2923	3691	4462
	78"	997	1154	1306	1466	1628	1799	1964	2138	2383	2735	3067	3878	4690
	84"	1038	1205	1361	1538	1714	1891	2077	2249	2511	2878	3236	4078	4920
	90"	1082	1248	1422	1610	1796	1990	2175	2364	2631	3020	3399	4301	5201
	96"	1121	1303	1483	1681	1877	2078	2277	2471	2756	3161	3560	4518	5471
	102"	1284	1490	1692	1912	2116	2309	2577	2829	3029	3440	3838	4646	5756
	108"	1355	1564	1781	2011	2222	2434	2711	2978	3186	3614	4039	4884	6056
	114"	1435	1660	1887	2136	2364	2584	2873	3159	3380	3838	4283	5185	6432
	120"	1538	1778	2024	2285	2528	2764	3073	3380	3615	4112	4587	5547	6874

PRICE CHART 6

ROOM DARKENING

↑ Height ↓		← Width →												
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"		806	905	1011	1106	1206	1317	1408	1516	1777	1995	2196	2666	3140
42"		852	959	1065	1182	1289	1406	1516	1624	1894	2128	2349	2864	3379
48"		899	1012	1136	1249	1371	1493	1620	1748	2017	2263	2507	3071	3626
54"		934	1064	1193	1325	1454	1588	1732	1872	2140	2397	2682	3357	4031
60"		977	1121	1256	1399	1535	1689	1837	1996	2258	2549	2856	3589	4317
66"		1019	1172	1325	1472	1624	1792	1958	2123	2375	2712	3040	3811	4587
72"		1065	1231	1388	1545	1718	1894	2065	2243	2507	2864	3216	4061	4909
78"		1097	1270	1438	1613	1793	1979	2160	2351	2622	3007	3373	4267	5157
84"		1141	1325	1496	1692	1886	2083	2285	2475	2760	3166	3558	4486	5411
90"		1190	1371	1564	1771	1976	2189	2392	2600	2896	3321	3739	4733	5722
96"		1235	1434	1630	1847	2065	2286	2503	2719	3032	3478	3915	4969	6020
102"		1411	1637	1863	2101	2329	2539	2833	3112	3331	3783	4222	5110	6331
106"		1490	1720	1958	2214	2445	2676	2984	3277	3504	3975	4442	5373	6661

SHEER SPECIFICATIONS

Light Filtering Fabrics

- The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width 12"
 Minimum Height 12"
 Maximum Width 114"
 Maximum Height 120"

Room Darkening Fabrics

- The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width 12"
 Minimum Height 12"
 Maximum Width 114"
 Maximum Height 106"

SURCHARGES

Cordless Option \$99

Prices subject to change without notice

WARRANTY

CHILD SAFETY

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach of children.

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice date of the product.

This guarantee does not apply to damage to exterior shades caused by high winds and/or extreme weather conditions. Any roller shade or parts which fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized

Shades' warranty is designed to ensure a thoroughly satisfying experience with your window treatment product. Certain restrictions may apply.

