

# **TABLE OF CONTENTS**

Basic Guidelines	. 1
Measuring Guidelines	. 2
Hardware Options	. 3
Liner Options	. 4
Gallery Collection Patterns	. 5
Noven Wood Price Charts	. 6
Price Chart 1	. 6
Price Chart 2	. 6
Price Chart 3	. 7
Price Chart 4	. 7
Price Chart 5	. 8
Liner Price Charts	. 9
Price Chart 1	. 9
Price Chart 2	. 9
Dual Shade Price Charts	10
Price Chart 1	10
Price Chart 2	10
Edge Banding Options	11
Available Styles	11
½ Twill Edge Binding Price Chart	11
1 ½ Twill Edge Binding Price Chart	11
Additional Information And Specifications	
Stacking Chart & Minimum Depth Requirements	12
Child Safety & Warranty	13

## **BASIC GUIDELINES**

- Woven Wood shades are fashioned from natural reeds, fibers and bamboo to help create both formal and informal settings for any room in the home.
- Multiple patterns offer distinctive textures, grains, colors, and styles that can change the mood of any room to exotic, casual, formal, or rustic.
- Reeds are woven together, retaining their natural textures and colors, offering a handcrafted look while still adding character and charm to the ambiance of any room.
- These stylish affordable shades can be manufactured with a simple pulley system, a continuous loop chain, or cordless lifting system.
- Numerous options including lining and duo shade systems are available to truly customize Woven Wood shades to suit any décor or scenario.
- AMS Signature Woven Wood shades are covered by a 1 year fabric warranty and a 3 year mechanism warranty.
- Box Surcharge Shades 93" or wider (up to 3 shades per box) \$340.00 NET surcharge.
- Peak Season Surcharge will be charged as per FedEx or UPS at net cost (up to 10% of total order).

# **MEASURING GUIDELINES**

# **MEASUREMENTS**

Accurate measurements are essential for correct pricing and proper fit. Use only a hard-edged ruler or steel tape, never a cloth tape. For *inside mounts*, width measurements (A) should be rounded *down* to the nearest 1/8" to prevent blind from rubbing against the window casing.

# **BASIC GUIDELINES**

Use a steel tape to measure the opening width (a) at three different places, and use the narrowest dimension when ordering. Be exact! The factory will make the shade ½" narrower so it will not rub against the window casing. Measure the height (a) of the window from the top (Soffit) down to the sill.

# **OUTSIDE MOUNT**

Use a steel tape to measure the exact width o and height o of the area to be covered. It is recommended that the shades overlap the window by at least 1 ½" on each side. When installation has no sill, allow the shade to overlap the bottom of the window casing by at least 1 ½". Shade fabric will measure the exact width indicated on the order form.

### FINISHED DIMENSIONS

INSIDE (IB) MOUNT Headrail Unit and Fabric Width. Shade Height	
OUTSIDE (OB) MOUNT Headrail Unit and Fabric Width . Shade Height	


# **HEADRAIL INFORMATION**

CLASSIC, 2 ON 1, AND TOP DOWN/BOTTOM UP SHADES

Mounted on a 1" x 1 1/2" Headrail

**CLUTCH OPERATED** 

Mounted on a 1" x 2 1/2" Headrail



## MOUNTING INFORMATION

INSIDE (IB) MOUNT Minimum Mounting Depth Cla	ssic (Cordlock) Headrail 1 ½" Clutch Headrail 2 ½"
OUTSIDE (OB) MOUNT Minimum Mounting Depth	_ , _ , _ , _ , _ , _ , _ , _ , _ , _ ,
MOUNTING BRACKETS INCLUDED Shade Width 18" - 40"	# of Brackets Included
52" - 96" 96" - 144"	3

### STACKING HEIGHTS


Shade Length	Approximate Stacking Height
Up to 72"	7"
72" to 84"	8"
84" to 96"	9"
96" to 108"	10"
108" to 120"	11"

# HARDWARE OPTIONS

# **OVERVIEW**

Woven Wood shades are created from natural products such as reeds, bamboo, grasses, and wood, that will age beautifully over time. It is possible that some patterns may grow slightly lighter or darker in color, depending on the fabric pattern. Variations in paint and stain, minor cracks, slight pattern irregularities and knots are all enhancements that add to the natural beauty and character of your shade. Standard Shade valance height is 7"

Cord Lock control is standard. Please specify control position. Clutch or Cordless options are available - Cordless Max. size 78" x 72"



### **CLASSIC ROMAN**

Hangs flat when lowered and self valance is standard off front of Classic Roman Shades to neatly conceal shades hardware. Operated with a cord lock. Must specify cord lock position right or left. Cord lock right side is standard.




### **ROMAN WITH CLUTCH**


Looks just like the Classic Roman, but has a continuous chain clutch mechanism for easier control and enhanced safety. Shaftwind system is a clutch system operated by a spear retainer and does not operate on a roller tube.

Note: Skyline system operates with a roller tube, standard on romans under 22" wide and large shades. Please specify system.

### 2-ON-1 OR 3-ON-1 HEADRAIL

Perfect for large windows, this style allows you to have two shades on the same headrail for independent control and more practicality. Price as separate shades and add together.





### TOP-DOWN / BOTTOM-UP

Versatile, this style is perfect for those places where privacy is needed while still preserving a clear view to the outside and allowing natural light into the room.

# **LINER OPTIONS**

# **OVERVIEW**

The materials to make Woven Wood shades have unique variations in both color and texture. The size and shape of the slats, reeds and grasses will affect spacing from shade to shade. This variation is normal and does not represent a defect in the material. Woven Wood shades alone will filter rather than block light. Some of the woven wood patterns will provide daylight privacy; however, for added night privacy, a liner upgrade is recommended.

If a liner is chosen, you must specify your liner option on your order (please refer to price grids for pricing information). Black or beige liner colors are great to coordinate with darker colored Woven Wood Shades, while white and ivory are perfect for lighter colors.

### STANDARD VS OPERABLE

A standard Woven Wood shade liner is a fixed liner upgrade for consistent filtering or blocking of light. The liner will move with your Woven Wood shade but cannot be moved as a seperate unit. An Operable Liner option is also available. This liner can be moved as a seperate unit, which allows for more freedom in your light-filtering options.

### **HOW TO SPECIFY YOUR LINER**

- 1. Choose your opacity: Light Filtering or Room Darkening.
- 2. Choose your color option from those shown below: (This is the color that will be seen slightly through the fabric spacing).







NO LINER WITH LINER OPERABLE LINER

# **GALLERY COLLECTION PATTERNS**

Pattern Name	Price Chart	Fabric Width
Amour	5	96"
Argos	1	96"
Aris	2	96"
Avedon	4	96"
Avia	2	96"
Bamboo	2	96"
Barents *	5	96"
Bedford	2	96"
Bengali *	5	96"
Boras	5	96"
Bromley	1	96"
Clayton	2	96"
Coral	3	96"
Edessa *	2	96"
Goya *	5	96"
Isamu *	3	96"
Kara *	1	96"
Kyoto	2	96"
Lulea	4	96"
Mesabi	2	96"
Mogu	4	96"
Norfolk	2	96"
Odene	3	96"
Osaka	2	96"
Serenity	5	96"
Srilanka	5	96"
Vaasa	5	96"
Warwick	1	96"
Zagoli	1	96"

Minimum width 12", recommended minimum height is 24"

# \*DENOTES THAT PATTERN HAS DISCONTINUED COLORS (SEE BELOW)

Barents Cornsilk - Discontinued Bengali Grass - Discontinued Edessa Latte - Discontinued Goya Earth - Discontinued Isamu White - Discontinued Kara Wheat - Discontinued Kara Slate - Discontinued

# **PRICE CHART 1**

	Width	>
_	vviulii	

		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	201	233	264	299	338	412	524	604	771
	42"	205	238	270	305	345	423	538	618	788
	48"	208	243	277	312	353	432	550	634	805
	54"	233	272	311	351	401	488	616	710	891
^	60"	238	279	318	360	408	498	628	724	908
1	66"	245	287	327	372	416	510	640	739	923
Height	72"	265	312	359	407	456	559	700	809	1004
ш	78"	269	319	364	414	464	570	713	824	1021
V	84"	273	323	369	422	473	580	725	837	1037
	90"	299	353	406	461	518	636	791	914	1124
	96"	303	359	412	469	525	646	804	929	1141
	102"	306	364	417	476	535	656	815	943	1158
	108"	327	388	448	512	576	706	876	1013	1237
	114"	330	394	454	519	583	717	889	1027	1253
	120"	336	399	460	525	592	727	901	1042	1270
	Add 6"	6	7	8	8	9	11	13	14	16

Longer sizes are available with some limitations, contact customer service for pricing and information

# **PRICE CHART 2**

<--- Width --->

						uui >				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	212	248	281	319	359	437	557	642	813
	42"	218	254	289	327	369	452	573	660	835
	48"	223	261	298	338	381	466	590	679	856
	54"	249	292	335	381	428	523	659	761	949
Ņ	60"	256	300	343	389	439	538	676	780	971
<u> </u>	66"	262	308	353	403	451	552	692	800	993
Height .	72"	283	336	386	439	494	606	756	874	1079
	78"	289	343	394	449	503	620	772	893	1101
V	84"	296	349	403	458	516	633	789	913	1123
	90"	321	382	439	501	563	692	859	993	1216
	96"	326	388	448	512	574	706	875	1013	1237
	102"	331	395	456	520	585	720	892	1032	1259
	108"	353	423	488	559	628	774	958	1108	1344
	114"	360	429	496	569	639	787	974	1127	1367
	120"	365	436	504	578	650	802	990	1145	1389
	Add 6"	7	8	9	10	12	14	16	18	21
					OVOTERA		_			

Longer sizes are available with some limitations, contact customer service for pricing and information

# LIFT SYSTEM SURCHARGES

CLUTCH	24"	36"	48"	60"	72"	84"	96"
120"	138	149	167	185	199	226	237

CORDLESS	36"	48"	60"	72"	84"	96"
36"	131	150	208	242	267	275

Note: Minimum Clutch is 13"

Note: Minimum Cordless is 24"

## **ADDITIONAL CHARGES**

& add together



## **PRICE CHART 3**

IIIOL OHAITI 3				< Wi	idth —>					
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	238	276	312	363	406	498	627	724	909
	42"	246	285	325	378	424	519	654	754	943
	48"	256	297	339	393	440	541	679	785	979
	54"	289	338	386	438	492	603	753	870	1074
	60"	299	348	399	454	510	626	779	900	1108
	66"	306	360	412	469	525	647	806	931	1143
neigh	72"	328	387	445	507	570	702	871	1007	1231
	78"	339	397	458	522	587	724	896	1039	1266
/	84"	346	408	472	538	604	746	923	1068	1300
	90"	374	444	512	583	656	808	997	1153	1397
	96"	384	454	523	599	674	830	1023	1184	1432
	102"	392	464	537	614	691	851	1048	1215	1467
	108"	414	493	570	653	734	907	1116	1292	1554
	114"	424	502	583	668	752	929	1141	1321	1590
	120"	432	515	596	682	769	951	1166	1353	1625
	4 1 1 0 11			10						0.4

Longer sizes are available with some limitations, contact customer service for pricing and information

# **PRICE CHART 4**

<--- Width --->

						uui >				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	258	299	340	386	432	529	666	767	959
	42"	269	314	357	407	456	559	701	810	1006
	48"	282	328	375	429	479	590	738	852	1056
	54"	307	361	412	471	525	647	805	929	1142
$^{\wedge}$	60"	320	375	431	492	551	677	842	971	1190
	66"	331	390	448	513	576	706	876	1013	1239
Height	72"	351	414	477	548	614	755	935	1081	1317
	78"	364	429	496	569	638	786	971	1123	1365
V	84"	375	445	514	590	661	815	1007	1166	1414
	90"	403	476	550	632	709	872	1075	1243	1500
	96"	414	492	569	653	733	902	1110	1285	1549
	102"	427	506	585	674	758	933	1146	1329	1596
	108"	446	532	615	708	796	982	1205	1396	1674
	114"	458	545	634	728	822	1012	1242	1438	1724
	120"	471	561	651	749	845	1043	1277	1481	1772
	Add 6"	12	15	18	20	25	30	35	40	47

Longer sizes are available with some limitations, contact customer service for pricing and information

### LIFT SYSTEM SURCHARGES

CLUTCH	24"	36"	48"	60"	72"	84"	96"
120"	138	149	167	185	199	226	237

CORDLESS	36"	48"	60"	72"	84"	96"
36"	131	150	208	242	267	275

Note: Minimum Clutch is 13"

Note: Minimum Cordless is 24" **ADDITIONAL CHARGES** 

AUDITIONAL GRAKE

& add together

# **PRICE CHART 5**

# **PRICE CHART 5**

<--- Width --->

					\ VVI	uu1 —>				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	281	327	374	427	477	585	733	846	1047
	42"	296	345	395	453	506	622	776	896	1106
	48"	309	364	417	478	536	658	822	948	1165
	54"	341	401	459	524	590	724	896	1036	1265
$^{\wedge}$	60"	355	417	480	551	618	760	941	1087	1322
	66"	369	436	502	577	648	797	984	1139	1381
Heignt	72"	392	464	537	616	692	853	1052	1218	1472
	78"	407	482	559	642	721	890	1097	1270	1531
V	84"	422	501	581	668	752	927	1141	1319	1590
	90"	452	537	622	714	805	991	1217	1409	1689
	96"	466	556	644	740	833	1027	1260	1460	1748
	102"	480	574	667	766	864	1065	1305	1510	1805
	108"	502	602	700	806	909	1121	1373	1590	1897
	114"	518	620	723	831	938	1159	1417	1642	1956
	120"	533	638	745	856	966	1195	1460	1692	2014
	Add 6"	15	18	21	26	29	35	42	50	56

Longer sizes are available with some limitations, contact customer service for pricing and information

### LIFT SYSTEM SURCHARGES

CLUTCH	24"	36"	48"	60"	72"	84"	96"
20"	138	149	167	185	199	226	237
e: Minim	um Clutch	is 13"					

ADDITIONAL CHARGES

ADDITIONA	AL UNANGES
Top-Down/Bottom-Up (84" max width) \$184 per shade	Cut-Outs\$120
Oversized Board/Returns\$99	Returns & Hold Downs Free - Must be requested
2-on-1 or 3-on-1 (144" max width)Price as separate shades	
& add together	

# **LINER PRICE CHARTS**

## **LIGHT FILTERING**

	инн н н <u>ь</u> н	Lillia			< Wi	dth —>				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	49	53	59	66	81	107	121	136	149
	42"	52	57	65	71	89	116	132	147	164
	48"	55	62	70	77	96	125	143	162	179
	54"	57	66	74	82	104	135	154	174	193
^	60"	62	70	78	88	111	144	165	187	208
- 1 - 1	66"	66	74	83	94	118	153	176	201	223
Height -	72"	70	77	89	100	126	163	187	213	238
1	78"	92	105	118	131	179	225	258	290	323
V	84"	95	110	124	139	187	235	270	305	341
	90"	100	115	130	145	195	247	284	322	359
	96"	103	120	136	151	205	259	298	338	377
	102"	107	124	142	159	214	270	311	353	395
	108"	110	129	146	164	224	281	325	369	413
	114"	115	133	152	171	233	292	340	385	432
	120"	118	139	159	176	241	304	351	401	449

Longer sizes are available with some limitations, contact customer service for pricing and information

<--- Width --->

42"

# **ROOM DARKENING**

90"

96" 102" 108" 114" 120" 24"

117

30"

137

159

36"	56	66	73	81	100	129	147	166	185
42"	61	72	80	89	109	142	163	184	205
48"	66	76	87	97	118	153	176	201	224
54"	71	82	93	104	129	165	192	218	243
60"	75	88	98	113	139	179	206	234	263
66"	80	94	105	120	147	189	220	251	282
72"	83	98	113	128	157	203	235	268	302
78"	107	125	143	162	215	272	317	359	402
84"	113	131	151	170	227	286	331	380	425

60"

302

72"

349

84"

399

96"

448

122	144	165	186	250	318	368	419	471
126	149	172	195	262	330	386	439	494
132	155	180	204	273	346	403	459	517
136	162	186	212	285	361	419	480	541
142	167	194	220	298	374	437	501	563

239

Longer sizes are available with some limitations, contact customer service for pricing and information

### WITH LIGHT FILTERING

W W I	III LIGII	1 1 1111111	iiiu		< Wi	dth —>				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	136	147	160	174	208	254	282	307	334
	42"	140	151	164	180	214	262	291	319	346
	48"	142	154	168	184	221	269	301	328	359
	54"	145	160	172	189	227	278	309	341	370
Ņ	60"	147	163	176	194	233	285	320	350	383
	66"	151	165	182	199	239	292	328	362	396
Height	72"	153	170	186	204	246	301	339	373	412
	78"	203	221	241	263	350	426	475	521	567
V	84"	206	226	246	269	360	435	486	535	583
	90"	209	229	250	276	367	446	498	549	600
	96"	212	234	257	281	375	455	512	562	615
	102"	215	239	261	286	384	466	522	578	632
	108"	219	242	265	292	392	476	535	592	654
	114"	223	247	270	299	401	486	548	606	676
	120"	226	250	277	304	408	496	559	624	697

Longer sizes are available with some limitations, contact customer service for pricing and information

# WITH ROOM DARKENING

		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	151	166	182	201	234	286	321	353	386
	42"	155	172	188	207	243	299	336	369	405
	48"	161	176	194	215	252	311	349	387	424
	54"	165	183	202	223	262	323	364	404	444
,	60"	168	188	209	230	272	335	378	419	461
- 1 1	66"	173	194	215	239	282	346	393	436	480
Height	72"	179	201	221	246	291	359	407	454	499
-11	78"	233	259	285	315	409	498	562	623	686
V	84"	238	264	292	323	422	514	580	644	709
	90"	242	271	301	331	433	527	598	666	733
	96"	248	279	308	342	446	542	616	687	756
	102"	252	284	317	350	457	558	634	708	782
	108"	259	291	323	360	469	573	653	730	806
	114"	263	298	330	368	480	588	671	749	829
	120"	268	303	340	378	494	603	689	770	853

Longer sizes are available with some limitations, contact customer service for pricing and information

# **AVAILABLE STYLES**



### WATERFALL SHADE

- Min Width 12" Min Height 24"
- Max Width 96" Max Height 120"
- No Front Valance, 4" Back Valance
- Not Available Top Down/ Bottom Up



#### FLAT FOLD SHADE

- Min Width 12" Min Height 24"
- Max Width 96" Max Height 120"
- 6" Front Valance



### **HOBBLED SHADE**

- Min Width 12" Min Height 24"
- Max Width 96" Max Height 96"
- 6" Front Valance

# 1/2" TWILL EDGE BINDING - SEWN ON

<--- Width --->

Ŷ		36"	48"	60"	72"	84"	96"	108"	120"
leight -	FLAT FOLD	53	60	68	75	86	95	107	111
- Hei	WATERFALL	53	60	68	75	86	95	107	111
\ \	HOBBLED	69	78	89	97	110	124	137	147

Note: Edge Binding not available across bottom of cordless shades. I Note: 1  $\frac{1}{2}$  Twill Binding will have mitered corners.

# 1 1/2" TWILL EDGE BINDING - SEWN ON

<--- Width --->

î		36"	48"	60"	72"	84"	96"	108"	120"
- Height -	FLAT FOLD	107	122	139	154	176	201	226	248
	WATERFALL	107	122	139	154	176	201	226	248
V	HOBBLED	139	159	180	201	228	261	293	322

Note: Edge Binding not available across bottom of cordless shades. | Note: 1 1/2 Twill Binding will have mitered corners.



# **EDGE BANDING OPTIONS**

## ADDITIONAL INFORMATION AND SPECIFICATIONS

### **EDGE BRANDING**

- Available in 1/2" and 1 1/2" Widths
- Mitered Corners for 1 1/2" Edge Banding
- Fabric Sewn on (No Fabric Sewn on Bottom of Cordless Shade)

### PRIVACY OR BLACKOUT LINING

- · Back Side Color is Off White
- 5 Colors of Blackout Lining Available
- 5 Colors of Privacy Liner Available

### TOP DOWN/BOTTOM UP (TD/BU)

- Flat Fold Style Only
- Not Available with Loop Control, Cordless, or 2-on-1 Headrail
- Min Width 18" Max Size is 72" x 72"

### 2 ON 1 (3 ON 1) HEADRAIL

- Flat Fold and Waterfall Style Only
- Not Available in TD/BU
- Multiple Shades with Loop Control Will Have Multiple Loops
- Min Width 24" Max Size is 120"

### **UPENDED HEADRAIL**

- Depth ¾" Height 1 ½"
- Not Available in Cordless or Dual Shades

#### LOOP CONTROL

- Metal Chain Only (Stainless Steel or Bronze Only
- Wood Headrail is 2 1/2"
- Not Available in TD/BU
- Min Width 24" Max Width 96" Max Height 96"

### **CORDLESS SHADE**

- Flat Fold and Waterfall Style Only
- Wood Headrail is 1 ½"
- Not Available in TD/BU, Loop Control, or Hobbled Shades

#### **DUAL SHADE**

- Flat Fold and Waterfall Style Only
- Back Shade Length is 1/2" Shorter than the Front Shade
- Not Available in TD/BU, Loop Control, or Hobbled Shades
- Right Control Operates Shade/Left Control Operates Liner
- Wood Headrail is 2 1/2"

### **HOBBLED VALANCE**

- Available in 12" Double Hobble or 18" Triple Hobble
- 6" Folds
- Wood Headrail is 1 1/2"

### **MOTORIZATION OPTION**

- Flat Fold and Waterfall Style
- Not Available in TD/BU Shades
- · Call for Pricing and Options

## STACKING CHART & MINIMUM DEPTH REQUIREMENTS

	HEADRAIL DIMENSIONS		
	DEPTH	HEIGHT	
STANDARD HEADRAIL (CORD- LOCK, TDBU, CORDLESS)	1 1/2"	3/4"	
LOOP CONTROL & DUAL SHADE	2 1/2"	3/4"	

INSIDE	MOUNT	
MIN DEPTH	FLUSH MOUNT	OUTSIDE
1 1/2"	3/4"	
2 1/2"	3/4"	2' OF FLAT SURFACE

	STACKING CHART (BASED UPON SHADE LENGTH)					
		24"	48"	72"	96"	120"
APPROX HEIGHT	FLAT FOLD & WATERFALL	7.5"	7.5"	7.5"	8"	8.5"
AFFROX HEIGHT	HOBBLED	8.5"	8.5"	8.5"	9"	9.5"
APPROX THICKNESS	FLAT FOLD & WATERFALL	1.5"	2.5"	3.5"	4.5"	5.5"
AFFROX INICKNESS	HOBBLED	2.5"	3"	3.5"	4.5"	5.5"



# **CHILD SAFETY & WARRANTY**

## **CHILD SAFETY**

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

### REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach of children.

Automated Motorized

WARRANTY

**Shades** 

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

### WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice

date of the product.

This guarantee does not apply to
damage to exterior shades caused by high winds and/or
extreme weather conditions. Any roller shade or parts which
fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

> Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized Shades' warranty is designed to ensure a thoroughly

satisfying experience with your window treatment product. Certain restrictions may apply.

