

TABLE OF CONTENTS

Introduction	2
Power Types	3-4
Battery Powered	3
Solar Powered	3
Plug-In Powered	4
In-Wall / Hard Wired Powered	4
Pricing	5
Motor Compatibility	6
Somfy®	6
Tilt	6
Rollease Automate	6
Motor Tube Compatibility	7
Compatible Tube Sizes	7
Maxiumum Tube Width	7
Somfy® Motor Specifications	8
Somfy® Motors	9-11
Roller, Roman & Woven Wood Motors	9-10
Honeycomb Motors	11
Horizontal Sheer & Blind Motors	11
Somfy® Controls & Accessories	12-13
RTS Remotes	12
AC Cord Options	12
DC Options	12
Additional Options	13
Power panels	13
Rollease Motors	14-15
Motor Specifications	14
Roller, Roman & Woven Wood Motors	14
Honeycomb Motors	14
Horizontal Sheer & Blinds Motors	15
Lift & Tilt Specifications	15
Rollease Controls & Accessories	
Controls	
Accessories	16
Child Safety & Warranty	

INTRODUCTION

INTRODUCTION

The automation of window treatments is the fastest growing segment of the window covering industry. From simple battery operated motors and complete systems that are fully compatible with most automation systems, to motors that are integrated into the window treatment and totally concealed, home or building automation options offer endless decoration possibilities.

Choosing the right automation option for your window treatment is the first step towards creating a beautiful and functional motorized window covering. There are numerous motorization choices to be made and deciding on what's best for your application can vary based upon window size, how your shade operates (vertically or horizontally), and/or shade weight.

Automated Motorized Shades has simplified the process of selecting and ordering motors and controls for all of the products that Automated Motorized Shades manufactures. Products have been placed in an easy to use, categorized format covering all the bases from battery operated motors to hard wired applications. Just follow the easy step by step process in this guide to find the solution that best suits your customer's needs. This price guide is designed to provide helpful automation information so that motorization can and should become an essential part of what you offer to your customers. From concept to completion, Automated Motorized Shades is ready to assist you with all of your automation needs.





POWER TYPES

BATTERY POWERED

- No wires to conceal and no need for an electrician
- Built in receiver for all battery operated products
- Perfect for situations where access to electrical wiring is not possible
- Ideal for projects with smaller window openings
- Simple battery replacement using standard lithium batteries
- Battery clips are provided for mounting the battery wands in various configurations
- All battery motors can be converted to a plug-in motor with a transformer

Size limitations may apply (See product specifications for details)





SOLAR POWERED

- The WireFree[™] Solar Pack includes an easy-to-install, low profile solar panel, battery pack and wiring harness
- Replaces traditional battery solutions as an autonomous system for 12 Volt WireFree™ motors
- The WireFree[™] Solar Pack efficiently captures sunlight through interior windows to effectively replenish the energy consumed by the motor and has been designed to work through seasonal variations
- NiMH battery acts as a "reservoir" of stored energy, which means less disposal of single use batteries & reduced energy consumption
- Solar Panel Measures 11 1/8" L x 1 5/8" W x 1/2" H
- 5 year warranty on Solar Panels





POWER TYPES

PLUG-IN POWERED

- · Simply plugs into standard outlet
- Available for AC (high voltage) or DC motors (low voltage)
- AC motors have a greater capacity than battery motors and can be coupled to operate multiple shades simultaneously
- Maintenance Free (no batteries to change)
- Wires will be exposed and may need to be concealed with a top and/or side treatment (Valance or Side Panels)
- Electrician may be required if existing outlets are not convenient to the shade location
- · Products that include built in receivers are:
 - Roller Shade Collection
 - Woven Wood Collection
 - Roman Shade Collection
 - Honeycomb Collection
 - Sheer Collection
 - Glydea Drapery Rod
 - Horizontal Blinds
 - Tilt only for 2" & 2 1/2"
 - Lift & Tilt for 1", 2" & 2 1/2"
- Products that require an external receiver are:
 - BTX 5060 Drapery Rod



IN-WALL / HARD WIRED POWERED

- Available in either DC (low voltage) or AC (high voltage) versions depending on the application needs
- AC motors may require an electrician to run and connect all wires
- DC motors may not require an electrician to run and connect all the wires.
- · Maintenance free
- DC power panels can be configured to power multiple motors from a centralized location






PRICING

PRICING MOTORIZATION

This motorization price guide is designed to make pricing automated window treatments a simple and easy process. Just follow this step by step guide (as outlined below) to calculate a fast, accurate price for all of your motorized needs.

STEPS FOR PRICING

- 1. Determine what type of motorization/power choice best suits your customer's needs
- 2. Find the price for your motorization following the easy steps outlined on the product pages
- 3. Add any surcharges at the bottom of the page and total all prices
- 4. Apply any discounts
- 5. Using our order form, Email your orders to orders@amsshades.com or fax 954.974.0529



MOTOR COMPATIBILITY

SOMFY®

Motor	AC	DC	RTS	RS485	DCT	4 Wire	2 Wire	Roller Shades	Roman Shades	Parallel Shades	Honey- comb	Horizontal Sheer	Woven Woods
Somfy R 28		12V	✓				✓	✓	✓			✓	✓
Sonesse 30 Wirefree		Li-lon	✓					✓	✓	✓	✓	✓	✓
Sonesse ST 30		24V	✓	✓	✓			✓	✓	✓	✓	✓	✓
Sonesse Ultra Qt 504		24V	✓	✓				✓	✓				✓
Sonesse ST 404	120V		✓			✓		✓	✓	✓	✓	✓	✓
Sonesse ST 406	120V		✓			✓		✓	✓				✓
Sonesse ST 506	120V		✓	✓	✓	✓		✓	✓				✓
Sonesse ST 510	120V		✓	✓		✓		✓	✓				✓
Sonesse Ultra Qt 506	120V		✓	✓		✓		✓	✓				✓
CL-32		12V									✓		

TILT

Motor	AC	DC	RTS	RS485	DCT	4 Wire	2 Wire	
Tilt Wire Free		12V	✓					Horizontal Blinds
ST 30 (Lift & Tilt)		24v	✓		✓			Horizontal Blinds
ST 406 CTS (Lift & Tilt)	120v		✓	✓		✓		Horizontal Blinds

ROLLEASE AUTOMATE

Motor	AC	DC	RF	RS485	DCT	4 Wire	2 Wire	Roller Shades	Roman Shades	Parallel Shades	Honey- comb	Horizontal Sheer	Woven Woods
Li-ion 1.1		LI-lon	✓					✓	✓	✓		✓	✓
Li-ion Q2.0		LI-lon	✓					✓	✓	✓		✓	✓
Li-ion 3.0		LI-lon	✓					✓	✓				✓
Li-ion Q3.0		LI-lon	✓					✓	✓				✓
ACRF Q6	120V		✓					✓	✓				✓
ACRF Q10	120V		✓					✓	✓				✓

MOTOR TUBE COMPATIBILITY

SOMFY®

TUBE DIAMETER	1 1/4"	1 ½"	40mm	2"	2 ½"	3"	3 ½"	4 1/4"
Somfy R-28	✓	✓						
Sonesse 30 Wirefree		✓		✓				
Sonesse ST 30		✓		✓				
Sonesse Ultra Qt 504				✓	✓	✓		
Sonesse ST 404			✓	✓				
Sonesse ST 406			✓	✓				
Sonesse ST 506				✓	✓	✓	✓	✓
Sonesse ST 510				✓	✓	✓	✓	✓
Sonesse Ultra Qt 506				✓	✓	✓	✓	✓

ROLLEASE AUTOMATE

TUBE DIAMETER	1 1/4"	1 ½"	40mm	2"	2 ½"	3"	3 ½"	4 1/4"
Li-ion 1.1	✓	✓						
Li-ion Q2.0		✓		✓				
Li-ion 3.0				✓	✓			
Li-ion Q3.0				✓	✓			
ACRF Q6				✓	✓			
ACRF Q10				✓	✓			

MAXIUMUM TUBE WIDTH

TUBE DIAMETER	1 1/4"	1 ½"	40mm	2"	2 ½"	3"	3 ½"	4 1/4"
Width in Inches	72"	96"	120"	132"	168"	192"	192"	210"

SOMFY® MOTOR SPECIFICATIONS

RTS

Motor	Power	Min Width	Max Width	Min Length	Max Length	Coupled Max	Max Weight	Quiet
Somfy R-28	DC	16"	96"	14"	120"	NA		No
Sonesse 30 Wirefree	Battery	28"	132"	12"	144"	+1	17lbs	Yes
Sonesse ST 30	DC	19"	96"	12"	144"	NA		Yes
Sonesse Ultra Qt 504	DC	39"	156"	12"	192"	+1	35 lbs	Yes
Sonesse ST 404	AC	24"	120"	12"	144"	+1	35 lbs	Yes
Sonesse ST 406	AC	25"	120"	12"	192"	+1	52 lbs	Yes
Sonesse ST 506	AC	34"	210"	12"	192"	+2	52 lbs	Yes
Sonesse ST 510	AC	35"	210"	12"	220"	+2	88 lbs	Yes
Sonesse Ultra Qt 506	AC	40"	210"	12"	156"	+2	52 lbs	Yes
CL-32	DC	20"	120"	12"	96"	NA		No

4 WIRE

Motor	Power	Min Width	Max Width	Min Length	Max Length	Coupled Max	Max Weight	Quiet
Sonesse ST 404	AC	22"	120"	12"	144"	+1	35 lbs	Yes
Sonesse ST 406	AC	23"	120"	12"	192"	+1	52 lbs	Yes
Sonesse ST 506	AC	32"	168"	12"	192"	+1	52 lbs	Yes
Sonesse ST 510	AC	32"	220"	12"	220"	+2	88 lbs	Yes
Sonesse Ultra Qt 506	DC	40"	168"	12"	192"	+2	52 lbs	Yes

RS485

Motor	Power	Min Width	Max Width	Min Length	Max Length	Coupled Max	Max Weight	Quiet
Sonesse Ultra Qt 504	DC	42"	156"	12"	192"	+1	35 lbs	Yes
Sonesse ST 506	AC	34"	168"	12"	192"	+2	52 lbs	Yes
Sonesse ST 510	AC	35"	220"	12"	220"	+2	88 lbs	Yes
Sonesse Ultra Qt 506	AC	39"	168"	12"	192"	+2	52 lbs	Yes

DCT

Motor	Power	Min Width	Max Width	Min Length	Max Length	Coupled Max	Max Weight	Quiet
Sonesse 30 DCT	DC	30"	168"	12"	192"	NA		Yes
Sonesse 506 DCT	AC	30"	168"	12"	192"	+2	52 lbs	Yes
Sonesse 510 DCT	AC	30"	220"	12"	220"	+2	88 lbs	Yes

SOMFY® MOTORS

ROLLER, ROMAN & WOVEN WOOD MOTORS

DC MOTORS

M OTOR	Power	Power Source	CONTROL TYPE	RETAIL
Somfy R28-RTS*	DC Battery	12v	RTS	\$700
Sonesse 30 Wirefree‡	Li-lon	12v	RTS	\$600
Sonesse ST30-RTS†	DC 24v	24v	RTS	\$1,070
Sonesse Ultra Qt 504 DC-RTS†	DC 24v	24v	RTS	\$1,475
Somfy R-28 (2 Wire)†	DC	24v	Switch	\$615

*Price Includes Battery Pack with Batteries ‡Requires 1 Recharger per Order †Price Includes DC Transformer R-28 and ST-30 Series Widths Should Not Exceed 96"



SONESSE 400 SERIES

M OTOR	Power	Power Source	CONTROL TYPE	RETAIL
Sonesse ST 404-RTS	AC	120v	RTS	\$1,025
Sonesse ST 406-RTS	AC	120v	RTS	\$1,075
Sonesse ST 404-WT (4-Wire)	AC	120v	Switch	\$1,000
Sonesse ST 406-WT (4-Wire)	AC	120v	Switch	\$1,100

Widths Should Not Exceed 120"



SONESSE 500 SERIES

Мотоя	Power	Power Source	CONTROL TYPE	RETAIL
Sonesse ST 506-RTS	AC	120v	RTS	\$1,110
Sonesse ST 510-RTS	AC	120v	RTS	\$1,335
Sonesse Ultra Qt 506-RTS	AC	120v	RTS	\$1,200
Sonesse Ultra Qt 506A2-WT	AC	120v	Switch	\$1,125
Sonesse ST 506-WT	AC	120v	Switch	\$1,000
Sonesse ST 510-WT	AC	120v	Switch	\$1,125

Recommended for Shade Widths: Up to 168" for Sonesse 506 & 510 motors



SOMFY® MOTORS

ROLLER, ROMAN & WOVEN WOOD MOTORS (CONT.)



SOMFY DRY CONTACT MOTORS

Мотоп	Power	Power Source	CONTROL TYPE	RETAIL
Somfy 30 DCT*	DC	24v	Switch	\$1,135
Sonesse 506-S2DCT	AC	120v	Switch	\$1,200
Sonesse 510-S2DCT	AC	120v	Switch	\$1,300

*Price Includes Transformer



SOMFY RS485 MOTORS

Мотоя	P ower	Power Source	CONTROL TYPE	RETAIL
Sonesse ST30-RS485	DC	24v	RS485	\$1,335
Sonesse Ultra Qt DC 504-RS485*	DC	24v	RS485	\$1,600
Sonesse ST 506-RS485	AC	120v	RS485	\$1,275
Sonesse ST 510-RS485	AC	120v	RS485	
Sonesse Ultra Qt DC 506-RS485*	AC	120v	RS485	\$1,325

*Price Includes Transformer

HONEYCOMB MOTORS



RTS

M otor	Power	Power Source	CONTROL TYPE	RETAIL
CL 32-RTS*	DC Battery	12v	RTS	\$750

*Price Includes Battery Pack with Batteries and AMS Deluxe Headrail

 MOTOR
 POWER
 POWER SOURCE
 CONTROL TYPE
 RETAIL

 ST 30-RTS*
 DC
 24v
 RTS
 See Chart

*Price Includes RL-2024 Headrail

48"	72"	96"	120"
\$1255	\$1300	\$1360	\$1400



SOMFY® MOTORS

HONEYCOMB MOTORS (CONT.)

 MOTOR
 POWER
 POWER SOURCE
 CONTROL TYPE
 RETAIL

 ST 404-RTS*
 AC
 120v
 RTS
 See Chart

 *Price Includes RL-4120 Headrail

48"	72"	96"	120"	144"	192"
\$1340	\$1380	\$1440	\$1480	\$1540	\$1640

HORIZONTAL SHEER & BLIND MOTORS

RTS



Мотоп	Power	Power Source	CONTROL TYPE	RETAIL
R-28-RTS*	DC Battery	12v	RTS	\$830

*Price Includes Battery Pack with Batteries and AMS Deluxe Headrail

Мотоп	Power	Power Source	CONTROL TYPE	RETAIL
ST 30-RTS	DC	24v	RTS	\$1,200
Sonesse 30 Wirefree	Li-lon	12v	RTS	\$730
М отоп	Power	Power Source	CONTROL TYPE	RETAIL
ST 404-RTS	AC	120v	RTS	\$1,089

LIFT & TILT SPECIFICATIONS

Туре	Power	Min Width	Max Width	Min Length	Max Length	Max Weight	Quiet
Tilt Wire Free	DC	24"	144"	NA	120"	35 lbs	No
ST-406 CTS (Lift & Tilt)	AC	28	108	NA	96"	36 lbs	Yes

SOMFY® CONTROLS & ACCESSORIES



4 Channel





Decoflex Table Top Accessory

RTS REMOTES

<i>Rемоте</i>	Pure (White)	BLACK	SILVER	I VORY
Telis - 1 Channel RTS Remote	\$134	\$209	\$209	NA
Telis - 4 Channel RTS Remote	\$185	\$269	\$269	NA
Telis - 16 Channel RTS Remote	\$561	NA	\$561	NA
Decoflex Wirefree RTS Keypads*	\$335	\$365	NA	\$365
Decoflex Table Top Accessory	\$79	\$79	\$79	NA
Modulis - 1 Channel RTS Remote	\$265	NA	NA	NA
Modulis - 4 Channel RTS Remote	\$390	NA	NA	NA
Telis Patio - 1 Channel RTS Remote†	\$185	NA	NA	NA
Telis Patio - 4 Channel RTS Remote†	\$249	NA	NA	NA
Telis 1 Chronis with Timer	\$325	NA	\$350	NA

*Available in 1-5 Channel Models †Available in White with Blue Trim

<i>Rемоте</i>	Pure (White)	BLACK	SILVER	Designer
SIMU Remote (1 channel)	\$149	\$149	\$149	\$149
SIMU Remote (5 channel)	\$185	\$185	\$185	\$185
SIMU Wall Switch (1 channel)	\$134	\$134	\$134	\$134
SIMU Wall Switch (5 channel)	\$174	\$174	\$174	\$174
Smoove RTS Wall Switch	\$185	NA	NA	NA
Optional Smoove Wall Plates	Included	\$19	\$19	\$19

AC CORD OPTIONS

12' Cord - 500 Series Only	\$42
18' Cord - 500 Series Only	
24' Cord - 500 Series Only	\$80
400 Series Cord Over 11'	. +\$6 per foot

DC OPTIONS

12v Transformer	
24v Transformer	
Battery Wand	
Dual Battery with Harness	
Solar Panel Kit (12v Only)	\$300
SPDT	\$59
DPDT	\$96
Wirefree Charger	

SOMFY® CONTROLS & ACCESSORIES





Thermo Sunis Indoor Wirefree RTS

MyLink

ADDITIONAL OPTIONS

Mylink	\$475
Sunis Indoor Wirefree RTS	
Thermo Sunis Indoor Wirefree RTS	\$622
RTS Repeater	\$468
URTSI-II	\$935
ZRTSI	\$880
ZBDMI (Zigbee to Digital Motor Interface)	\$625
ZDMI (Z-Wave to Digital Motor Interface)	\$625
Data Hub	\$225
Data Hub Plus	\$600
POE - Power Over Ethernet	\$350
6 Button SDN Switch	\$350
8 Button SDN Switch	
RS485 Limit Setting ToolSomfy Connect LTI	\$650
Somfy Connect Universal Automation Interface (UAI) Plus	\$2,655
Wago PLugs	\$80
WEP Plate	\$120
Motorized Shade Coupler	\$215

POWER PANELS

SDN Power Panels\$4	,000
SDN Data Panels\$4	,200
Power Panels (5, 10, 15, 20 Motors)	icing

ROLLEASE MOTORS

RF MOTOR SPECIFICATIONS

Motor	Power	Min Width	Max Width	Min Length	Max Length	Coupled Max	Max Weight	Quiet
Li-ion 1.1	Battery	22"	96"	12"	96"	NA	9 lbs	No
Li-ion Q2.0	Battery	30"	96"	12"	144"	NA	17 lbs	Yes
Li-ion 3.0	Battery	31"	144"	12"	160"	+1	27 lbs	No
Li-ion Q3.0	Battery	38"	168"	12"	160"	+1	27 lbs	Yes
ACRF Q6	AC	28"	168"	12"	192"	+2	52 lbs	Yes
ACRF Q10	AC	36"	168"	12"	220"	+2	88 lbs	Yes

ROLLER, ROMAN & WOVEN WOOD MOTORS



DC/BATTERY MOTORS

М отоя	Power	Power Source	CONTROL TYPE	RETAIL
Li-lon 1.1 (25 mm)	Internal Battery	Li-lon	RF	\$450
Li-lon Q2.0 (28 mm)	Internal Battery	Li-lon	RF	\$534
Li-lon Q3.0 (45 mm)	Internal Battery	Li-lon	RF	\$708
Li-lon Q3.0 (45 mm) with Silent Pin End	Internal Battery	Li-lon	RF	\$758

Note: One Charger included with each Rollease motorized shade order
Note: One remote included with each Rollease motorized shade order per each 5 shades
(One Shade: RF White Single Channel Remote)
(Up to 5 Shades: RF Whte Single Channel Remote or RF White 15 Channel Remote)





М отоп	Power	Power Source	CONTROL TYPE	RETAIL
ACRF Q6	AC	120v	RF	\$735
ACRF Q10	AC	120v	RF	\$575

HONEYCOMB MOTORS



DC/BATTERY MOTORS

*Price Includes RL-2024 Headrail

Note: To mount a motor on any shade NOT manufactured by Automated Motorized Shades you must add \$199 to the cost of the motor

48"	72"	96"	120"
\$1067	\$1155	\$1156	\$1190

ROLLEASE MOTORS

HORIZONTAL SHEER & BLINDS MOTORS

DC/BATTERY MOTORS



M OTOR	POWER	Power Source	CONTROL TYPE	RETAIL
25mm Battery DCRF	DC Battery	12v	RF	\$450
28mm Battery Quiet DCRF	DC Battery	12v	RF	\$534

Note: To mount a motor on any shade NOT manufactured by Automated Motorized Shades you must add \$199 to the cost of the motor

ROLLEASE CONTROLS & ACCESSORIES





RF White 15 Channel Remote

RF White Wall Switch

CONTROLS

RF White 1 Channel Decorator Wall Switch (Cut In)	MTRF-WS-1C	\$104
RF White 15 Channel LED Decorator Switch (Cut In)	MTRF-WS-15CLED	\$128
RF White 5 Channel Decorator Surface Mount Switch	MTRF-WS5-FLUSH	\$120
RF White 1 Channel Remote	MTRF-REM-1C	\$131
RF White 15 Channel LED Remote with Leveling Control Sun Sensor	MTRF-REM-5CLED	\$158
RF White 1 Channel Remote	MTRF-REM-1C	\$131

ACCESSORIES

Recharger for DC Battery Motors (18/25/28/35/45 mm)	MTDCB-CHARGE	\$64
Solar Panel for 18/25/28/35/45 mm Battery Motors		
Battery Tube for 18/25 mm DCRF (no Battery) Mtrs	MTBWAND18-15	\$56
DC Battery Motor Cable extender 6" / 155 mm	MTDCB-CBLXT6	\$16
DC Battery Motor Cable extender 48" / 1220 mm	MTDCB-CBLXT48	\$21
DC Battery Motor Cable extender 96" / 2440 mm	MTDCB-CBLXT96	\$27
Automate Pulse	WIFIBRIDGE-KIT	\$467
Motorized Shade Coupler (45 mm Motor Only)		\$215

CHILD SAFETY & WARRANTY

CHILD SAFETY

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach of children.

Automated

WARRANTY

Motorized

Shades

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice

date of the product.

This guarantee does not apply to
damage to exterior shades caused by high winds and/or
extreme weather conditions. Any roller shade or parts which
fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

> Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized Shades' warranty is designed to ensure a thoroughly satisfying experience with your window treatment product. Certain restrictions may apply.





TABLE OF CONTENTS

Basic Guidelines	
Overview	2
Measuring Instructions	3-4
Fabric Selection	5-7
Price Charts	8-11
Price Charts 1	8
Price Charts 2	8
Price Charts 3	9
Price Charts 4	9
Price Charts 5	
Price Charts 6	10
Price Charts 7	
Price Charts 8	11
Options	12-17
Child Safety & Warranty	18

BASIC GUIDELINES

- Shades can be ordered inside mount (deductions from ordered size will be taken), outside mount (no deductions on width will be taken), and fabric width (outside bracket to outside bracket size will vary depending on control being used).
- Measure the desired width and height. For outside mount it is recommended to add at least 2" to width to minimize light gap.
- Shades that are not mounted level may telescope (shade rolling off the tube to one side or the other) and may cause shade damage.
- Shades width that is less than half the height may cause shades to telescope even if shades are mounted level. The larger
 the length to width ratio, the more likely and severe the telescoping may become. Telescoping damage is not covered
 under warranty.
- Shades may be ordered with clutches, cordless, and motorized (see motorization pricing guide).

OVERVIEW

PROUDLY MANUFACTURED IN THE USA

With an extensive selection of fabrics, manual controls and automation options, the Automated Motorized Shades Roller Shade collection is a complete solution for all of your solar control needs. From fabrics that offer complete light blockage to materials that provide excellent protection from the sun's harmful rays while still permitting an unobstructed view, you are sure to find a choice that will serve your customers' needs. Here are a few of the many features available in this line:

Available Features & Options	Benefit
Continuous Loop Clutch Operation	Smooth, easy lifting with exact positioning
Universal, Color Coordinated Mounting Brackets with Covers	Easy installation and removal of the shade Provides a finished look even without valances
Heat Sealed Bottom Hem	Sleek, clean and durable - available with sealed ends
Optional Fabric Wrapped Hem Bar Color Coordinated	Decorative hem bar covered by fabric on the front, color coordinated exposed on the back
Optional Cassette Valance	Valance system with fabric insert, installs as a complete system
Optional Fascia & Fabric Valance	Available in matching colors, provides a clean method of concealing shades
Motorization Available	Eliminates lift cords, raises and lowers shades at the touch of a button
Color Coordinating Nylon Beaded Chain or Stainless Steel Chain	Standard on every manual shade

Fabrics widths vary. Check the color coordination chart to determine the maximum width for your selected fabric.

FABRIC ORIENTATION

- When displaying multiple shades in the same room, we recommend all shades be ordered with the same fabric orientation for a consistent look.
- Due to the nature of solar/roller shades, the material may curl along its vertical edge when the fabric is railroaded. This is not considered a defect of the product.
- Shades ordered within the maximum width of the fabric will be vertically oriented.
- Shades ordered wider than the maximum width of the fabric will be horizontally oriented (the width is used for the height) commonly referred to as railroaded. See the fabric compatibility index to determine if the fabric you select can be railroaded.
- Railroaded shades with an ordered height greater than the maximum fabric width minus 6 inches may have a visible seam. See the fabric compatibility index to determine if the fabric you select can be seamed and if the seam will be visible.

*Visible Seams Will Be Placed as High Up as Possible

LARGE SHADE MAY

FABRIC ORIENTATION

STANDARD

Fig. 1



Fig. 2



Fig. 3

MEASURING INSTRUCTIONS

MEASUREMENTS

Accurate measurements are absolutely essential. The measurements you provide are used first to price the shade, and then to custom fabricate it to the specified size. The dimensions supplied on the order form must be correct for the shade to properly fit the window opening. As a dealer, it is your responsibility to measure and order accurately. Automated Motorized Shades cannot be held accountable for incorrect ordering information.

BASIC GUIDELINES

Measuring for Roller Shades is similar to measuring for most window coverings. Follow these basic guidelines to ensure a smooth installation:

- Always use a steel tape measure, preferably 34" to 1" wide.
- Measure width first, then height.
- Measure each window separately, even if they appear to be the same size.
- Survey the window area carefully and make additional measurements, if necessary.
- · Record your measurements on a worksheet.

CONSISTENCY

- To ensure color consistency and avoid dye lot variation, please order all shades for the same room at the same time.
- Due to the nature of the weaving process, some imperfections in the weave are normal.
- Pattern Alignment: Due to random design, exact alignment of some shade weaves is not possible, nor is centering of the pattern across the width of shades and fabric covered valance options.

The diagram shown below is for clutch & battery operated roller shades.

WHEN SHADE IS OR-DERED IB





Fig. 4

INSIDE MOUNT (IB)



INSIDE OR OUTSIDE MOUNT

How you take your measurements will vary depending upon whether the shade fits within the window opening (inside mount or IB Fig.4 and Fig. 5) or overlaps the window opening (outside mount or OB Fig. 6 and Fig.7) With inside mounts, note that the shade fabric will be about 13/8"narrower than the window opening, so if complete privacy and light control is desired, optional side panels and bottom channels can be ordered.

"ROUNDING" YOUR MEASUREMENTS

Dimensions on the order form should be accurate to within 1/8". However, with inside mounts, always round the width measurement down to the nearest 1/8". Rounding up could result in a shade that is too wide to fit within the window opening. For example, for an inside mount, 3/16" would round to 1/8". The only time is not the case is when measuring for Parallel Shades, which need to be accurate to a 1/16"

MEASURING FOR INSIDE MOUNTS (FIG. 5)

- 1. Measure the width about 1 1/4" down from the top of the window, which typically is where the installation brackets will be mounted. Remember to round down to the nearest 1/8". This measurement is the ordering width of the shade. Do not make any deductions from this width all necessary deductions will be made automatically when the shade is fabricated. Measure the width at the center and bottom of the window. If the width narrows by more than 1" from the top measurement, the customer should consider an outside mount.
- Measure the height of the window opening at three locations, as shown in Fig. 5 and order the shortest measurement. Again, make no deductions. All necessary deductions will be made when the shade is fabricated.
- Measure window on the diagonal. If the two diagonal dimensions are not exactly the same, it may be more appropriate to specify an outside mount shade for optimal light control and privacy.
- 4. Measure depth of window for mounting brackets

Note: Acceptable tolerances for all dimensions are plus or minus 3/32"

MEASURING INSTRUCTIONS

MEASURING FOR OUTSIDE AND CEILING MOUNTS

- Measure the desired width and height. To minimize light leakage, it is recommended that the shade overlap the window opening at least 1 ½" on each side, as well as at the top and bottom.
- Measure the width at the location where you want the brackets, and use this measurement as your ordering width for the shade.
- Measure the height from where the top of the roller will be located to where you want the bottom of the shade.
- Please note the allowances pictured below for Roller Shades (Fig.6) to assure proper overlap or order Roller Shade as a cloth measurement (Fig.7).

CLOTH MEASUREMENTS FOR ROLLER SHADES

- Measure the desired width and height. To minimize light leakage, it is recommended that the shade overlap the window opening at least 1 ½" on each side, as well as at the top and bottom. As with inside mounts, do not make any deductions from your measurements.
- Measure the width at the location where you want the fabric, and use this measurement as your ordering width for the shade.
- Measure the height from where the top of the roller shade brackets will be located to where you want the bottom of the shade.
- Please note the allowances pictured (Fig. 7) to assure that you have sufficient room to mount the bracket.

TELESCOPING (ALSO KNOWN AS TRACKING)

Telescoping is defined as the shade rolling off the tube to one side or the other while being raised. The main causes are:

- A shade that is installed out of level. The more out of level a shade is installed, the more pronounced the telescoping.
- Shades that are mounted uneven on the roller tube or cut out of square. (Automated Motorized Shades uses state of the art shade cutting tables and mounting methods that virtually eliminate this cause)
- Width vs. Height When the width of a roller shades equals less than fifty percent of the height, telescoping can occur even if the shade is installed level. This issue becomes exaggerated as the shade becomes narrower and/or taller. This is especially important to note on Motorized Roller Shades, since the motor can not sense that the shade may be telescoping, it will continue to run causing irreparable damage to the shade cloth. Telescoping damage is not covered under warranty and is considered to be an improper installation issue. A viable option for narrow/tall windows is the Solar Roman Shade.

WHEN SHADE IS ORDERED OB

Outside bracket to
outside bracket
measurement
equals ordered size.

Cloth measurement
may vary based upon
clutch size deduction.

Fig. 6

WHEN SHADE IS ORDERED TO CLOTH SIZE

Outside bracket to outside bracket measurement may vary based upon clutch size.

Cloth measurement equals ordered size

Fig. 7

FABRIC SELECTION

Vendor	Name	Roller Shade Price Chart	Opacity	Maximum Fabric Width	Railroad Available
Phifer	Sheerweave© 1000	2	25%	96"	Yes
Phifer	Sheerweave© 2000	5	5%	126"	Yes
Phifer	Sheerweave© 2100	4	10%	98"	Yes
Phifer	Sheerweave© 2360	4	10%	98"	Yes
Phifer	Sheerweave© 2390	5	5%	126"	Yes
Phifer	Performance + 2390	8	5%	96"	Yes
Phifer	Sheerweave© 2410	5	3%	126"	Yes
Phifer	Performance + 2410	8	3%	96"	Yes
Phifer	Sheerweave© 2500	6	1%	126"	Yes
Phifer	Performance + 2500	8	1%	96"	Yes
Phifer	Sheerweave© 2701	6	1%	126"	Yes
Phifer	Sheerweave© 2703	5	3%	126"	Yes
Phifer	Sheerweave© 2705	5	5%	126"	Yes
Phifer	Sheerweave© 2710	4	10%	98"	Yes
Phifer	Sheerweave© 3000	3	14%	96"	Yes
Phifer	Sheerweave© 4000	5	5%	126"	Yes
Phifer	Sheerweave© 4100	4	10%	98"	Yes
Phifer	Sheerweave© 4400	6	3%	126"	Yes
Phifer	Sheerweave© 4500	5	5%	98"	Yes
Phifer	Sheerweave© 4550	5	5%	98"	Yes
Phifer	Sheerweave© 4600	6	3%	98"	Yes
Phifer	Sheerweave© 4650	6	3%	98"	Yes
Phifer	Sheerweave© 4800	6	1%	126"	Yes
Phifer	Sheerweave© 4901	6	1%	98"	Yes
Phifer	Sheerweave© 4903	6	3%	98"	Yes
Phifer	Sheerweave© 5000	6	3-10%	98"	No
Phifer	Sheerweave© 7000	8	Blackout	118"	Yes
Phifer	Sheerweave© 7100	6	Blackout	96"	Yes
Phifer	Sheerweave© 7200R	5	Blackout	118"	No
Phifer	Sheerweave© 7250R	4	Translucent	118"	No
Phifer	Sheerweave© 7400	8	Blackout	118"	No
Phifer	Sheerweave© 7450	7	Translucent	118"	No
Phifer	Sheerweave© 7500	5	Blackout	118"	Yes
Phifer	Sheerweave© 7500R	3	Blackout	118"	Yes
Phifer	Sheerweave© 7600	7	Blackout	118"	No
Phifer	Sheerweave© 7650	5	Translucent	118"	No
Phifer	Sheerweave© 7700R	6	Blackout	118"	No
Phifer	Sheerweave© 7750R	4	Translucent	118"	No

Cut Yardage Available in Limited Patterns - Call Customer Service For Pricing and Availability.



FABRIC SELECTION

Vendor	Name	Roller Shade Price Chart	Opacity	Maximum Fabric Width	Railroad Available
Phifer	Sheerweave© 7800	7	Blackout	118"	No
Phifer	Sheerweave© 7850	5	Translucent	118"	No
Phifer	Basic 3% & 5%	4	3%	98"	Yes
Phifer	Infinity2 1%	8	1%	98"	Yes
Phifer	Infinity2 3%	8	3%	98"	Yes
Phifer	Infinity2 5%	7	5%	98"	Yes
Phifer	Suntex 80	3	25%	96"	Yes
Phifer	Suntex 90	3	10%	96"	Yes
Phifer	Suntex 95	5	5%	126"	Yes
Phifer	Suntex 90 Design	6	10%	96"	Yes
Phifer	Suntex 97	6	3%	126"	Yes
/lermet	Avila Daylight	3	Translucent		
Mermet	Avila Twilight	4	Blackout	110"	Yes
Mermet	Avila Twilight FR	7	Blackout	110"	Yes
/lermet	E Screen 1%	6	1%	122"	Yes
Mermet	E Screen 3%	5	3%	122"	Yes
Mermet	E Screen 5%	4	5%	122"	Yes
Mermet	E Screen 10%	4	10%	122"	Yes
Mermet	E Screen Chroma 3%	8	3%	94"	Yes
Mermet	E Screen Deco 1%	6	1%	122"	Yes
Mermet	E Screen Deco 3%	6	3%	122"	Yes
Mermet	E Screen Kool Black 1%	8	1%	122"	Yes
Mermet	E Screen Kool Black 3%	8	3%	122"	Yes
Mermet	E Screen Kool Black 5%	7	5%	122"	Yes
Mermet	Flocke	8	Blackout	94"	Yes
Mermet	M Deco Screen 3%	5	3%	98"	No
Mermet	M Deco Screen 5%	5	5%	98"	No
Mermet	M Screen 1%	6	1%	122"	Yes
Mermet	M Screen 3%	5	3%	122"	Yes
Mermet	M Screen 5%	4	5%	122"	Yes
Mermet	M Screen Chroma 3%	8	3%	112"	Yes
Mermet	Natte 3%	6	3%	98"	Yes
/lermet	Natte 5%	6	5%	98"	Yes
/lermet	Natte 10%	6	10%	98"	Yes
/lermet	S Screen 1%	6	1%	122"	No
Mermet	S Screen 4%	5	4%	122"	No
Mermet	S Screen Naturals 5%	5	5%	98"	No
Mermet	T Screen 1%	6	3%	98"	Yes
Mermet	T Screen 3%	5	3%	98"	Yes

Cut Yardage Available in Limited Patterns - Call Customer Service For Pricing and Availability.



FABRIC SELECTION

Vendor	Name	Roller Shade Price Chart	Opacity	Maximum Fabric Width	Railroad Available
Mermet	T Screen Deco 1%	6	1%	122"	Yes
Mermet	T Screen Deco 3%	5	3%	122"	Yes
Mermet	T Screen Deco 5%	5	5%	122"	Yes
Mermet	T Screen Kool Black 1%	7	1%	122"	Yes
Wermet	T Screen Kool Black 3%	7	3%	122"	Yes
Wermet	T Screen Kool Black 5%	7	5%	122"	Yes
Mermet	Verona Daylight	4	1%	118	Yes
Wermet	Verona Twilight	7	Blackout	118	Yes
Mermet	Vizela	8	Translucent	94"	Yes
AMS	Blues	6	Translucent	110"	Yes
AMS	Eco Lux	7	Translucent	110"	Yes
AMS	Eco Silk	6	Translucent	110"	Yes
	Fashion Screen		3%	110"	Yes
AMS		6			
AMS	Linen	7	Translucent	110"	Yes
AMS	Linen Look B/O	5	Blackout	94"	Yes
AMS	Mambo	5	Translucent	110"	Yes
AMS	Milan B/O White Back	6	Blackout	110"	Yes
MS	Orient B/O Color Back	4	Blackout	94"	Yes
AMS	Orient B/O FR	5	Blackout	94"	Yes
MS	Orient B/O White Back	4	Blackout	94"	Yes
AMS	Orient Light Filtering	3	Translucent	94"	Yes
MS	Orient Light Filtering FR	4	Translucent	94"	Yes
MS	Orient Transparent	3	Transparent	94"	Yes
AMS	Pompei	7	Transparent	110"	Yes
AMS	Puglia	4	Transparent	110"	Yes
AMS	Reve	6	Transparent	110"	Yes
AMS	Rimini	4	Transparent	110"	Yes
AMS	Satino	7	Translucent	110"	Yes
AMS	Sorrento Blackout	4	Blackout	110"	Yes
AMS					
AMS	Swing Trento	7 3	Translucent Translucent	110" 110"	Yes Yes
AMS	Trento B/O		Blackout	110"	Yes
AMS	Varese	4		110"	Yes
AMS	Varese Venezia	7	Transparent Transparent	110"	Yes
AMS	Verona	3	Translucent	94"	Yes
AMS	Verona B/O	6	Blackout	100"	Yes
AMS	Vinyl FR	4	Blackout	98.4"	Yes
AMS	Signature Series	3	1%, 3%, 5%, 10%	118"	Yes
Л	Vinyl Tech Blackout	1	Blackout	72"	Yes
AMS	C Screen 3%, 5%, Linen	5	5%	118"	Yes
AMS	D Screen	5	5%	118"	Yes

PRICE CHARTS 1 & 2

PRICE CHART 1

VINYL TECH BLACKOUT

<--- Width --->

		37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
	36"	103	133	162	184	202	269	278	308	399	426	503	528	551	585
	48"	111	139	174	204	218	280	303	351	435	458	543	578	585	628
	60"	118	147	181	214	232	301	322	377	474	543	567	601	628	667
	72"	127	164	195	227	248	346	389	444	528	667	715	782	847	927
	84"	137	171	210	243	262	373	410	484	601	710	817	834	916	979
î I	96"	142	180	216	258	295	395	444	519	667	801	852	886	979	1028
Height	108"	153	197	239	300	366	449	495	585	744	834	901	961	1017	1085
	120"	161	216	279	342	400	522	528	636	793	876	961	1010	1085	1150
Ÿ	132"	177	237	303	369	430	556	563	681	843	928	1016	1065	1143	1212
	144"	193	255	327	394	462	588	601	725	891	981	1068	1122	1205	1273
	156"	206	276	349	422	493	623	637	768	942	1031	1123	1177	1265	1338
	168"	222	296	372	448	522	654	674	814	991	1084	1177	1234	1323	1398
	180"	238	317	394	475	552	686	711	858	1041	1137	1233	1289	1383	1460
	192"	253	337	417	502	584	721	749	903	1091	1188	1287	1345	1442	1523

Longer sizes are available with some limitations, contact customer service for pricing and information

PRICE CHART 2

PHIFER SHEERWEAVE® 1000

<--- Width --->

		37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
	36"	115	142	157	180	193	223	255	323	395	515	623	745	891	1024
	48"	129	150	171	201	222	242	283	349	444	550	674	809	980	1152
	60"	140	160	188	219	239	262	294	369	462	586	732	891	1078	1263
	72"	148	171	207	242	262	289	339	395	486	632	810	1018	1188	1366
	84"	175	196	226	260	290	328	362	434	533	685	867	1188	1366	1559
î I	96"	196	215	248	283	322	362	400	483	567	742	943	1338	1483	1663
Height	108"	255	274	314	353	393	442	476	558	624	805	1064	1483	1636	1780
Ĭ	120"	277	301	335	376	431	491	530	617	705	891	1219	1631	1817	1944
Ÿ	132"	303	331	367	412	471	538	583	677	777	971	1328	1772	1975	2124
	144"	328	358	397	447	510	585	637	739	849	1053	1436	1913	2132	2299
	156"	354	387	427	482	548	633	691	800	921	1133	1542	2052	2288	2477
	168"	378	414	457	516	587	678	744	859	991	1213	1650	2192	2446	2655
	180"	405	443	490	551	626	725	799	921	1063	1294	1758	2332	2603	2832
	192"	430	471	522	586	666	774	852	980	1133	1376	1866	2472	2761	3009

Longer sizes are available with some limitations, contact customer service for pricing and information

For more Options please see pages 14-20



PRICE CHARTS 3 & 4

PRICE CHART 3

PHIFER SHEERWEAVE © 3000, 7500R, SUNTEX 80, SUNTEX 90, MERMET © AVILA DAYLIGHT AUTOMATED MOTORIZED SHADES SIGNATURE SERIES 1%, 3%, 5% & 10%, ORIENT LIGHT FILTERING & TRANSPARENT, TRENTO, VERONA

<--- Width --->

		37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
3	36"	117	143	159	186	196	228	255	295	403	522	632	742	869	1008
4	48"	129	151	175	202	224	245	287	317	447	560	678	819	966	1124
(60"	141	162	195	224	245	263	303	343	469	594	737	895	1077	1260
7	72"	151	175	213	248	263	292	346	369	495	636	817	1048	1260	1403
	84"	177	197	228	267	295	331	369	403	539	692	874	1106	1350	1530
	96"	197	218	251	287	327	367	407	442	578	751	952	1315	1441	1595
Height	08"	245	267	317	351	373	444	492	571	648	799	1041	1441	1657	1845
1	20"	277	301	351	382	444	505	556	632	711	862	1172	1581	1815	2030
[°] 1	32"	305	333	388	423	493	560	619	701	789	952	1276	1721	1976	2204
1	44"	333	367	425	463	539	616	682	769	869	1042	1383	1860	2135	2380
1	56"	362	397	462	504	588	672	747	840	947	1133	1489	1998	2294	2556
1	168"	389	428	499	544	636	728	809	910	1024	1223	1593	2139	2453	2733
- 1	80"	417	461	534	585	684	782	872	981	1104	1312	1698	2278	2613	2910
1	192"	445	493	572	626	733	839	935	1048	1182	1401	1804	2416	2774	3085

Longer sizes are available with some limitations, contact customer service for pricing and information

PRICE CHART 4

PHIFER SHEERWEAVE © 2100, 2360, 2710, 4100, 7250R, 7750R, BASIC 3% & 5%, AVILA TWILIGHT (NON FR), VERONA DAYLIGHT MERMET © E SCREEN 5% & 10%, M SCREEN 5%, AUTOMATED MOTORIZED SHADES ORIENT B/O, ORIENT LIGHT FILTERING FR, PUGLIA, RIMINI SORRENTO B/O, TRENTO B/O WHITE BACKING, VENEZIA

<--- Width --->

							,	· · · · · · · · · · · · · · · · · · ·							
		37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
	36"	155	195	213	251	260	307	346	399	542	702	852	907	1045	1203
	48"	171	204	235	272	294	328	378	429	596	739	926	1009	1150	1343
	60"	191	219	254	294	322	350	405	451	614	785	974	1074	1287	1504
	72"	204	239	280	332	360	401	462	493	666	866	1113	1253	1504	1677
	84"	240	266	307	360	397	447	493	542	725	934	1185	1320	1614	1838
$\hat{ }$	96"	263	292	334	382	439	493	547	590	776	1004	1281	1571	1726	1907
Height	108"	322	350	405	462	505	586	641	754	836	1074	1387	1721	1981	2204
#	120"	367	399	462	507	586	655	725	836	934	1158	1546	1894	2170	2422
V	132"	403	443	511	561	642	719	798	913	1019	1250	1686	2069	2361	2631
	144"	442	485	562	616	700	781	870	991	1104	1342	1828	2244	2550	2840
	156"	480	529	614	671	758	845	942	1068	1190	1431	1968	2418	2742	3048
	168"	518	572	664	725	814	909	1016	1144	1273	1523	2110	2594	2932	3259
	180"	556	615	715	779	871	971	1086	1224	1359	1614	2249	2770	3122	3467
	192"	594	657	765	834	928	1036	1158	1301	1443	1706	2392	2942	3312	3677

Longer sizes are available with some limitations, contact customer service for pricing and information

For more Options please see pages 14-20





PRICE CHARTS 5 & 6

PRICE CHART 5

PHIFER SHEERWEAVE © 2000, 2390, 2410, 2703, 2705, 4000, 4500, 7200R, 7500, 7650, 7850, SUNTEX 95, MERMET © E SCREEN 3%, M SCREEN DECO 3% & 5%, M SCREEN 3%, S SCREEN 4%, T SCREEN 3%, T SCREEN DECO 3% & 5%, AUTOMATED MOTORIZED SHADES LINEN LOOK B/O, MAMBO, ORIENT B/O FR

<--- Width --->

		37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
	36"	171	216	236	277	291	371	385	463	606	782	951	1035	1174	1354
	48"	191	228	260	303	331	417	456	491	664	822	1021	1142	1313	1516
	60"	207	241	285	323	356	448	499	521	686	869	1092	1218	1455	1697
	72"	228	266	314	370	399	491	513	556	748	951	1231	1412	1693	1888
	84"	266	294	342	400	443	547	558	616	812	1048	1325	1511	1845	2070
Î	96"	294	329	375	428	491	604	614	666	869	1124	1412	1749	1987	2153
- Height	108"	342	374	427	513	560	666	681	787	893	1203	1464	1851	2145	2384
	120"	389	425	513	540	614	766	787	880	983	1286	1639	2024	2357	2610
Ÿ	132"	434	472	569	600	675	840	871	970	1082	1388	1799	2222	2575	2847
	144"	477	520	624	660	740	913	953	1061	1180	1492	1961	2418	2792	3085
	156"	519	569	678	720	802	988	1037	1153	1280	1593	2123	2617	3012	3325
	168"	562	617	733	778	868	1060	1122	1246	1380	1696	2283	2814	3230	3561
	180"	606	665	787	839	929	1134	1206	1335	1478	1799	2442	3013	3447	3801
	192"	647	713	842	897	994	1208	1288	1426	1576	1902	2604	3210	3666	4040

Longer sizes are available with some limitations, contact customer service for pricing and information

PRICE CHART 6

PHIFER SHEERWEAVE © 2500, 2701, 4400, 4600, 4650, 4800, 4901, 5000, 7100, 7700R, SUNTEX 90 DESIGN, SUNTEX 97, MERMET © E SCREEN 1%, E SCREEN DECO, M SCREEN 1%, NATTE, S SCREEN 1%, T SCREEN 16, AUTOMATED MOTORIZED SHADES BLUES, ECO SILK, FASHION SCREEN, MILAN B/O, REVE, VERONA B/O, VINYL FR, VINYL

<--- Width --->

		37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
	36"	180	224	247	290	301	374	400	485	628	814	994	1093	1240	1417
	48"	198	239	273	316	348	434	475	512	693	852	1065	1198	1386	1599
	60"	218	253	296	334	370	471	512	560	718	886	1134	1285	1532	1785
	72"	250	277	329	388	415	507	536	601	779	994	1278	1493	1785	1991
	84"	277	308	357	415	458	579	624	666	849	1093	1381	1599	1943	2184
î	96"	308	343	393	448	511	614	639	721	904	1159	1479	1832	2105	2264
Height	108"	374	408	468	533	585	715	735	840	965	1252	1599	2037	2371	2651
# 	120"	425	465	533	596	664	814	854	933	1065	1331	1799	2238	2610	2877
V	132"	471	513	589	657	733	891	942	1031	1172	1444	1963	2446	2841	3125
	144"	516	565	645	722	801	970	1030	1132	1278	1557	2129	2654	3072	3374
	156"	561	616	701	785	870	1048	1119	1230	1386	1670	2293	2860	3305	3625
	168"	607	666	758	849	938	1129	1209	1328	1493	1782	2456	3068	3539	3876
	180"	653	718	813	911	1007	1208	1296	1426	1599	1897	2623	3276	3770	4124
	192"	699	767	869	974	1075	1286	1386	1525	1705	2010	2788	3483	4002	4374

 $Longer\ sizes\ are\ available\ with\ some\ limitations,\ contact\ customer\ service\ for\ pricing\ and\ information$

For more Options please see pages 14-20



PRICE CHARTS 7 & 8

PRICE CHART 7

PHIFER SHEERWEAVE °7450, 7600, 7800, INFINITY, 5%,
MERMET ° AVILA TWILIGHT FR, E SCREEN KOOL BLACK 5%, T SCREEN
KOOL BLACK, VERONA TWILIGHT
AUTOMATED MOTORIZED SHADES ECO LUX, LINEN, POMPEI, SATINO,
SWING, VARESE

<--- Width --->

						-	vviditi >							
	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
36"	206	261	287	337	354	437	469	565	737	952	1168	1281	1426	1637
48"	224	277	317	369	407	505	553	604	812	994	1247	1399	1595	1845
60"	253	295	348	393	430	550	604	652	840	1036	1329	1506	1762	2056
72"	292	323	384	451	484	594	632	700	914	1168	1497	1750	2056	2293
84"	327	359	422	484	537	678	731	782	994	1281	1609	1874	2238	2518
96"	359	398	458	524	604	721	751	840	1061	1358	1734	2141	2419	2601
108"	435	477	548	625	683	836	859	981	1126	1469	1874	2376	2726	3046
120"	498	543	625	698	778	952	997	1092	1247	1563	2097	2616	3007	3298
132"	549	600	686	769	858	1041	1098	1203	1368	1697	2286	2843	3270	3579
144"	601	656	751	844	938	1131	1198	1315	1491	1830	2475	3072	3532	3859
156"	653	713	814	916	1018	1218	1301	1425	1611	1963	2663	3301	3795	4139
168"	705	769	877	991	1098	1306	1401	1536	1733	2096	2854	3533	4057	4420
180"	758	829	941	1064	1177	1397	1504	1650	1855	2229	3043	3762	4318	4700
192"	809	886	1005	1139	1259	1484	1605	1761	1977	2362	3232	3991	4580	4979
	48" 60" 72" 84" 96" 108" 120" 132" 144" 156" 168" 180"	36" 206 48" 224 60" 253 72" 292 84" 327 96" 359 108" 435 120" 498 132" 549 144" 601 156" 653 168" 705 180" 758	36" 206 261 48" 224 277 60" 253 295 72" 292 323 84" 327 359 96" 359 398 108" 435 477 120" 498 543 132" 549 600 144" 601 656 156" 653 713 168" 705 769 180" 758 829	36" 206 261 287 48" 224 277 317 60" 253 295 348 72" 292 323 384 84" 327 359 422 96" 359 398 458 108" 435 477 548 120" 498 543 625 132" 549 600 686 144" 601 656 751 156" 653 713 814 168" 705 769 877 180" 758 829 941	36" 206 261 287 337 48" 224 277 317 369 60" 253 295 348 393 72" 292 323 384 451 84" 327 359 422 484 96" 359 398 458 524 108" 435 477 548 625 120" 498 543 625 698 132" 549 600 686 769 144" 601 656 751 844 156" 653 713 814 916 168" 705 769 877 991 180" 758 829 941 1064	36" 206 261 287 337 354 48" 224 277 317 369 407 60" 253 295 348 393 430 72" 292 323 384 451 484 84" 327 359 422 484 537 96" 359 398 458 524 604 108" 435 477 548 625 683 120" 498 543 625 698 778 132" 549 600 686 769 858 144" 601 656 751 844 938 156" 653 713 814 916 1018 168" 705 769 877 991 1098 180" 758 829 941 1064 1177	36" 206 261 287 337 354 437 48" 224 277 317 369 407 505 60" 253 295 348 393 430 550 72" 292 323 384 451 484 594 84" 327 359 422 484 537 678 96" 359 398 458 524 604 721 108" 435 477 548 625 683 836 120" 498 543 625 698 778 952 132" 549 600 686 769 858 1041 144" 601 656 751 844 938 1131 156" 653 713 814 916 1018 1218 168" 705 769 877 991 1098 1306 180" <	36" 206 261 287 337 354 437 469 48" 224 277 317 369 407 505 553 60" 253 295 348 393 430 550 604 72" 292 323 384 451 484 594 632 84" 327 359 422 484 537 678 731 96" 359 398 458 524 604 721 751 108" 435 477 548 625 683 836 859 120" 498 543 625 698 778 952 997 132" 549 600 686 769 858 1041 1098 144" 601 656 751 844 938 1131 1198 156" 653 713 814 916 1018 1218	36" 206 261 287 337 354 437 469 565 48" 224 277 317 369 407 505 553 604 60" 253 295 348 393 430 550 604 652 72" 292 323 384 451 484 594 632 700 84" 327 359 422 484 537 678 731 782 96" 359 398 458 524 604 721 751 840 108" 435 477 548 625 683 836 859 981 120" 498 543 625 698 778 952 997 1092 132" 549 600 686 769 858 1041 1098 1203 144" 601 656 751 844 938 1131	36" 206 261 287 337 354 437 469 565 737 48" 224 277 317 369 407 505 553 604 812 60" 253 295 348 393 430 550 604 652 840 72" 292 323 384 451 484 594 632 700 914 84" 327 359 422 484 537 678 731 782 994 96" 359 398 458 524 604 721 751 840 1061 108" 435 477 548 625 683 836 859 981 1126 120" 498 543 625 698 778 952 997 1092 1247 132" 549 600 686 769 858 1041 1098 1305	36" 206 261 287 337 354 437 469 565 737 952 48" 224 277 317 369 407 505 553 604 812 994 60" 253 295 348 393 430 550 604 652 840 1036 72" 292 323 384 451 484 594 632 700 914 1168 84" 327 359 422 484 537 678 731 782 994 1281 96" 359 398 458 524 604 721 751 840 1061 1358 108" 435 477 548 625 683 836 859 981 1126 1469 120" 498 543 625 698 778 952 997 1092 1247 1563 132"	36" 206 261 287 337 354 437 469 565 737 952 1168 48" 224 277 317 369 407 505 553 604 812 994 1247 60" 253 295 348 393 430 550 604 652 840 1036 1329 72" 292 323 384 451 484 594 632 700 914 1168 1497 84" 327 359 422 484 537 678 731 782 994 1281 1609 96" 359 398 458 524 604 721 751 840 1061 1358 1734 108" 435 477 548 625 683 836 859 981 1126 1469 1874 120" 498 543 625 698 778 </th <th>36" 206 261 287 337 354 437 469 565 737 952 1168 1281 48" 224 277 317 369 407 505 553 604 812 994 1247 1399 60" 253 295 348 393 430 550 604 652 840 1036 1329 1506 72" 292 323 384 451 484 594 632 700 914 1168 1497 1750 84" 327 359 422 484 537 678 731 782 994 1281 1609 1874 96" 359 398 458 524 604 721 751 840 1061 1358 1734 2141 108" 435 477 548 625 683 836 859 981 1126 1469 1874 <t< th=""><th>36" 206 261 287 337 354 437 469 565 737 952 1168 1281 1426 48" 224 277 317 369 407 505 553 604 812 994 1247 1399 1595 60" 253 295 348 393 430 550 604 652 840 1036 1329 1506 1762 72" 292 323 384 451 484 594 632 700 914 1168 1497 1750 2056 84" 327 359 422 484 537 678 731 782 994 1281 1609 1874 2238 96" 359 398 458 524 604 721 751 840 1061 1358 1734 2141 2419 108" 435 477 548 625 683</th></t<></th>	36" 206 261 287 337 354 437 469 565 737 952 1168 1281 48" 224 277 317 369 407 505 553 604 812 994 1247 1399 60" 253 295 348 393 430 550 604 652 840 1036 1329 1506 72" 292 323 384 451 484 594 632 700 914 1168 1497 1750 84" 327 359 422 484 537 678 731 782 994 1281 1609 1874 96" 359 398 458 524 604 721 751 840 1061 1358 1734 2141 108" 435 477 548 625 683 836 859 981 1126 1469 1874 <t< th=""><th>36" 206 261 287 337 354 437 469 565 737 952 1168 1281 1426 48" 224 277 317 369 407 505 553 604 812 994 1247 1399 1595 60" 253 295 348 393 430 550 604 652 840 1036 1329 1506 1762 72" 292 323 384 451 484 594 632 700 914 1168 1497 1750 2056 84" 327 359 422 484 537 678 731 782 994 1281 1609 1874 2238 96" 359 398 458 524 604 721 751 840 1061 1358 1734 2141 2419 108" 435 477 548 625 683</th></t<>	36" 206 261 287 337 354 437 469 565 737 952 1168 1281 1426 48" 224 277 317 369 407 505 553 604 812 994 1247 1399 1595 60" 253 295 348 393 430 550 604 652 840 1036 1329 1506 1762 72" 292 323 384 451 484 594 632 700 914 1168 1497 1750 2056 84" 327 359 422 484 537 678 731 782 994 1281 1609 1874 2238 96" 359 398 458 524 604 721 751 840 1061 1358 1734 2141 2419 108" 435 477 548 625 683

Longer sizes are available with some limitations, contact customer service for pricing and information

PRICE CHART 8

PHIFER SHEERWEAVE © 2390+, 2410+, 2500+, 7000, 7400 INFINITY 1% & 3% MERMET © E SCREEN CHROMA 3%, E SCREEN KOOL BLACK 1% & 3%, FLOCKE, M SCREEN CHROMA 3%

<--- Width --->

		37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
	36"	228	364	371	439	447	455	616	727	816	952	1191	1302	1469	1694
	48"	261	426	437	503	509	525	661	773	872	1036	1273	1469	1650	1888
	60"	300	486	499	567	576	596	691	816	964	1063	1358	1568	1817	2097
	72"	330	551	563	637	641	659	861	928	1075	1191	1537	1817	2112	2320
	84"	364	615	633	698	702	728	889	1038	1187	1293	1678	1929	2307	2573
î I	96"	439	738	754	766	773	799	924	1114	1298	1399	1789	2224	2475	2657
Height	108"	475	805	817	834	837	869	1075	1262	1407	1482	1902	2448	2811	3104
#	120"	523	844	874	906	915	966	1171	1373	1534	1678	2167	2683	3076	3354
V	132"	578	909	943	982	1001	1065	1275	1491	1665	1815	2362	2923	3343	3628
	144"	633	967	1009	1058	1084	1167	1382	1606	1797	1952	2557	3162	3609	3900
	156"	686	1030	1077	1134	1168	1267	1487	1723	1926	2089	2753	3400	3876	4173
	168"	741	1092	1144	1210	1251	1367	1592	1839	2057	2225	2949	3637	4140	4444
	180"	795	1152	1212	1286	1335	1467	1697	1956	2187	2362	3143	3877	4407	4718
	192"	852	1212	1280	1362	1419	1568	1803	2072	2318	2500	3338	4114	4674	4989

 $Longer\ sizes\ are\ available\ with\ some\ limitations,\ contact\ customer\ service\ for\ pricing\ and\ information$

For more Options please see pages 14-20



GALAXY CLUTCHES

The G-200 & G-400 Galaxy clutches use planetary gear technology to lift 24 to 53 lbs with approx. 30% less pull force than a normal R16 or R24 clutch.

Only available with a continuous plastic loop chain Maximum chain length 144" Can NOT use stop beads on Galaxy series clutches



G-200 GALAXY CLUTCH - \$60

1 ½" tube: 24 lbs2" tube: 18 lbs



G-400 GALAXY CLUTCH - \$116

1 1/2" tube: 53 lbs2" tube: 40 lbs2 1/2" tube: 32 lbs3" tube: 26 lbs

GSA-400 GALAXY SPRING ASSIST CLUTCH - \$245

- 1 1/2" tube: 53 lbs
- 2" tube: 40 lbs
- 2 1/2" tube: 32 lbs
- 3" tube: 26 lbs
- Uses less pull force then a standard G-400 Control
- Minimum width: 125"

INFINITY BRACKETS - \$30

Our Infinity Shade System[™] is a sleek, modern, commercial system that has been designed to minimize light gaps and compliment modern decor. The unique, polished Infinity[™] bracket features a smooth, flush finish and conceals the appearance of the clutch mechanism perfectly. Available in two sizes and multiple colors, this shade system is ideal for a full range of sizes.

Available in White, Black, Anodized & Chrome

Only compatible with Skyline Clutches and/ or Motors with a Skyline adapter.



DUAL SHADE BRACKETS

Skyline Clutch Dual Shade Brackets allow you two mount two separate shades on a single mounting bracket.





Easier, space saving installation Available in Vertical Mount (left) & Offset Mount (right) Dual shades can also be used in a 5" fascia Dual shade brackets are NOT compatible with all clutch and top treatment options

Note: The length of your shade is limited and based on the width of the shade, the size of the tube and the fabric used. Call for more details.



INTERMEDIATE BRACKET (COUPLER) FOR MANUAL SHADES

An ideal solution for linking multiple shades using one manual control. The slim profile reduces the light gap between shades.

Link up to three roller shades

Also available for fascia and motorized systems

Some size restrictions may apply based upon fabric, shade width, and shade height.



EXTERIOR CLUTCHES

- R16 Exterior Clutch \$35
- R24 Exterior Clutch \$60
- Galaxy Exterior Clutch \$135

The Exterior Clutch system is specifically engineered and warranted for exterior use. Stainless steel springs provide superior performance in most weather conditions. These clutches are perfect for patios, boats, RV's and many other outdoor applications.

The Outdoor Clutch should only be used with fabrics that are approved for exterior use.



CORDLESS SYSTEM

Cordless shade solution for roller shade applications. Smooth shade operation available in 2 styles, a decorative cassette or with a simple top rail system.



Sleek appearance
Easy installation
Minimum Width 18"
Max Width 96" & Max Length 96"
Safe for children and pets
See Cordless System Price Chart for Pricing

Width	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"		
Cassette	164	202	242	286	321	343	369	422	Note: Cardiaga Sustam May Siza ia 06" y 79"							
Rail	89	111	132	153	175	187	201	229	Note: Cordless System Max Size is 96" x 72"							

Note: The length of your shade is limited and based on the width of the shade, the size of the tube and the fabric used. Call for more details.



EXTERIOR CABLE GUIDE SYSTEM

Our heavy duty exterior cable system is designed as a true outdoor use solution for all of your exterior roller shade applications. The shade is firmly secured using stainless steel guide rods attached at the top of the shade and connected to the floor, wall, or bottom frame.

Outdoor approved (should only be used with exterior fabrics)
Manufactured to stand up to moisture, wind and temperature changes
Not warranted against damage caused by high winds and extreme weather conditions



2 1/2" SIDE CHANNEL

Use to provide light blockage on the sides of your shade. Combine with a Fascia or a Headbox for maximum light blockage



- 2 ½" 1pc Side Channel w/ felt insert (right) \$36 per foot of window height
- Bottom Channel (left) \$18 per foot of window width 2 Piece system snaps together to hide your mounting screws Channel Colors: White, Anodized & Bronze.

Channel Colors: White, Anodized & Bronz Felt Insert colors: White, Gray & Black.

MOTORIZATION

The automation of window treatments is the fastest growing segment of the window covering industry. From simple battery operated motors and complete systems that are fully compatible with most automation systems, to motors that are integrated into the window treatment and totally concealed, home or building automation options offer endless decoration possibilities.

See our Motorization Pricing Guide for Prices & Details



FLAT "L" FASCIA

A simple way to hide your shade along with the mounting brackets. The fascia bracket holds the shade and allows the fascia to snap into place. Available in 3", 4", 5", and 7".

- 3" & 4" Fascia End Caps (Pair): \$15
- 5" Fascia End Caps (Pair): \$30
- 7" Fascia End Caps (Pair): \$43

Colors: White, Vanilla, Anodized, or Bronze (OB End Caps are available for an additional charge) 3" fascia has 2 bracket styles. One for the RollEase® R8 clutch, the other for the R16, please specify when ordering. 4" fascia bracket works for either the RollEase® R16, R24, G200, or G400 clutch. 5" fascia brackets are compatible with Skyline series clutches. 7" fascia brackets work exclusively with motorized shades.



FASCIA PRICING

	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
3"	93	111	129	142	154	164	178	198	219	240	261	282	303	339
4"	110	138	151	178	186	201	212	234	259	281	303	328	349	372
5"	170	212	231	268	287	306	326	361	397	432	467	503	539	576
7"	372	415	457	499	542	564	592	648	709	766	816	873	928	985

Note: The length of your shade is limited and based on the width of the shade, the size of the tube and the fabric used. Call for more details.



3 1/2" DUST COVER VALANCE

Standard vertical valance with shade fabric insert, supplied with returns.

Some inserts will be two or more pieces depending on the width of the valance and the width of the shade fabric. The fabric can be railroaded but may be a different direction than the shade fabric.



IB SHADE VALANCE

Shade fabric mounted on a wrapped board gives your shade a clean look.

Standard board size is 1" x 1 5/8" and available up to 1" x 4" at no additional charge. No returns available with this valance.



OB SHADE VALANCE

Shade fabric mounted on a wrapped board the same as the IB valance with additional fabric wrapped around the sides as returns. Special hem bar inserts are supplied for a clean corner.

Standard board size is 1" x 2 ½" and available up to 1" x 4" at no additional charge. Returns will be the board depth unless otherwise specified.



VALANCE PRICING

Width	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
3 1/2 PVC	50	62	71	84	94	102	107	123	141	157	168	184	199	214
8" IB	114	142	169	197	224	239	258	294	333	370	404	441	476	512
8" OB w/ returns	145	179	212	245	281	300	321	368	418	465	504	549	596	641

Valances over 8" in height add \$3 per inch up to a maximum of 12" Note: For motorization surcharges consult the Motorization Price Guide

HANGER WITH 3" FLAP

Use when a bottom flap is needed, as in a custom pocket area. The other uses are only limited by your design.

Hanger & 3" Flap \$24 per ft

No Brackets, Color: White



4" & 5" HEAD BOX WITH CLOSURE

For the times when a complete enclosure is needed. Used for drop ceiling applications or when you want to hide the front and back of the complete shade

No Brackets, Color: White



5 INCH POCKET BOX PRICES

Width	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
Pocket Box	239	297	355	413	470	503	542	618	701	778	849	926	1003	1079
Bottom Closure	42	51	61	70	80	85	91	104	118	131	142	156	168	182
End Caps per pair	34	34	34	34	34	34	34	34	34	34	34	34	34	34

Note: The length of your shade is limited and based on the width of the shade, the size of the tube and the fabric used. Call for more details. Prices subject to change without notice



CASSETTE OPTIONS

Used to tie the headrail to the fabric using an insert or just a simple way to cover the innerworks of the shade. There are three different options for the cassettes to match and work with the system best for you.



Cassette 120

CASSETTE 100

Width	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
w Insert	141	174	209	241	276	295	317	361	409	480	495	542	584	630
w/o Insert	113	151	169	205	218	237	255	280	304	329	355	387	418	449

CASSETTE 120

Width	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
w Insert	151	185	221	258	294	314	337	385	437	485	529	576	624	671
w/o Insert	121	165	186	225	245	266	297	304	329	367	390	416	441	471

Brackets are included in the price. Colors: White, Vanilla, Anodized, Bronze & Black.

SQUARE CASSETTE

Width	37"	46"	55"	64"	73"	78"	84"	96"	109"	121"	132"	144"	156"	168"
w Insert	141	174	209	241	276	295	317	361	409	480	495	542	584	630
w/o Insert	113	151	169	205	218	237	255	280	304	329	355	387	418	449

Colors: White, Vanilla, Anodized, Bronze & Black.

BOTTOM HEM & RAIL OPTIONS

HEAT SEALED HEMBAR*

Aluminum hembar inserted into a fabric hem with standard open ends or with optional sealed ends *Included In Roller Shade Price

SLIM BOTTOM RAIL

Optional decorative slim profile hembar perfect for tight spaces and shades requiring side rails. Available with or without felt.

Price Chart below





CUSTOM PRINTING

At Automated Motorized Shades® we know that customization is key. Our custom printing services allow interior designers to design custom patterns to match decor. From full bleed images to tiled, decorative patterns, your printing options are endless. Choose from a variety of printable solar screen fabrics to create unique, exclusive shades for your clients.



SPECIFICATIONS & GUIDELINES

- File Types: .AI, .EPS, .JPG, .PDF, .PS, .PSD, .TIF
- · Outline all fonts
- Maximum print width 126"
- DPI: 75 minimum, 150 Optimal
- Bleed: .5" per side
- Include .PDF so we can verify your file layout
- Please Call for pricing

FEATURES

- Water Based Latex Inks, the most environmentally conscious printing method available
- Odorless prints are GREENGUARD Children and Schools certified
- Inks are non-flammable and non-combustible
- Up to 1 Hour of Set-Up Time Included in Pricing

Note: The length of your shade is limited and based on the width of the shade, the size of the tube and the fabric used. Call for more details.

Minimum Printed Shade Order \$200

PERSONALIZED CONTROLS

Allow Automated Motorized Shades® to customize controls including wall switches and remotes. This added feature allows you to individualize each order for your clients. Whether the controls are bright and colorful for a child's room, or simplistic and modern for a living room, our custom, made-to-order patterns are sure to "wow" your customers.

Please Call for Pricing







CHILD SAFETY & WARRANTY

CHILD SAFETY

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach
 of children.

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

Automated

WARRANTY

Motorized

Shades

WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice

date of the product.

This guarantee does not apply to
damage to exterior shades caused by high winds and/or
extreme weather conditions. Any roller shade or parts which
fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

> Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized Shades' warranty is designed to ensure a thoroughly satisfying experience with your window treatment product. Certain restrictions may apply.







TABLE OF CONTENTS

verview	
ptions	
ptionsabrics	
rice Charts	5-6
Price Chart 1	
Price Chart 2	Į
Price Chart 3	6
Price Chart 4	
hild Safety & Warranty	-

OVERVIEW

DESCRIPTION

An easy to use chain operated clutch control effortlessly slides the opaque and translucent woven stripes past each other. The front layer moves independently of the back allowing the stripes to glide between each other creating an open and closed effect, allowing for limitless light control. The same operation is used to raise or lower the window blind to any height in the window with ease, in the same way a classic roller shade would. Motorization options are also available to compliment the entire ParallelTM shade collection. The exceptional ParallelTM shade collection features sheer metallics, delicate subtle tones and natural wood weave effects, the perfect choice for any room in the home.



OPEN



CLOSED

OPTIONS

CASSETTES

The contemporary style of the Parallel™ Shades is on full display with a Closed Cassette system. Both options conceal the operating mechanism of the shade neatly and stylishly. The new 70mm Cassette adds the flexibility to have the shade roll off either the front or back of the cassette, which allows for more efficient mounting options. All are available with or without a matching fabric insert. The entire cassette line features European influenced designs and colors, including white, black, ivory, brushed aluminum, antique bronze and chrome finishes, all of which are listed on the next page. The possibilities are endless and the colors can be mixed or matched, the choice is yours!



CLOSED CASSETTE
WITH FABRIC INSERT



70 MM CASSETTE

BOTTOM RAIL

The Bottom Rail is engineered to self centralize, even if the bar is knocked out of place it will correct itself automatically, preventing any damage to your shade. The enclosed design has an inner rod that prevents light from creeping through in any position to reduce light strike. The bottom rail features the same colors as all head rail colors, which include white, black, ivory, brushed aluminum, antique bronze and chrome finishes, so that you can mix or match your color scheme.



BOTTOM RAIL

FABRICS

Name	Price Chart	Maximum Fabric Width
Blues	3	110"
CScreen	4	110"
Dixie	4	110"
DixieXL	4	110"
Eclisse Fusion	4	110"
Funk	2	110"
Fusion	4	110"
Jazz	2	110"
Jive	2	110"
Linea	4	110"
Linen	3	110"
Lounge	3	110"
Mambo	3	110"
Merengue	3	110"
Reve	3	110"
Rumba	2	110"
Seasons	1	110"
Soul	3	110"
Swing	4	110"
Tango	4	110"
Twinlight C-Screen	4	110"
Twist	4	110"
Woodsheer	2	110"

PRICE CHARTS 1& 2

PRICE CHART 1	SEASONS
PRICE CHARL I	SEASUNS

								< W	idth —>							
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	110"
	36"	336	378	424	462	508	551	592	685	637	727	753	790	829	865	905
	42"	355	399	445	493	541	588	634	730	682	775	802	844	887	928	970
	48"	376	424	475	523	574	624	682	779	732	826	853	901	945	994	1039
	54"	391	445	499	556	609	667	727	826	787	874	907	958	1012	1066	1120
	60"	409	470	525	586	642	709	772	871	834	928	963	1021	1081	1138	1195
î	66"	427	493	556	616	682	751	821	915	889	982	1023	1087	1147	1210	1270
Height -	72"	448	517	583	649	721	796	871	970	942	1039	1081	1150	1215	1286	1352
	78"	460	535	604	679	753	832	907	1015	987	1089	1138	1207	1278	1348	1417
V	84"	478	556	628	712	793	874	958	1069	1041	1147	1197	1273	1344	1420	1496
	90"	502	577	658	745	832	922	1005	1120	1097	1201	1258	1336	1415	1496	1572
	96"	517	601	685	775	869	958	1048	1170	1142	1258	1312	1396	1480	1564	1645
	102"	592	685	779	879	976	1063	1188	1286	1304	1372	1428	1510	1594	1675	1756
	108"	624	727	824	928	1026	1123	1251	1354	1375	1447	1504	1591	1678	1769	1855
	114"	655	761	861	973	1071	1180	1312	1420	1443	1516	1577	1669	1764	1858	1951
	120"	685	796	905	1021	1123	1236	1375	1486	1514	1587	1648	1747	1850	1951	2050

All Sizes can be made with the 70mm Cassette System

PRICE CHART 2

WOODSHEER, RUMBA, FUNK, JAZZ, JIVE

							. "	idth —>							
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	110"
36"	359	404	452	493	538	586	628	677	739	772	808	850	889	931	970
42	378	424	475	525	574	624	672	724	790	824	861	907	952	997	1041
48'	399	452	506	556	609	664	724	779	842	877	915	968	1015	1066	1115
54'	417	475	533	588	649	709	772	838	892	931	973	1031	1087	1144	1204
60'	436	499	559	622	685	751	821	889	942	985	1033	1097	1160	1223	1281
66'	454	523	588	655	724	798	874	942	991	1041	1099	1168	1231	1299	1367
72'	475	548	619	690	766	847	924	1003	1048	1102	1162	1233	1306	1378	1451
78'	490	569	642	721	798	887	963	1048	1097	1155	1223	1296	1372	1447	1522
84'	508	588	667	758	842	928	1018	1105	1152	1215	1286	1367	1443	1524	1603
90'	533	614	700	790	882	978	1069	1162	1210	1276	1352	1435	1519	1603	1690
96'	551	637	727	824	922	1018	1115	1213	1264	1332	1411	1501	1587	1678	1769
02'	628	727	829	937	1036	1129	1260	1384	1388	1456	1533	1624	1711	1797	1887
08'	664	769	874	987	1089	1192	1330	1461	1461	1533	1614	1711	1801	1897	1993
14'	697	808	915	1036	1142	1251	1396	1537	1537	1609	1693	1792	1894	1993	2095
20'	730	847	960	1087	1192	1312	1461	1609	1609	1688	1771	1878	1984	2092	2196
	442 481 481 481 481 481 481 481 481	359 42 378 48 399 54 417 60 436 66 454 72 475 78 490 34 508 00 533 06 551 02 628 08 664 14 697	36" 359 404 42 378 424 48' 399 452 54' 417 475 60' 436 499 66' 454 523 72' 475 548 78' 490 569 34' 508 588 30' 533 614 36' 551 637 02' 628 727 08' 664 769 14' 697 808	36" 359 404 452 42 378 424 475 48' 399 452 506 54' 417 475 533 60' 436 499 559 66' 454 523 588 72' 475 548 619 78' 490 569 642 34' 508 588 667 30' 533 614 700 36' 551 637 727 02' 628 727 829 08' 664 769 874 14' 697 808 915	36" 359 404 452 493 42 378 424 475 525 18" 399 452 506 556 54" 417 475 533 588 60" 436 499 559 622 66" 454 523 588 655 72" 475 548 619 690 78" 490 569 642 721 34" 508 588 667 758 30" 533 614 700 790 36" 551 637 727 824 02" 628 727 829 937 08" 664 769 874 987 14" 697 808 915 1036	36" 359 404 452 493 538 42 378 424 475 525 574 48' 399 452 506 556 609 56' 417 475 533 588 649 50' 436 499 559 622 685 66' 454 523 588 655 724 72' 475 548 619 690 766 78' 490 569 642 721 798 34' 508 588 667 758 842 30' 533 614 700 790 882 36' 551 637 727 824 922 02' 628 727 829 937 1036 08' 664 769 874 987 1089 14' 697 808 915 1036 1142	36" 359 404 452 493 538 586 42 378 424 475 525 574 624 48" 399 452 506 556 609 664 56" 417 475 533 588 649 709 50" 436 499 559 622 685 751 56" 454 523 588 655 724 798 72" 475 548 619 690 766 847 78" 490 569 642 721 798 887 34" 508 588 667 758 842 928 30" 533 614 700 790 882 978 36" 551 637 727 824 922 1018 02" 628 727 829 937 1036 1129 08" 664 769 874 987 1089 1192 14" 697 <	36" 359 404 452 493 538 586 628 42 378 424 475 525 574 624 672 48' 399 452 506 556 609 664 724 56' 417 475 533 588 649 709 772 60' 436 499 559 622 685 751 821 66' 454 523 588 655 724 798 874 72' 475 548 619 690 766 847 924 78' 490 569 642 721 798 887 963 34' 508 588 667 758 842 928 1018 30' 533 614 700 790 882 978 1069 36' 551 637 727 824 922 1018 1115	36" 359 404 452 493 538 586 628 677 42 378 424 475 525 574 624 672 724 48' 399 452 506 556 609 664 724 779 54' 417 475 533 588 649 709 772 838 60' 436 499 559 622 685 751 821 889 66' 454 523 588 655 724 798 874 942 72' 475 548 619 690 766 847 924 1003 78' 490 569 642 721 798 887 963 1048 34' 508 588 667 758 842 928 1018 1105 30' 533 614 700 790 882 978 1069 1162 30' 551 637 727 824 922	36" 359 404 452 493 538 586 628 677 739 42 378 424 475 525 574 624 672 724 790 48' 399 452 506 556 609 664 724 779 842 56' 417 475 533 588 649 709 772 838 892 50' 436 499 559 622 685 751 821 889 942 56' 454 523 588 655 724 798 874 942 991 72' 475 548 619 690 766 847 924 1003 1048 78' 490 569 642 721 798 887 963 1048 1097 34' 508 588 667 758 842 928 1018 1105 1152 30' 533 614 700 790 882 978	36" 359 404 452 493 538 586 628 677 739 772 42 378 424 475 525 574 624 672 724 790 824 48' 399 452 506 556 609 664 724 779 842 877 56' 417 475 533 588 649 709 772 838 892 931 60' 436 499 559 622 685 751 821 889 942 985 66' 454 523 588 655 724 798 874 942 991 1041 72' 475 548 619 690 766 847 924 1003 1048 1102 78' 490 569 642 721 798 887 963 1048 1097 1155 34' 508 588 667 758 842 928 1018 1105 1152	36" 359 404 452 493 538 586 628 677 739 772 808 42 378 424 475 525 574 624 672 724 790 824 861 48' 399 452 506 556 609 664 724 779 842 877 915 54' 417 475 533 588 649 709 772 838 892 931 973 36' 436 499 559 622 685 751 821 889 942 985 1033 36' 454 523 588 655 724 798 874 942 991 1041 1099 72' 475 548 619 690 766 847 924 1003 1048 1102 1162 78' 490 569 642 721 798 887 963 1048 1097 1155 1223 384' 508	36" 359 404 452 493 538 586 628 677 739 772 808 850 42 378 424 475 525 574 624 672 724 790 824 861 907 48' 399 452 506 556 609 664 724 779 842 877 915 968 54' 417 475 533 588 649 709 772 838 892 931 973 1031 50' 436 499 559 622 685 751 821 889 942 985 1033 1097 56' 454 523 588 655 724 798 874 942 991 1041 1099 1168 72' 475 548 619 690 766 847 924 1003 1048 1102 1162 1233	36" 359 404 452 493 538 586 628 677 739 772 808 850 889 42 378 424 475 525 574 624 672 724 790 824 861 907 952 48' 399 452 506 556 609 664 724 779 842 877 915 968 1015 54' 417 475 533 588 649 709 772 838 892 931 973 1031 1087 60' 436 499 559 622 685 751 821 889 942 985 1033 1097 1160 36' 454 523 588 655 724 798 874 942 991 1041 1099 1168 1231 72' 475 548 619 690 766 847	36" 359 404 452 493 538 586 628 677 739 772 808 850 889 931 42 378 424 475 525 574 624 672 724 790 824 861 907 952 997 48' 399 452 506 556 609 664 724 779 842 877 915 968 1015 1066 54' 417 475 533 588 649 709 772 838 892 931 973 1031 1087 1144 50' 436 499 559 622 685 751 821 889 942 985 1033 1097 1160 1223 56' 454 523 588 655 724 798 874 942 991 1041 1099 1168 1231 1299 72'

All Sizes can be made with the 70mm Cassette System



PRICE CHARTS 3 & 4

PRICE CHART 3

SOUL, REVE, LOUNGE, BLUES, MERENGUE, MAMBO, LINEN

	_							< W	idth —>							
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	110"
	36"	378	427	478	523	571	622	664	714	796	816	861	907	952	997	1039
	42	399	452	502	556	609	664	714	766	847	871	922	970	1018	1063	1115
	48'	424	478	535	588	646	703	766	826	907	928	978	1033	1087	1142	1192
	54'	441	502	565	624	687	748	816	887	960	985	1039	1102	1162	1225	1286
	60'	460	529	592	658	724	796	869	940	1012	1041	1105	1170	1241	1306	1372
î 🛮	66¹	480	556	624	695	766	844	924	1000	1066	1102	1178	1249	1318	1388	1459
าเคยา	72'	506	580	655	730	811	895	978	1061	1126	1165	1243	1321	1396	1474	1551
	78'	517	601	679	763	847	937	1021	1111	1180	1223	1306	1388	1465	1546	1627
V	84'	538	624	705	802	892	982	1079	1170	1241	1286	1375	1459	1546	1630	1714
	90¹	561	649	739	838	937	1036	1132	1231	1299	1352	1443	1533	1624	1714	1804
	96¹	583	677	769	871	976	1079	1180	1281	1360	1411	1506	1603	1698	1792	1887
	102'	664	769	877	991	1099	1197	1336	1468	1491	1540	1640	1735	1827	1923	2020
	108'	703	814	928	1045	1152	1260	1411	1549	1572	1624	1726	1827	1926	2029	2128
	114'	735	853	970	1099	1207	1323	1477	1627	1651	1701	1810	1918	2023	2128	2236
	120'	772	895	1018	1150	1260	1390	1546	1706	1729	1787	1894	2008	2123	2233	2343

All Sizes can be made with the 70mm Cassette System

PRICE CHART 4

DIXIE, DIXIE XL, SWING, TANGO, LINEA, TWIST

								< W	iatn —>							
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	110"
	36"	398	450	506	554	603	658	700	752	854	861	915	962	1015	1062	1109
	42	422	479	529	586	646	703	756	809	905	918	983	1033	1084	1129	1187
	48'	447	506	564	621	682	743	809	873	972	978	1041	1098	1161	1216	1270
	54'	465	529	598	661	726	787	861	935	1029	1039	1105	1174	1235	1306	1367
	60'	486	559	624	695	762	842	917	992	1082	1098	1179	1245	1321	1389	1461
î l	66'	508	588	661	733	809	889	975	1057	1142	1163	1256	1330	1404	1475	1552
— Height	72'	536	613	690	769	856	943	1033	1118	1203	1228	1323	1409	1487	1569	1652
	78'	543	634	714	805	895	987	1079	1174	1263	1289	1389	1479	1559	1645	1731
V	84'	569	661	744	847	942	1036	1139	1235	1328	1355	1465	1552	1648	1736	1825
	90'	591	685	779	887	991	1094	1195	1300	1390	1426	1536	1632	1728	1825	1919
	96'	616	716	812	918	1031	1139	1245	1351	1457	1489	1602	1706	1810	1905	2006
	102'	700	812	926	1045	1162	1266	1411	1552	1596	1625	1745	1845	1945	2049	2153
	108'	743	859	982	1102	1215	1329	1491	1636	1684	1713	1837	1945	2052	2161	2262
	114'	775	897	1023	1162	1272	1395	1559	1716	1766	1795	1926	2044	2153	2262	2376
	120'	813	943	1075	1213	1329	1467	1630	1802	1850	1885	2018	2137	2260	2372	2491

All Sizes can be made with the 70mm Cassette System



CHILD SAFETY & WARRANTY

CHILD SAFETY

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach of children.

Automated

WARRANTY

Motorized

Shades

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice

date of the product.

This guarantee does not apply to
damage to exterior shades caused by high winds and/or
extreme weather conditions. Any roller shade or parts which
fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

> Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized Shades' warranty is designed to ensure a thoroughly satisfying experience with your window treatment product. Certain restrictions may apply.





TABLE OF CONTENTS

Features & Benefits	1
Design & Operation	2-3
Measuring Instructions	4
Product Specifications	
Price Charts	
Price Chart 1 2" Light Filtering	6
Price Chart 2 2" Room Darkening	6
Price Chart 3 2 ½" Light Filtering	
Price Chart 4 2 ½" Room Darkening	
Price Chart 5 3" Light Filtering	8
Price Chart 6 3" Room Darkening	8
Child Safety & Warranty	9

FEATURES & BENEFITS

- · Horizontal fabric vanes floating between two layers of soft, knitted fabric sheers, that soften your view outside.
- Sheer fabric vane colors are featured between two layers of white sheer fabric with the exception of Pearl Essence, color #3001, which features sheer fabric that is matched to the Pearl color of the vane creating a rich tone-on-tone appearance.
- Available in widths up to 114" and drops up to 120" that provide an elegant solution for covering larger window openings.
- Vanes glide smoothly from open to closed, to virtually, "out of sight."
- The Continuous Cord System provides five distinct vane positions for endless combinations of privacy, view, and light control.
- Partially raise the shading with the fabric vanes in the open, "view-through" position so that you can keep your view and still enjoy the beauty of the sheer horizontal vanes.
- Two different color coordinated headrail styles are available.
- A smaller width deduction provides minimal light leakage on shading sides and above the headrail for increased privacy.
- Easy to install hardware and brackets allows for effortless installations and easy removal for cleaning.
- Durable fabrics that can be ultrasonically or traditionally cleaned to keep shades bright and beautiful.
- Lifetime Limited Warranty as a commitment to your satisfaction.
- Sheer fabrics may be processed with a topical treatment to resist flames and to adhere to flammability codes. For more information, contact Automated Motorized Shades.

DESIGN & OPERATION

FABRIC COLLECTIONS

Sheer shades are available with two different fabric types. Light filtering fabric that gently diffuses light and room darkening fabric that casts deep room darkening shadows. Please note that room darkening materials are not blackout fabrics.

INSIDE MOUNT

Sheer shades feature a Continuous Cord System. The Continuous Cord System provides the ability to manipulate the shade into various viewing position using just one control. From the closed and retracted position (fabric inside the headrail), lower the fabric by pulling down on the loop cord until you reach the desired shading position. Once lowered completely to the window sill, continuing to pull the cord in the same direction will open the horizontal fabric vanes, offering spectacular views to the outside. Continuing to pull the cord in the same direction will lift the shade while still in the view-through mode. To retract the shading, simply pull down on the cord in the opposite direction until the shade reaches the desired fabric position.

VIEWING OPTIONS

The Continuous Cord System provides a number of positioning options for controlling light and privacy. This allows for more precise control of visibility through the shades as the vanes are tilted to their maximum open position. The following five positions can be obtained when using standard shading operation when viewing the shading at eye level.

CLOSED TOP, OPEN BOTTOM

By partially lowering the shade from the fully raised position, the upper portion of your window will become semi-opaque while allowing a clear view below.

FULLY PRIVATE

When lowered completely, the shade provides maximum privacy and softly diffuses light.

PARTIALLY OPEN

By adjusting the continuous cord you can gradually increase the level of light and allow varying levels of "view-through."


VIEW-THROUGH WHEN LOWERED

Completely opening the vanes in the down position provides a softened, veiled view to the outside.

VIEW-THROUGH WHEN RAISED

From the open or view-through position, continuing to pull down on the cord will raise the fabric allowing a clear view outside from below, and a veiled view above. This exclusive feature allows the shade to be raised up to 24" in this mode.

VANE CLOSURE



VANE CLOSURE

Sheer shade fabric vanes overlap and provide privacy when closed. However, the inherent nature of the fabric will cause a slight increase in the distance from the front sheer to back sheer as you move further down the shade. These vanes do not form a perfect seal against light leakage which is most visible toward the bottom of the shade.

Vane closure is measured as the distance between the front and rear fabric sheers 6" up from the lowest point of the bottom rail, with the shade fully lowered and the vanes closed. For sheer shades, the maximum distance from the front sheer to the back sheer when closed is ½". On room darkening fabrics, the distance is 5/8". Vane closure on all 3" fabrics will have a distance of 1".

SIDE-BY-SIDE ALIGNMENT

When sheer shades are installed side-by-side, vane alignment can be guaranteed within 1/4" only if:

- The shades are the same color and ordered at the same time
- Side-by-side lineup is specified when the order is placed.



DESIGN & OPERATION

VANE OPENING

Vanes on the three styles of sheer shade fabrics open to slightly different degrees. Consequently, there are variations in visibility through the shades when the vanes are tilted to their maximum open positions. The variations between the products are shown in the vane illustrations. The illustration represents looking through the shading ½" of the way up from the bottom.

LEVELING SHEER SHADES

Sheer shades are leveled and weighted in the factory. When installed level, the fabric will not skew when raised. If the headrail is not installed level, skewing can occur that can damage the edge of the fabric. Be sure to follow the installation instructions carefully to ensure correct and balanced operation.

HARDWARE

HOLD DOWN BRACKETS

Hold down brackets are made of a clear plastic which fit into holes in the end cap of the bottom rail. Hold downs are generally used to secure the bottom of the sheer shade to prevent swaying when mounted on a door.

EXTENSION BRACKETS

Extension or "L" brackets are available which can be used to project the back of the shade 4 -1/4" from the mounting surface.

SPACER BLOCKS


Spacer blocks project the shade 3/8" from the mounting surface. Use spacer blocks to obtain clearance when obstructions, such as window cranks or door handles, obstruct the movement of the shade.

CORD TENSIONER

The cord tensioner keeps the cord taut to prevent children and pets from entangling and subsequently injuring themselves. Cord tensioners must be used for this product to comply with the Consumer Product Safety Commission (CPSC) Child Safety guidelines.


INSTALLATION CONSIDERATIONS

After installation, windows that are not square and level may cause the shadings to shift to one side as it rolls up, requiring adjustment of the headrail. This shifting can cause fraying and/or make the shade appear crooked. Shims can be used to lower the shade and level the headrail. Shims are available by request at no additional charge. Please specify at time of



HEIGHT CONSIDERATIONS

Automated Motorized Shades will fabricate your sheer shade to the exact height ordered. Exact height is calculated from the top of the headrail to the bottom of the shade when the vanes are in the open (or view-through) position. When the vanes are rotated to the closed position, the shade will become 3/8" longer.



When closed on an inside mount, a slight puckering may occur on the bottom of the sheer due to contact with the sill. To compensate, slightly raise the shading until the rail begins to lift off the window sill. If preferred, the shade can be ordered 3/8" less than the measured height of the window opening. In this case, the bottom rail will be positioned 3/8" above the sill when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the window sill, effectively removing any open space.

MEASURING INSTRUCTIONS

MEASUREMENTS

Precise width and height measurements are critical. Fabric width cannot be altered after the shading is fabricated. Please use a metal tape measure for accuracy.

The headrail must be installed perfectly level and evenly to ensure smooth operation. On an inside mount, it is recommended that you check to see that the mounting surface is level and consistent. If shims are necessary please specify at time of ordering.

INSIDE MOUNT

Measure across the width of your window opening in three different places - top, middle and bottom. Measurements should be taken within the window jamb. Provide the smallest of the three measurements and be exact. Automated Motorized Shades will make the necessary deductions to fit the window

opening.

Measure the height of the window opening from the underside of the soffit to the surface of the window sill in two places - use the smallest of these two measurements.

SIDE MOUNT


Sheer shades may be side mounted using "L" brackets. For side mounts, follow the instructions for inside mounts. An additional ½" will be taken off the standard inside mount deduction to allow room for the "L" brackets.

The maximum shade width utilizing the side mount option is 48".

OUTSIDE MOUNT

Measure the exact width and height of the area to be covered. On the width, allow at least 1-½" of an overlap on each side. An overlap of 3" on each side is recommended.

Be sure to take into consideration any obstructions such as window trim, molding, locks and window cranks



PRODUCT SPECIFICATIONS

PRIVACY & LIGHT CONTROL OPTIONS

Aluminum cassette with a color coordinated fabric insert		
Minimum Flush Inside Mount with Install Brackets	3	1/8"
Minimum Shallow Mounting Surface		.3/4"
Minimum Side Mounting Surface	.1	1/4"
Maximum Shade Width Side Mount		48"
Minimum Outside Mounting Surface		.3/4"

CORD INFORMATION

Braided polyester cord styles will measure the height indicated below unless otherwise specified.


SHADE HEIGHT	SHADE HEIGHT
12" - 40"	2' (24")
40" - 52"	3' (36")
52" - 72"	4' (48")
72" - 96"	5' (60")
96" - 120"	6' (72")

MAXIMUM CORD HEIGHTS

- Polyester cord 15 feet
- Cord can be ordered in custom lengths in one foot increments from 2' to 15'

CORDLESS OPTIONS

Strap available in black or white only			
Minimum Size	20"	x 20	II
Maximum Size	84"	x 84	11



FINISHED DIMENSIONS

Once ordered and manufactured, the width of the fabric cannot be altered. Your fabricator makes deductions to the width of Sheer Shadings depending on the type of mounting indicated. For all mounting types, fabric will measure exactly the height ordered when the vanes are in the open or "view-through" position.

INSIDE MOUNT

- Headrail will measure ordered width minus 3/16"
- Fabric will measure ordered width minus 1 1/8"

SIDE (END) MOUNT

- Headrail will measure ordered width minus 11/16"
- Fabric will measure ordered width minus 1 1/8"

OUTSIDE MOUNT

- Headrail will measure ordered width plus 3/16"
- Fabric will measure ordered width minus 3/4"

EXACT (ENDCAP TO ENDCAP)

- · Headrail will measure ordered width
- Fabric will measure ordered width minus 15/16"

Headrail measurements include endcaps. Width and width measurements may vary +/- 1/8".



2" VANE PRICE CHARTS 1-2

PRICE CHART 1 LIGHT FILTERING

							< Wie	dth —>						
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
-	36"	666	747	835	913	1000	1086	1166	1253	1467	1646	1815	2205	2595
	42"	702	790	878	977	1069	1164	1253	1344	1564	1758	1941	2367	2793
	48"	743	838	940	1033	1132	1235	1340	1444	1669	1870	2072	2535	2997
	54"	773	877	986	1095	1205	1315	1429	1550	1771	1982	2217	2774	3333
	60"	809	928	1039	1153	1270	1397	1518	1646	1864	2108	2362	2966	3568
	66"	845	971	1092	1216	1344	1478	1621	1752	1965	2242	2512	3153	3791
Λ.	72"	878	1015	1147	1276	1419	1564	1710	1855	2072	2367	2660	3360	4057
_ <u>}</u>	78"	905	1049	1188	1334	1482	1637	1786	1942	2169	2488	2793	3527	4262
Height	84"	942	1092	1236	1403	1557	1720	1886	2049	2282	2621	2943	3706	4471
$\sqrt{}$	90"	983	1132	1293	1465	1635	1813	1976	2151	2392	2746	3089	3910	4729
	96"	1018	1182	1348	1529	1710	1887	2065	2247	2503	2875	3237	4106	4975
	102"	1168	1352	1538	1740	1922	2097	2342	2571	2750	3130	3490	4220	5232
	108"	1231	1422	1621	1830	2018	2213	2462	2711	2899	3287	3674	4442	5505
	114"	1304	1509	1719	1941	2151	2351	2613	2873	3074	3490	3894	4714	5845
	120"	1403	1616	1844	2078	2294	2512	2793	3074	3288	3737	4169	5044	6247

PRICE CHART 2

<- Width -->

ROOM DARKENING

		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	733	822	919	1004	1097	1197	1281	1378	1616	1813	1996	2422	2856
	42"	776	872	967	1075	1172	1280	1378	1476	1721	1931	2136	2603	3072
	48"	817	920	1033	1132	1248	1359	1478	1590	1836	2057	2280	2790	3296
	54"	850	966	1084	1206	1323	1444	1575	1702	1945	2177	2441	3052	3662
	60"	887	1019	1142	1270	1397	1535	1669	1814	2050	2318	2596	3260	3924
\uparrow	66"	927	1069	1205	1338	1476	1628	1781	1929	2160	2464	2764	3465	4169
jht –	72"	967	1119	1261	1405	1560	1721	1877	2041	2280	2603	2923	3691	4462
- Height	78"	997	1154	1306	1466	1628	1799	1964	2138	2383	2735	3067	3878	4690
\ 	84"	1038	1205	1361	1538	1714	1891	2077	2249	2511	2878	3236	4078	4920
	90"	1082	1248	1422	1610	1796	1990	2175	2364	2631	3020	3399	4301	5201
ı	96"	1121	1303	1483	1681	1877	2078	2277	2471	2756	3161	3560	4518	5471
	102"	1284	1490	1692	1912	2116	2309	2577	2829	3029	3440	3838	4646	5756
	106"	1355	1564	1781	2011	2222	2434	2711	2978	3186	3614	4039	4884	6053

SHEER SPECIFICATIONS

Light Filtering Fabrics

• The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width	12"
Minimum Height	12"
Maximum Width	114"
Maximum Height	120"

Room Darkening Fabrics

 The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width	12"
Minimum Height	12"
Maximum Width	114"
Maximum Height	106"

SURCHARGES

Cordless Option\$99

2 1/2" VANE PRICE CHARTS 3-4

PRICE CHART 3			LIGHT FILTERING
	- 1/	/idth >	

							< WI	dth —>						
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	699	784	876	957	1049	1141	1224	1316	1539	1726	1906	2315	2724
	42"	737	830	923	1023	1120	1223	1316	1412	1642	1846	2039	2483	2930
	48"	779	877	985	1085	1192	1293	1407	1516	1752	1963	2175	2661	3146
	54"	810	921	1036	1150	1263	1377	1502	1627	1858	2079	2328	2912	3497
	60"	849	972	1089	1209	1331	1465	1592	1727	1957	2213	2480	3115	3744
	66"	886	1018	1149	1278	1412	1553	1701	1839	2063	2353	2636	3309	3981
\uparrow	72"	923	1064	1203	1338	1491	1642	1793	1947	2175	2483	2791	3526	4259
Jht− I	78"	950	1100	1247	1400	1554	1719	1875	2040	2279	2612	2930	3704	4476
Heignt	84"	988	1149	1297	1471	1636	1803	1980	2151	2397	2750	3088	3892	4697
V I	90"	1031	1192	1359	1537	1715	1903	2075	2258	2511	2882	3244	4105	4964
	96"	1069	1240	1417	1605	1793	1982	2167	2360	2628	3017	3398	4311	5222
	102"	1225	1418	1614	1825	2017	2202	2460	2699	2886	3286	3661	4431	5496
	108"	1290	1493	1701	1921	2119	2323	2585	2845	3041	3451	3857	4663	5781
	114"	1370	1583	1802	2039	2258	2468	2743	3016	3227	3661	4088	4948	6141
	120"	1471	1696	1936	2182	2408	2636	2931	3227	3452	3924	4378	5296	6564

		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	769	865	966	1054	1152	1257	1344	1449	1697	1905	2095	2546	2998
	42"	816	915	1016	1129	1234	1342	1449	1553	1808	2031	2242	2735	3223
	48"	857	967	1086	1193	1309	1426	1546	1669	1928	2160	2396	2930	3461
	54"	891	1015	1139	1267	1389	1517	1655	1788	2043	2288	2563	3206	3847
	60"	932	1071	1199	1334	1466	1612	1753	1906	2154	2436	2727	3425	4120
↑ I	66"	972	1121	1264	1406	1553	1711	1872	2026	2266	2588	2902	3638	4380
Height –	72"	1016	1174	1325	1473	1638	1808	1972	2143	2396	2735	3072	3876	4686
Hei	78"	1048	1213	1371	1539	1711	1889	2063	2244	2502	2871	3221	4074	4925
\ 	84"	1089	1264	1427	1616	1802	1987	2182	2362	2636	3021	3398	4283	5168
	90"	1135	1309	1494	1691	1886	2092	2284	2483	2764	3171	3571	4518	5461
	96"	1176	1370	1556	1765	1972	2183	2391	2596	2896	3319	3738	4746	5745
	102"	1347	1564	1778	2009	2225	2427	2705	2969	3177	3612	4030	4879	6044
	106"	1422	1642	1872	2114	2334	2555	2847	3128	3343	3795	4242	5129	6358

SHEER SPECIFICATIONS

Light Filtering Fabrics

 The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width	12'
Minimum Height	12'
Maximum Width	114'
Maximum Height	120'

Room Darkening Fabrics

 The room darkening fabrics feature vanes that provide light control and privacy.

12"
12"
114"
106"

SURCHARGES

Cordless Option\$99

3" VANE PRICE CHARTS 5-6

PRICE CHART 5

							< VVI	uu1 —>						
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	733	822	919	1004	1097	1197	1281	1378	1616	1813	1996	2422	2856
	42"	776	872	967	1075	1172	1280	1378	1476	1721	1931	2136	2603	3072
	48"	817	920	1033	1132	1248	1359	1472	1590	1836	2057	2280	2790	3296
	54"	850	966	1084	1206	1323	1444	1575	1702	1945	2177	2441	3052	3662
	60"	887	1019	1142	1270	1397	1535	1669	1814	2050	2318	2596	3260	3924
	66"	927	1069	1205	1338	1476	1628	1781	1929	2160	2464	2764	3465	4169
\wedge	72"	967	1119	1261	1405	1560	1721	1877	2041	2280	2603	2923	3691	4462
ht	78"	997	1154	1306	1466	1628	1799	1964	2138	2383	2735	3067	3878	4690
Height.	84"	1038	1205	1361	1538	1714	1891	2077	2249	2511	2878	3236	4078	4920
	90"	1082	1248	1422	1610	1796	1990	2175	2364	2631	3020	3399	4301	5201
	96"	1121	1303	1483	1681	1877	2078	2277	2471	2756	3161	3560	4518	5471
	102"	1284	1490	1692	1912	2116	2309	2577	2829	3029	3440	3838	4646	5756
	108"	1355	1564	1781	2011	2222	2434	2711	2978	3186	3614	4039	4884	6056
	114"	1435	1660	1887	2136	2364	2584	2873	3159	3380	3838	4283	5185	6432
	120"	1538	1778	2024	2285	2528	2764	3073	3380	3615	4112	4587	5547	6874

		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	806	905	1011	1106	1206	1317	1408	1516	1777	1995	2196	2666	3140
	42"	852	959	1065	1182	1289	1406	1516	1624	1894	2128	2349	2864	3379
	48"	899	1012	1136	1249	1371	1493	1620	1748	2017	2263	2507	3071	3626
	54"	934	1064	1193	1325	1454	1588	1732	1872	2140	2397	2682	3357	4031
	60"	977	1121	1256	1399	1535	1689	1837	1996	2258	2549	2856	3589	4317
	66"	1019	1172	1325	1472	1624	1792	1958	2123	2375	2712	3040	3811	4587
\wedge	72"	1065	1231	1388	1545	1718	1894	2065	2243	2507	2864	3216	4061	4909
#	78"	1097	1270	1438	1613	1793	1979	2160	2351	2622	3007	3373	4267	5157
Height	84"	1141	1325	1496	1692	1886	2083	2285	2475	2760	3166	3558	4486	5411
	90"	1190	1371	1564	1771	1976	2189	2392	2600	2896	3321	3739	4733	5722
	96"	1235	1434	1630	1847	2065	2286	2503	2719	3032	3478	3915	4969	6020
	102"	1411	1637	1863	2101	2329	2539	2833	3112	3331	3783	4222	5110	6331
	106"	1490	1720	1958	2214	2445	2676	2984	3277	3504	3975	4442	5373	6661

SHEER SPECIFICATIONS

Light Filtering Fabrics

• The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width	12"
Minimum Height	12"
Maximum Width	
Maximum Height	120"

Room Darkening Fabrics

• The room darkening fabrics feature vanes that provide light control and privacy.

	,	
Minimum Width		12"
Minimum Height		12"
Maximum Width		114"
Maximum Height		106"

SURCHARGES

Cordless Option \$99

WARRANTY

CHILD SAFETY

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach of children.

Automated

WARRANTY

Motorized

Shades

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice

date of the product.

This guarantee does not apply to
damage to exterior shades caused by high winds and/or
extreme weather conditions. Any roller shade or parts which
fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

> Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized Shades' warranty is designed to ensure a thoroughly satisfying experience with your window treatment product. Certain restrictions may apply.





TABLE OF CONTENTS

Features & Benefits	
Measuring Instructions	
Design Options	
Fabric Choices	
Fabric Selection	
Shade Size Specifications	
Arch & Quarter Size Specifications	
Product Specifications	
Standard Rectangular Price Charts	13-20
Price Chart 1	
Price Chart 2	
Price Chart 3	15
Price Chart 4	
Price Chart 5	
Price Chart 6	
Price Chart 7	
Price Chart 8	
Longitude Specificiations	21-22
Longitude Price Charts	
Longitude Price Chart 1-2	23
Longitude Price Chart 3-4	24
Child Safety & Warranty	25

FEATURES & BENEFITS

- Honeycomb construction provides superior insulation and energy efficiency
- Fabric available in wide widths to cover larger windows without seams or overlap
- Neutral white backing provides a uniform appearance to the outside of the home
- 100% crisp polyester fabric repels dust and dirt, and is easy to clean and maintain
- Multiple design options and operating systems are available
- · Longitude honeycomb shades move vertically, offering an option that works well for sliding doors

MEASURING INSTRUCTIONS

MEASUREMENTS

Accurate measurements are essential, for both correct pricing and proper fit. Use only a hard-edged ruler or steel tape, never a cloth tape. For inside mounts, width measurements (a) should be rounded down to the nearest 1/8" to prevent blind from rubbing against the window casing.

INSIDE MOUNT

Use a steel tape to measure the opening width (A) at three different places, and use the narrowest dimension when ordering. Be exact! The factory will make the shade 3/8" narrower so it will not rub against the window casing. Measure the height (B) of the window from the top (Soffit) down to the sill.


OUTSIDE MOUNT

Use a steel tape to measure the exact width (a) and height (b) of the area to be covered. It is recommended that the shades overlap the window by at least 1-½" on each side. When installation has no sill, allow the shade to overlap the bottom of the window casing by at least 1-½". Shade fabric will measure the width and height indicated on the order form.

ARCHES & QUARTER CIRCLES


- For inside mounts, measure the exact width and height inside the window opening.
- For outside mounts, measure the desired width and height.
- Measure the height at its tallest point.
- All arch openings can only be for perfect arches where the height will equal ½ the width.
- For all quarter circles, the height must equal the width.






CUT-OUTS


- · Cut-outs are available with all fabrics.
- Cut-outs are \$89 per side and are subject to approval by the fabricator.
- There are no limits on cut-out heights. There are, however, limits on cut-out widths:
 - Shade width less than 18": 3" Max. Width
 - Shade width greater than 18": 5" Max. Width






INSIDE MOUNT (IB)

OUTSIDE MOUNT (OB)





5 STEPS TO AN ACCURATE TEMPLATE

- Tape butcher paper or heavy wrapping paper over the window opening allowing plenty of overlap. Do not use paper that has ever been folded; a template can have no folds or creases.
- 2. Draw an exact outline of the window opening. Do this by carefully tracing over the inside edge of the window frame.
- 3. Remove the paper from the window opening. If the blind is an outside mount, add the desired amount of overlap to the window outline and draw a second outline around it to match the shape of the finished blind.
- 4. Mark the blind dimensions on the template. Check that the template dimensions match the measurements of the actual window opening.
- 5. Identify the template and its orientation. Write the customer's name and PO# on the template, and mark the "Room Side" and "Top". Roll up the template and place it in a

Note: Do not fold the template. Template must be cut out in the exact shape of the window opening and tested in window for correct fit.

For any arches requiring a template, there will be a template surcharge of \$151 added to the price of the arch.



DESIGN OPTIONS

HONEYCOMB SHADES



CORDLESS

This system eliminates exposed cords and is easy to adjust by lifting or lowering the shade with a gentle push or pull on the bottomrail. Eliminates danger of dangling cords to children and pets. Also available in top-down/bottom-up. Now available with the Lift & Lock system that makes raising your shade as simple as pushing a button.



STANDARD RECTANGULAR

Traditional cord operated honeycomb shade that raises from the bottom up and stacks at the top.



TOP-DOWN/BOTTOM-UP

This shade can be opened from both the top and the bottom. Right and left hand controls move the middle and bottom rails to raise and lower the shade. This style is ideal for letting natural light in through the top while preserving privacy below.



TOP-DOWN ONLY

Privacy is maintained while allowing natural light in, this shade stacks neatly at the bottom of the window when fully open. This top-down feature provides a unique look to a window.



CONTINUOUS CORD LOOP

A continuous cord loop opens and closes the shade smoothly and evenly eliminating


the traditional dangling cord. It also offers a neater, cleaner appearance. A special clutch system keeps the shade at the desired height and is an ideal option for



MOTORIZED

Suitable for all applications, including hard to reach windows. Available in 12 volt battery, 24 volt plug in, & 120 volt plug-in configurations. Motors allow you to control any size shade at the touch of a button. All of our motorization options eliminate dangling cords and the associated hazards for children and pets. Please consult our Motorization guide.

HONEYCOMB SHADES CONT...



2-ON-1 HEADRAIL

For very large single windows or two large windows side by side, this specialty shade provides the appearance of a single shade, with two sections operating independently.

DAY-NIGHT SHADE

This style of shade utilizes two different fabrics on one shade. A translucent fabric is used on the top and a blackout fabric on the bottom connected by a moving rail. This shade provides a variety of light control and privacy options.















ARCHES



STATIONARY ARCH

This classic star-burst design has no moving rail.




MOVABLE ARCH

This star-burst design fits perfect arch openings and is fully operable.



STATIONARY QUARTER CIRCLE

The shade has no moving rail and remains permanently closed.



MOVABLE QUARTER CIRCLE

This specialty shade has a moving rail for light control and fits quarter circle windows where the height equals the width.

Please refer to price grids for surcharge information

FABRIC CHOICES

PRIVACY & LIGHT CONTROL OPTIONS

Honeycomb shades are available in 4 opacities: sheer, semi-sheer, translucent, and blackout. Each offers a different degree of privacy and light control.

SHEER & SEMI-SHEER FABRICS

- Transmits light with view through the shade
- Does not provide privacy
- Available in 3/4" Single Cell Fabrics



TRANSLUCENT FABRICS

- Transmits filtered light with no view through the shade
- Provides moderate privacy
- Available in ¾", 3/8", and 9/16" -Single Cell and Double Cell fabrics



BLACKOUT FABRICS

- Blocks 99% of outside light
- Provides complete privacy and light control
- Available in ¾", ¾8", and 9/16" -Single Cell and Double Cell fabrics



ELEGANCE COLLECTION

The Elegance Collection features beautiful, high-quality fabrics that add warmth and a designer style to your home's decor.

- 3/4" Woven fabric is available in translucent or blackout and offers deep, vibrant and consistent colors
- The ¾" Ultra Soft collection's offers rich in a luxuriously soft fabric for your windows
- Exclusively in the Elegance Collection, the ¾" Sheer or Semi-Sheer Knitted fabrics have a fresh look and open view to the outside

CLASSIC COLLECTION

The Soft Touch Collection offers a budget friendly collection with all of the standard options available.

- 3/8" Soft Touch is available in translucent and blackout fabrics
- 9/16" Soft Touch is available in translucent and blackout fabrics
- The unique and distinctive 9/16" Pointbond is available in translucent colors
- · Double Cell Soft Touch fabrics are available in translucent and blackout styles


SOFT TOUCH COLLECTION

With the largest selection of fabrics and styles, our Classic Collection offers it all. Time-honored favorites and trendy new fabrics are available in a wide variety of colors, sizes, solids and textures.

- · Classic fabrics come in translucent or blackout styles
- 3/8" Textured is available in translucent opacity only
- 3/4" Flame Retardant fabrics are available in translucent and blackout
- Double Cell Texture and Classic colors are available in translucent fabrics

ENERGY EFFICIENCY

Honeycomb shades are among the most energy-efficient window coverings available. The insular property of honeycomb fabric is attributed to its unique cellular construction creating a barrier of chambers designed to reduce heat and the damaging effects of UV light. Our premium honeycomb fabrics are separated into three simple levels of energy efficiency (Good, Better, Best) to help you maximize your budget and enhance comfort in your home.



FABRIC SELECTION

Name	Honeycomb Price Chart	Longitude Price Chart
D-06 • 3/4" Single Cell Semi Sheer	7	N/A
D-07 • 3/4" Single Cell Blackout	4	L1
D-08/D-09 • 3/4" Single Cell Sheer	7	N/A
D-13/D-14/D-15 • 3/4" Single Cell Translucent	6	L2
D-16 • 3/4" Single Cell Flame Retardant Blackout	7	L3
D-19 • 3/4" Single Cell Semi-Sheer	8	N/A
D-20 • 3/4" Single Cell Flame Retardant Translucent	6	L2
F-08 • 3/8" Single Cell Translucent	4	N/A
F-09 • 3/8" Single Cell Blackout	7	N/A
F-15 • 1/2" Double Cell Translucent	4	N/A
F-16 • 3/4" Single Cell Linen Translucent Essentials *	4	L1
F-17 • 3/4" Single Cell Blackout Essentials *	7	L3
F-25 • 1/2" Double Cell Textured Translucent	5	N/A
F-26 • 3/4" Single Cell Textured Translucent	3	L1
F-27 • 3/4" Single Cell Textured Blackout	6	L2
F-28 • 3/8" Single Cell Textured Translucent	3	N/A
F-29 • 3/8" Single Cell Textured Blackout	8	N/A
F-36 • 3/4" Single Cell Brushed Translucent	6	L2
F-37 • 3/4" Single Cell Brushed Blackout	7	L3
F-50 • 3/4" Single Cell Translucent	4	L1
F-56 • 3/4" Single Cell Translucent	5	L1
G-23/G-24/G-25 • 3/4" Single Cell Blackout	7	L3
T-04 • 1/2" Double Cell Translucent Essentials	3	N/A
T-05 • 3/4" Single Cell Translucent Essentials	2	N/A
T-08 • 3/4" Single Cell Blackout Essentials	5	N/A
T-21 • 3/4" Single Cell Bi-Lam Blackout Essentials	3	N/A
T-23 • 1/2" Double Cell Blackout Essentials	6	N/A
T-32 • Grand Pleat Translucent	6	L2
T-37 • Grand Pleat Blackout	7	F3
T-41 • 3/4" Single Cell Translucent	1	N/A
T-43 • 1/2" Double Cell Translucent	2	N/A
T-91 • Bar Harbor	8	N/A

FABRIC SELECTION

VERTICAL HONEYCOMB OPTIONS

Name	Honeycomb Price Chart	Maximum Size One Way Draw	Maximum Size Center Opening
D-06 • 3/4" Single Cell Semi Sheer	L3	168" x 120"	192" x 120"
D-07 • 3/4" Single Cell Blackout	L1	168" x 120"	192" x 120"
D-08 • 3/4" Single Cell Sheer	L3	120" x 120"	192" x 120"
D-09 • 3/4" Single Cell Sheer	L3	120" x 120"	192" x 120"
D-13 • 3/4" Single Cell Translucent	L2	168" x 120"	192" x 120"
D-14 • 3/4" Single Cell Translucent	L2	168" x 120"	192" x 120"
D-15 • 3/4" Single Cell Translucent	L2	168" x 120"	192" x 120"
F-16 • 3/4" Single Cell Linen Translucent	L1	168" x 120"	192" x 120"
F-17 • 3/4" Single Cell Blackout	L2	168" x 120"	192" x 120"
F-26 • 3/4" Single Cell Textured Translucent	L1	168" x 120"	192" x 120"
F-27 • 3/4" Single Cell Textured Blackout	L2	168" x 120"	192" x 120"
F-36 • 3/4" Single Cell Translucent	L2	168" x 120"	192" x 120"
F-37 • 3/4" Single Cell Blackout	L3	168" x 120"	192" x 120"
F-56 • 3/4" Single Cell Translucent	L1	168" x 120"	192" x 120"
G-03 • 3/4" Single Cell Woven Translucent	L4	168" x 120"	192" x 120"
G-04 • 3/4" Single Cell Woven Blackout	L4	168" x 120"	192" x 120"
G-23 • 3/4" Single Cell Blackout	L3	168" x 120"	192" x 120"
G-24 • 3/4" Single Cell Blackout	L3	168" x 120"	192" x 120"
G-25 • 3/4" Single Cell Blackout	L3	168" x 120"	192" x 120"
T-21 • 3/4" Single Cell Blackout	L1	168" x 120"	192" x 120"
T-21L • 3/4" Single Cell Blackout Linen	L1	168" x 120"	192" x 120"

SHADE SIZE SPECIFICATIONS

Fabric Type		Std.	TD	TDBU	Day/ Night*	2-on-1	Lift & Lock Cordless	Std Cordless	Cordless TDBU	Std Cont. Cord	Continuous Cord TDBU	2-on-1 Cont. Cord	Longitude**
Minimum Sizes	Width:	12"	12"	12"	12"	44"	18"	18"	18"	22"	24"	44"	12"
	Height:	8"	12"	12"	18"	8"	8"	8"	8"	8"	8"	8"	24"
D-06 • 3/4" Single Cell Semi Sheer	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	NA
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	60	60	30	30/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA
D-07 • 3/4" Single Cell Blackout	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	60	60	30	30/Shade	60/ Shade	70	70	70	120	120	60/ Shade	140
D-08/D-09 • 3/4" Single Cell Sheer	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	120"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	60	60	48	30/Shade	60/ Shade	70	70	70	120	120	60/ Shade	140
D-13/D-14/D-15 • 3/4" Single Cell Translucent	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	60	60	30	30/Shade	60/ Shade	70	70	70	120	120	60/ Shade	140
D-16 • 3/4" Single Cell Flame Retardant Blackout	Width:	174"	108"	72"	72"	144"	120"	120"	NA	144"	144"	144"	NA
	Height:	120"	120"	108"	96"	120"	84"	84"	NA	120"	120"	120"	NA
	Sq Ft:	40	40	40	30/Shade	60/ Shade	70	70	NA	120	120	60/ Shade	NA
D-19 • 3/4" Single Cell Semi-Sheer	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	NA
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	60	60	30	30/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA
D-20 • 3/4" Single Cell Flame Retardant Translucent	Width:	174"	108"	72"	72"	144"	120"	120"	NA	144"	144"	144"	168"
	Height:	120"	138"	108"	96"	120"	84"	84"	NA	120"	120"	120"	120"
	Sq Ft:	60	60	30	30/Shade	60/ Shade	70	70	NA	120	120	60/ Shade	140
F-08 • 3/8" Single Cell Translucent	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	NA
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	60	60	48	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA
F-09 • 3/8" Single Cell Blackout	Width:	174"	108"	72"	72"	144"	120"	NA	NA	144"	144"	144"	NA
	Height:	120"	120"	108"	96"	120"	84"	NA	NA	120"	120"	120"	NA
	Sq Ft:	60	40	40	48/Shade	60/ Shade	70	NA	NA	120	120	60/ Shade	NA
F-15 • 1/2" Double Cell Translucent	Width:	174"	108"	72"	60"	144"	120"	120"	120"	144"	144"	144"	NA
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	40	40	40	30/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA
F-16 • 3/4" Single Cell Linen Translucent Essentials *	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	4"	84"	120"	120"	120"	120"
	Sq Ft:	60	60	40	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	140
						0						0	

^{*}Day-Night Note: Fabrics marked with an asterisk are available as only the bottom panel in a Day-Night shade.
**Longitude Note: For center opening or dual panel Longitude shades, specifications are per fabric panel. Center opening shades are available in widths up to 336". If width is greater than 185", it will be need fabricated as two shades.



SHADE SIZE SPECIFICATIONS

Fabric Type		Std.	TD	TDBU	Day/ Night*	2-on-1	Lift & Lock Cordless	Std Cordless	Cordless TDBU	Std Cont. Cord	Continuous Cord TDBU	2-on-1 Cont. Cord	Longitude**
Minimum Sizes	Width:	12"	12"	12"	12"	44"	18"	18"	18"	22"	24"	44"	12"
	Height:	8"	12"	12"	18"	8"	8"	8"	8"	8"	8"	8"	24"
F-17 • 3/4" Single Cell Blackout Essentials *	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	40	40	40	40/Shade	40/ Shade	70	70	70	120	120	60/ Shade	140
F-25 • 1/2" Double Cell Textured Translucent	Width:	174"	108"	72"	60"	144"	120"	120"	120"	144"	144"	144"	NA
	Height:	120"	120"	8"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	40	40	40	30/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA
F-26 • 3/4" Single Cell Textured Translucent	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	60	60	40	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	140
F-27 • 3/4" Single Cell Textured Blackout	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	40	40	40	40/Shade	40/ Shade	70	70	70	120	120	60/ Shade	140
F-28 • 3/8" Single Cell Textured Translucent	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	NA
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	60	60	48	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA
F-29 • 3/8" Single Cell Textured Blackout	Width:	174"	108"	72"	72"	144"	120"	NA	NA	144"	144"	144"	NA
	Height:	120"	120"	108"	96"	120"	84"	NA	NA	120"	120"	120"	NA
	Sq Ft:	60	40	40	48/Shade	60/ Shade	70	NA	NA	120	120	60/ Shade	NA
F-36 • 3/4" Single Cell Brushed Translucent	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	60	60	40	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	140
F-37 • 3/4" Single Cell Brushed Blackout	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	40	40	40	40/Shade	40/ Shade	70	70	70	120	120	60/ Shade	140
F-50 • 3/4" Single Cell Translucent	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	60	60	40	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	140
F-56 • 3/4" Single Cell Translucent	Width:	174"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	60	60	40	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	140

^{*}Day-Night Note: Fabrics marked with an asterisk are available as only the bottom panel in a Day-Night shade.
**Longitude Note: For center opening or dual panel Longitude shades, specifications are per fabric panel. Center opening shades are available in widths up to 336". If width is greater than 185", it will be need fabricated as two shades.



SHADE SIZE SPECIFICATIONS

Fabric Type		Std.	TD	TDBU	Day/ Night*	2-on-1	Lift & Lock Cordless	Std Cordless	Cordless TDBU	Std Cont. Cord	Continuous Cord TDBU	2-on-1 Cont. Cord	Longitude**
Minimum Sizes	Width:	12"	12"	12"	12"	44"	18"	18"	18"	22"	24"	44"	12"
	Height:	8"	12"	12"	18"	8"	8"	8"	8"	8"	8"	8"	24"
G-23/G-24/G-25 • 3/4" Single Cell Blackout	Width:	144"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	40	40	40	40/Shade	40/ Shade	70	70	70	120	120	60/ Shade	140
T-04 • 1/2" Double Cell Translucent Essentials	Width:	144"	72"	72"	72"	144"	120"	120"	120"	144"	144"	144"	NA
	Height:	120"	96"	96"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	60	48	48	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA
T-05 • 3/4" Single Cell Translucent Essentials	Width:	144"	72"	72"	72"	144"	120"	120"	120"	144"	144"	144"	NA
	Height:	120"	96"	96"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	60	48	48	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA
T-08 • 3/4" Single Cell Blackout Essentials	Width:	144"	72"	72"	72"	144"	120"	84"	84"	144"	144"	144"	NA
	Height:	120"	96"	80"	80"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	60	40	40	40/Shade	60/ Shade	70	49	49	120	120	60/ Shade	NA
T-21 • 3/4" Single Cell Bi-Lam Blackout Essentials	Width:	144"	108"	72"	72"	144"	120"	120"	120"	144"	144"	144"	168"
	Height:	120"	120"	108"	96"	120"	84"	84"	84"	120"	120"	120"	120"
	Sq Ft:	40	40	40	40/Shade	40/ Shade	70	70	70	120	120	60/ Shade	140
T-23 • 1/2" Double Cell Blackout Essentials	Width:	120"	72"	72"	72"	128"	120"	84"	4"	128"	128"	128"	NA
	Height:	120"	96"	96"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	60	40	40	40/Shade	53/ Shade	70	49	49	106	106	53/ Shade	NA
T-32 • Grand Pleat Translucent	Width:	NA	NA	NA	NA	NA	120"	120"	120"	144"	NA	NA	168"
	Height:	NA	NA	NA	NA	NA	84"	84"	84"	120"	NA	NA	120"
	Sq Ft:	NA	NA	NA	NA	NA	70	70	70	120	NA	NA	140
T-37 • Grand Pleat Blackout	Width:	NA	NA	NA	NA	NA	120"	120"	120"	144"	NA	NA	168"
	Height:	NA	NA	NA	NA	NA	84"	84"	84"	120"	NA NA	NA	120"
T-41 • 3/4" Single Cell Translucent	Sq Ft: Width:	NA 144"	NA 72"	NA 72"	NA 72"	NA 144"	70 120"	70 120"	70 120"	120 144"	NA 144"	NA 144"	140 NA
o, i oligio doli manoladolit	Height:	120"	96"	96"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	0	48	48	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA
T-43 • 1/2" Double Cell Translucent	Width:	144"	72"	72"	72"	144"	120"	120"	120"	144"	144"	144"	NA
	Height:	120"	96"	96"	96"	120"	84"	84"	84"	120"	120"	120"	NA
	Sq Ft:	60	48	48	48/Shade	60/ Shade	70	70	70	120	120	60/ Shade	NA

^{*}Day-Night Note: Fabrics marked with an asterisk are available as only the bottom panel in a Day-Night shade.
**Longitude Note: For center opening or dual panel Longitude shades, specifications are per fabric panel. Center opening shades are available in widths up to 336". If width is greater than 185", it will be need fabricated as two shades.

ARCH & QUARTER SIZE SPECIFICATIONS

Minimum Size (all Fabrics):	Movable Arch†	Stationary Arch*	Movable Qtr. Circle◊	Stationary Qtr. Circle◊
willilliulii Size (ali Faurios).	18" x 9"	18" x 9"	9" x 9"	9" x 9"
Maximum Sq. ft. (all Fabrics):				
	18 sq ft	18 sq ft	16 sq ft	16 sq ft
Maximum Size (Fabric Specific):				
D-06 • 3/4" Single Cell Semi Sheer	72" x 36"	72" x 36"	48" x 48"	48" x 48"
D-07 • 3/4" Single Cell Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
D-08 • 3/4" Single Cell Sheer	72" x 36"	72" x 36"	48" x 48"	48" x 48"
D-13/D-14/D-15 • 3/4" Single Cell Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
D-16 • 3/4" Single Cell Flame Retardant Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
D-19 • 3/4" Single Cell Semi-Sheer	72" x 36"	72" x 36"	48" x 48"	48" x 48"
D-20 • 3/4" Single Cell Flame Retardant Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-08 • 3/8" Single Cell Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-09 • 3/8" Single Cell Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-15 • 1/2" Double Cell Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-16 • 3/4" Single Cell Linen Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-17 • 3/4" Single Cell Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-25 • 1/2" Double Cell Textured Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-26 • 3/4" Single Cell Textured Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-27 • 3/4" Single Cell Textured Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-28 • 3/8" Single Cell Textured Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-29 • 3/8" Single Cell Textured Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-36 • 3/4" Single Cell Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-37 • 3/4" Single Cell Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-50 • 3/4" Single Cell Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
F-56 • 3/4" Single Cell Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
G-23/G-24/G-25 • 3/4" Single Cell Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
I-04 • 1/2" Double Cell Soft Touch Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
T-05 • 3/4" Single Cell Soft Touch Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
T-08 • 3/4" Single Cell Soft Touch Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
T-21 • 3/4" Single Cell Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
T-23 • 1/2" Double Cell Soft Touch Blackout	72" x 36"	72" x 36"	48" x 48"	48" x 48"
T-41 • 3/4" Single Cell Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"
T-43 • 1/2" Double Cell Translucent	72" x 36"	72" x 36"	48" x 48"	48" x 48"

 $[\]dagger$ Movable Arches are only available as a Perfect Arch: height is ½ of width.

^{*} A template is required for all imperfect Stationary Arches.

[♦] For all Quarter Circles: the height must equal the width.

PRODUCT SPECIFICATIONS

STACKING HEIGHTS

Drop refers to shade fully extended. Stack refers to shade fully raised. Measurements do not include headrail and bottomrail. All sizes are based on standard rectangular shade specifications. 1/8

D06,D19

Drop	48"	72"	84"	120"
Stack	1 1/4"	1 ¾"	2"	3 1/4"

T04, T43

Drop	48"	72"	84"	120"
Stack	2 1/8"	3 1/8"	3 ½"	6"

D08, D09

Drop	48"	72"	84"	120"
Stack	1/2"	5/8"	5/8"	1"

T05, T41

Drop	48"	72"	84"	120"
Stack	1"	1 ½"	2"	3"

D07, D16, F17, F27, F37, G23, G24, G25

Drop	48"	72"	84"	120"
Stack	1/2"	3/4"	1 1/8"	1"

T08, T21, T23

Drop	48"	72"	84"	120"
Stack	1 ½"	2"	2 ½"	4"

D20

Drop	48"	72"	84"	120"
Stack	5/8"	3/4"	7/8"	1 ½"

T32, T37

Drop	48"	72"	84"	120"
Stack	2 5/8"	3 5/8"	4"	6 7/8"

F08, F28

Drop	48"	72"	84"	120"
Stack	3/4"	1 1/8"	1 3/8"	2 1/8"

F09, F29

Drop	48"	72"	84"	120"
Stack	1"	1 ½"	1 5/8"	2 ¾"

F15, F25

Drop	48"	72"	84"	120"
Stack	5/8"	1"	1 1/8"	1 5/8"

PRODUCT SPECIFICATIONS

MOUNTING REQUIREMENTS & PRICING

When measuring and installing, please keep in mind the following rail measurements:

SLIM	HEAD	RAIL
------	------	------

Minimum Shallow Mounting Surface	1/2"
Minimum Flush Inside Mounting Surface	1/2"
Minimum Outside Mounting Surface	3½"
Depth	
Height	1/2"
3/8" Single Cell Only	

STANDARD HEAD RAIL

Minimum Shallow Mounting Surface	1/2"
Minimum Flush Inside Mounting Surface	2 ½"
Minimum Outside Mounting Surface	3¼"
Depth	1 7/8"
Height	
All Cell Sizes Except 3/8"	

CONTINUOUS CORD SYSTEM

CONTINUOUS COND CICIEM	
Minimum Shallow Mounting Surface	3/4"
Minimum Flush Inside Mounting Surface	2"
Minimum Outside Mounting Surface	1/2"
Depth	.1 11/16"
Height	1 5/16"

Width	24"	30"	36"	42"	48"	54"	60"	66"	72'
Add	83	86	95	100	103	109	109	120	124
Width	84"	96"	108"	120"	132"	144"	156"	174"	
Add	129	141	146	155	163	172	N/A	N/A	

Surcharge				
Standard Shade \$154				
TDBU Shade	\$204			

FINISHED DIMENSIONS

INSIDE MOUNT

- Headrail will measure ordered width less 3/16"
- Fabric will measure ordered width less 3/8"

OUTSIDE MOUNT

- Headrail (endcap to endcap) will measure ordered width plus 3/16"
- Fabric will measure ordered width

EXACT

- Headrail (endcap to endcap) will measure ordered width
- Fabric will measure ordered width less 3/16"

CORDLESS LIFT SYSTEM

Minimum Shallow Mounting Surface	3/4"
Minimum Flush Inside Mounting Surface	
Minimum Outside Mounting Surface	
Depth	1 11/16"
Height	. 1 5/16"

Width	24"	30"	36"	42"	48"	54"	60"	66"	72 "
Add	91	98	106	112	114	117	120	132	136
Width	84"	96"	108"	120"	132"	144"	156"	174"	

Surcharge							
Standard Shade	\$165						
TDBU Shade	\$193						

REELIFT HEAD RAIL 120 VOLT & 24 VOLT LIFT SYSTEM

Minimum Shallow Mounting Surface	1 ½"
Minimum Flush Inside Mounting Surface	2 11/16"
Minimum Outside Mounting Surface	1 1/4"
Depth	2 7/16"
Height	2 5/8"

WIDTH LIMIT

SIDE MOUNT BRACKETS

There is a recommended 48" width limit on shades installed with side mount brackets.



PRICE CHART 1 STANDARD RECTANGULAR

STANDARD RECTANGULAR

T-01 • 9/16" SINGLE CELL POINTBOND FABRIC

<--- Width --->

		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
	36"	194	212	238	269	300	319	346	373	402	459	516	637	691	747	802
	42"	204	228	260	291	319	351	381	409	444	505	556	700	765	832	884
	48"	214	247	279	317	346	381	413	455	483	554	625	762	825	901	965
	54"	229	266	300	338	373	409	451	487	522	598	680	820	904	972	1043
	60"	242	278	319	361	405	442	483	522	571	649	744	883	963	1043	1124
î I	66"	253	297	343	381	428	473	522	558	604	692	792	944	1032	1119	1218
Height	72"	269	313	361	406	457	504	549	597	648	745	853	1018	1098	1194	1290
	78"	281	334	380	429	491	537	592	636	686	792	904	1073	1166	1268	1382
Ÿ	84"	291	343	396	449	514	570	621	676	736	833	955	1130	1239	1359	1454
	90"	305	361	420	476	542	597	653	717	770	883	1025	1194	1307	1422	1534
	96"	317	377	436	499	566	629	689	748	810	930	1066	1258	1375	1494	1617
	102"	334	396	462	530	598	670	730	797	862	999	1138	1330	1463	1590	1720
	108"	361	436	504	572	651	725	797	873	941	1084	1241	1461	1591	1734	1898
	120"	389	462	545	621	710	785	862	939	1020	1179	1345	1570	1720	1881	2055

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

For more Options please see page 10

SPECIALTY SHADE OPTION SURCHARGES

Standard Continuous Cord	\$154
Two-on-One Headrail	Price as two individual shades, then add \$121
Top-Down/Bottom-Up	Price as a standard shade, then add \$163
Top-Down Only Shades	Price as a standard shade, then add \$163
Day-Night Shades	Price each fabric as a separate shade and add together
Top-Down/Bottom-Up Cordless	Add \$193 to the Standard Cordless Pricing
Top-Down/Bottom-Up Continuous Cord	Add \$204 to Standard Continuous Cord Pricing
Cut-Outs	\$89 per side (subject to approval)*
Lift & Lock Cordless	Free Upgrade
Standard Cordless	\$165
Top-Down/Bottom-Up Lift & Lock Cordless	Add \$165

^{*}There are no limits on cut-out heights. There are, however limits on cut-out widths. Less than 18" shade means 3" max width cut-out. More than 18" shade means 5" max width cut-out **Standard Continuous Cord for Top-Down/Bottom-Up add \$124 to Standard Continuous Cord System surcharge



PRICE CHART 2

STANDARD RECTANGULAR

T-03 • 9/16" SINGLE CELL SOFT TOUCH TRANSLUCENT, T-05 • 3/4" SINGLE CELL SOFT TOUCH TRANSLUCENT

<--- Width --->

								VVIUI	/							
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
	36"	223	244	274	310	345	367	399	428	461	526	593	734	796	858	922
	42"	234	262	299	337	367	405	440	470	511	579	638	805	877	954	1017
	48"	247	283	319	363	399	440	477	522	556	635	720	874	949	1037	1108
	54"	263	305	345	385	428	470	517	561	600	689	784	944	1040	1119	1202
	60"	279	318	367	414	467	508	556	600	656	746	853	1015	1106	1202	1292
î.	66"	292	341	394	440	493	543	601	642	696	797	909	1084	1186	1286	1401
Height	72"	310	357	414	467	524	578	632	688	745	855	981	1170	1262	1371	1482
#	78"	322	381	436	494	564	614	680	731	788	909	1039	1236	1339	1461	1589
V	84"	337	394	457	516	592	653	714	777	844	956	1098	1300	1426	1562	1670
	90"	348	414	483	545	621	688	752	825	884	1015	1177	1371	1503	1633	1766
	96"	365	433	501	572	651	722	792	861	931	1067	1227	1447	1581	1718	1862
	102"	381	457	533	610	689	772	838	915	992	1147	1307	1528	1685	1829	1977
	108"	414	500	578	658	748	833	915	1004	1082	1247	1429	1680	1830	1997	2182
	120"	447	534	627	714	816	901	992	1080	1171	1355	1547	1806	1977	2163	2363

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

For more Options please see page 10

SPECIALTY SHADE OPTION SURCHARGES

Standard Continuous Cord	\$154
	Price as two individual shades, then add \$121
Top-Down/Bottom-Up	Price as a standard shade, then add \$163
Top-Down Only Shades	Price as a standard shade, then add \$163
Day-Night Shades	Price each fabric as a separate shade and add together
Top-Down/Bottom-Up Cordless	Add \$193 to the Standard Cordless Pricing
Top-Down/Bottom-Up Continuous Cord	Add \$204 to Standard Continuous Cord Pricing
Cut-Outs	\$89 per side (subject to approval)*
Lift & Lock Cordless	Free Upgrade
Standard Cordless	\$165
Top-Down/Bottom-Up Lift & Lock Cordless	Add \$165

^{*}There are no limits on cut-out heights. There are, however limits on cut-out widths. Less than 18" shade means 3" max width cut-out. More than 18" shade means 5" max width cut-out **Standard Continuous Cord for Top-Down/Bottom-Up add \$124 to Standard Continuous Cord System surcharge

Automated Motorized Shades

PRICE CHART 3

STANDARD RECTANGULAR

F-26 • 3/4" SINGLE CELL TEXTURED TRANSLUCENT, F-28 • 3/8" SINGLE CELL TEXTURED TRANSLUCENT, F-56 • 3/8" SINGLE CELL TRANSLUCENT, T-04 • 1/2" DOUBLE CELL SOFT TOUCH TRANSLUCENT

<--- Width --->

									< VVIC	101 /								
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	174"
	36"	242	267	300	338	374	399	435	467	502	574	644	798	865	933	1004	1080	1206
	42"	253	285	325	363	399	442	478	513	556	632	697	875	955	1041	1105	1188	1329
	48"	269	308	348	395	435	478	516	566	602	690	785	952	1031	1128	1206	1300	1456
	54"	286	330	373	421	467	513	563	610	652	750	850	1026	1130	1217	1305	1410	1578
	60"	303	346	399	451	508	554	602	652	713	810	929	1104	1203	1305	1404	1517	1701
	66"	317	370	427	478	537	590	653	699	757	867	988	1180	1291	1399	1525	1633	1833
Height	72"	338	389	451	510	571	630	686	747	809	930	1066	1272	1372	1490	1613	1743	1957
	78"	349	415	476	538	613	670	740	796	856	988	1130	1342	1457	1589	1729	1853	2079
Ÿ	84"	363	427	498	561	643	710	776	844	917	1042	1195	1416	1549	1701	1817	1965	2204
	90"	380	451	525	593	676	747	817	896	962	1104	1280	1490	1635	1775	1919	2077	2331
	96"	396	472	546	622	708	787	858	935	1012	1162	1335	1571	1718	1869	2023	2191	2459
-	102"	415	498	578	664	750	840	912	995	1078	1248	1422	1664	1829	1988	2151	2331	2618
•	108"	451	543	630	717	812	907	995	1091	1175	1356	1553	1826	1989	2170	2372	2541	2857
-	120"	486	580	681	776	887	983	1078	1171	1273	1473	1682	1962	2151	2351	2568	2754	3095

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

For more Options please see page 10

SPECIALTY SHADE OPTION SURCHARGES

Standard Continuous Cord	\$154
Two-on-One Headrail	Price as two individual shades, then add \$121
Top-Down/Bottom-Up	Price as a standard shade, then add \$163
Top-Down Only Shades	Price as a standard shade, then add \$163
Day-Night Shades	Price each fabric as a separate shade and add together
Top-Down/Bottom-Up Cordless	Add \$193 to the Standard Cordless Pricing
Top-Down/Bottom-Up Continuous Cord	Add \$204 to Standard Continuous Cord Pricing
	\$89 per side (subject to approval)*
Lift & Lock Cordless	Free Upgrade
Standard Cordless	\$165
Top-Down/Bottom-Up Lift & Lock Cordless	Add \$165

^{*}There are no limits on cut-out heights. There are, however limits on cut-out widths. Less than 18" shade means 3" max width cut-out. More than 18" shade means 5" max width cut-out



^{**}Standard Continuous Cord for Top-Down/Bottom-Up add \$124 to Standard Continuous Cord System surcharge

PRICE CHART 4

STANDARD RECTANGULAR

F-08 • 3/8" SINGLE CELL TRANSLUCENT, F-25 • 1/2" DOUBLE CELL TEXTURED TRANSLUCENT, T-08 • 3/4" SINGLE CELL SOFT TOUCH BLACKOUT, T-23 • 1/2" DOUBLE CELL SOFT TOUCH BLACKOUT F-16 • 3/4" SINGLE CELL LINEN TRANSLUCENT ESSENTIALS * F-17 • 3/4" SINGLE CELL BLACKOUT ESSENTIALS *

<--- Width --->

		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	174"
	36"	251	277	310	349	389	415	451	486	523	598	670	830	900	971	1043	1122	1254
	42"	266	299	338	379	415	458	499	533	580	656	724	911	993	1081	1148	1238	1382
	48"	281	322	378	411	451	499	538	590	627	718	813	989	1073	1171	1256	1353	1514
	54"	300	343	388	437	486	533	586	633	678	779	884	1066	1175	1263	1359	1467	1643
	60"	316	359	415	470	530	574	627	678	741	843	965	1147	1251	1359	1461	1577	1768
î	66"	330	385	446	499	558	614	678	729	788	901	1028	1226	1342	1456	1584	1701	1908
Height	72"	349	405	470	531	593	654	713	778	842	967	1108	1323	1429	1550	1677	1813	2033
Ш	78"	363	429	494	560	637	698	769	827	890	1028	1176	1397	1514	1650	1798	1927	2163
Ÿ	84"	379	445	516	582	669	739	808	876	954	1083	1243	1472	1611	1768	1888	2042	2292
	90"	395	470	545	616	702	778	849	931	1000	1147	1331	1550	1702	1847	1996	2160	2424
	96"	413	489	569	648	736	817	894	972	1052	1209	1390	1635	1787	1943	2105	2277	2559
	102"	433	516	601	689	779	873	951	1033	1120	1297	1479	1729	1902	2068	2236	2424	2722
	108"	470	565	654	746	845	943	1033	1136	1223	1411	1614	1901	2071	2255	2467	2644	2972
	120"	506	602	709	808	923	1020	1120	1219	1324	1532	1748	2041	2236	2446	2671	2862	3221

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

For more Options please see page 10

SPECIALTY SHADE OPTION SURCHARGES

Standard Continuous Cord	\$154
	Price as two individual shades, then add \$121
Top-Down/Bottom-Up	Price as a standard shade, then add \$163
Top-Down Only Shades	Price as a standard shade, then add \$163
Day-Night Shades	Price each fabric as a separate shade and add together
Top-Down/Bottom-Up Cordless	Add \$193 to the Standard Cordless Pricing
Top-Down/Bottom-Up Continuous Cord	Add \$204 to Standard Continuous Cord Pricing
Cut-Outs	\$89 per side (subject to approval)*
Lift & Lock Cordless	Free Upgrade
Standard Cordless	\$165
Top-Down/Bottom-Up Lift & Lock Cordless	Add \$165

^{*}There are no limits on cut-out heights. There are, however limits on cut-out widths. Less than 18" shade means 3" max width cut-out. More than 18" shade means 5" max width cut-out **Standard Continuous Cord for Top-Down/Bottom-Up add \$124 to Standard Continuous Cord System surcharge



PRICE CHART 5

STANDARD RECTANGULAR

D-07 • 3/4" SINGLE CELL BLACKOUT, F-15 • 1/2" DOUBLE CELL TRANSLUCENT, F-16, F-36 • 3/4" SINGLE CELL TRANSLUCENT, F-27 • 3/4" SINGLE CELL TEXTURED BLACKOUT, T-06 • 9/16" SINGLE CELL SOFT TOUCH BLACKOUT

<	Width	>

		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	174"
	36"	260	286	323	363	403	429	468	505	542	621	697	862	933	1009	1083	1164	1303
	42"	277	308	349	393	429	477	516	555	601	681	753	945	1029	1122	1194	1283	1434
	48"	291	334	374	426	468	516	558	612	652	746	845	1028	1115	1218	1303	1403	1571
	54"	310	357	403	454	505	555	610	657	706	809	917	1107	1219	1313	1411	1521	1705
	60"	327	373	429	486	549	596	652	706	770	874	1003	1191	1298	1411	1517	1638	1837
î	66"	343	399	465	516	579	638	706	755	817	935	1067	1273	1394	1511	1645	1766	1980
Height	72"	363	421	486	550	616	680	740	808	873	1004	1151	1374	1482	1610	1741	1881	2111
Ш	78"	379	449	513	580	659	724	798	857	926	1067	1220	1450	1573	1713	1865	1986	2247
V	84"	393	462	537	603	696	768	838	911	992	1125	1290	1528	1672	1836	1961	2120	2379
	90"	411	486	566	641	731	808	882	967	1039	1191	1383	1610	1766	1918	2073	2243	2516
	96"	427	508	589	674	764	849	929	1011	1093	1257	1441	1701	1857	2018	2184	2365	2656
	102"	449	537	624	715	809	906	986	1075	1163	1346	1535	1795	1975	2145	2323	2516	2826
	108"	486	588	680	774	877	981	1075	1180	1268	1463	1677	1973	2150	2343	2562	2744	3086
	120"	525	625	736	838	960	1059	1163	1265	1375	1591	1818	2119	2323	2540	2775	2974	3344

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

For more Options please see page 10

SPECIALTY SHADE OPTION SURCHARGES

Standard Continuous Cord	\$154
	Price as two individual shades, then add \$121
Top-Down/Bottom-Up	Price as a standard shade, then add \$163
Top-Down Only Shades	Price as a standard shade, then add \$163
Day-Night Shades	Price each fabric as a separate shade and add together
Top-Down/Bottom-Up Cordless	Add \$193 to the Standard Cordless Pricing
Top-Down/Bottom-Up Continuous Cord	Add \$204 to Standard Continuous Cord Pricing
Cut-Outs	\$89 per side (subject to approval)*
Lift & Lock Cordless	Free Upgrade
Standard Cordless	\$165
Top-Down/Bottom-Up Lift & Lock Cordless	Add \$165

^{*}There are no limits on cut-out heights. There are, however limits on cut-out widths. Less than 18" shade means 3" max width cut-out. More than 18" shade means 5" max width cut-out **Standard Continuous Cord for Top-Down/Bottom-Up add \$124 to Standard Continuous Cord System surcharge



PRICE CHART 6

STANDARD RECTANGULAR

D-06 • 3/4" SINGLE CELL SEMI SHEER,
D-13, D-14, D-15 • 3/4" SINGLE CELL TRANSLUCENT,
D-16 • 3/4" SINGLE CELL FLAME RETARDANT BLACKOUT,
D-20 • 3/4" SINGLE CELL FLAME RETARDANT TRANSLUCENT,
F-09 • 3/8" SINGLE CELL BLACKOUT,
F-17 • 3/4" SINGLE CELL BLACKOUT,
T-21 • 3/4" SINGLE CELL BI-LAM BLACKOUT
T-21L • 3/4" SINGLE CELL BI-LAM BLACKOUT LINEN

<--- Width --->

									\ VVIUI	11 /								
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	174"
	36"	308	340	381	429	479	511	555	597	643	734	824	1023	1106	1195	1282	1382	1544
	42"	326	363	414	466	511	564	612	654	712	808	889	1120	1223	1330	1414	1521	1701
	48"	345	394	445	506	555	612	660	728	773	884	1001	1218	1319	1441	1544	1664	1864
	54"	366	422	478	538	597	654	721	779	833	960	1087	1313	1447	1555	1671	1804	2021
	60"	387	443	511	575	651	707	773	833	912	1037	1187	1412	1538	1671	1799	1942	2175
î	66"	405	475	549	612	686	756	835	894	968	1107	1263	1507	1653	1790	1949	2093	2347
Height	72"	429	499	575	651	730	805	876	955	1032	1188	1362	1627	1758	1908	2062	2230	2503
	78"	446	532	610	688	785	856	945	1019	1097	1263	1448	1716	1864	2031	2209	2371	2660
V	84"	466	549	635	717	823	908	993	1080	1175	1334	1528	1810	1980	2175	2325	2514	2820
	90"	486	575	670	759	866	955	1044	1146	1230	1412	1638	1908	2094	2272	2455	2658	2983
	96"	506	601	699	797	905	1005	1100	1198	1296	1487	1709	2013	2199	2392	2590	2802	3148
	102"	533	635	740	847	960	1073	1168	1273	1378	1594	1819	2129	2340	2544	2750	2981	3349
	108"	575	696	805	916	1041	1161	1273	1397	1503	1734	1985	2337	2547	2778	3035	3253	3657
	120"	621	741	872	993	1137	1256	1378	1499	1630	1886	2152	2511	2750	3010	3286	3523	3963

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

For more Options please see page 10

SPECIALTY SHADE OPTION SURCHARGES

Standard Continuous Cord	\$154
Two-on-One Headrail	Price as two individual shades, then add \$121
Top-Down/Bottom-Up	Price as a standard shade, then add \$163
Top-Down Only Shades	Price as a standard shade, then add \$163
Day-Night Shades	Price each fabric as a separate shade and add together
Top-Down/Bottom-Up Cordless	Add \$193 to the Standard Cordless Pricing
Top-Down/Bottom-Up Continuous Cord	Add \$204 to Standard Continuous Cord Pricing
	\$89 per side (subject to approval)*
Lift & Lock Cordless	Free Upgrade
Standard Cordless	\$165
Top-Down/Bottom-Up Lift & Lock Cordless	Add \$165

*There are no limits on cut-out heights. There are, however limits on cut-out widths. Less than 18" shade means 3" max width cut-out. More than 18" shade means 5" max width cut-out **Standard Continuous Cord for Top-Down/Bottom-Up add \$124 to Standard Continuous Cord System surcharge



PRICE CHART 7

120"

685

STANDARD RECTANGULAR

D-08, D-09 • 3/4" SINGLE CELL KNITTED SHEER, F-37 • 3/4" SINGLE CELL BLACKOUT, G-23, G-24, G-25 • 3/4" SINGLE CELL BLACKOUT, H-20 • 3/4" ULTRA SOFT CELL TRANSLUCENT

	_								< Widi	th —>								
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	174"
	36"	339	373	420	475	527	564	611	657	708	809	907	1124	1219	1314	1411	1518	1696
	42"	358	401	456	513	564	622	674	720	784	888	979	1234	1344	1460	1554	1674	1869
	48"	380	432	490	559	611	674	729	798	850	972	1103	1339	1452	1586	1697	1830	2049
	54"	403	467	526	592	657	720	794	856	917	1053	1196	1443	1589	1711	1837	1984	2221
	60"	426	487	564	634	714	778	850	917	1003	1141	1306	1553	1693	1837	1976	2133	2391
î	66"	447	522	602	674	756	831	919	985	1066	1219	1390	1659	1817	1968	2142	2299	2579
Height	72"	475	547	634	715	801	887	965	1051	1136	1307	1498	1789	1931	2097	2266	2449	2752
Ŧ	78"	492	585	671	759	861	942	1039	1118	1205	1390	1592	1890	2050	2232	2430	2605	2926
V	84"	513	602	699	791	906	999	1092	1187	1291	1466	1681	1989	2180	2391	2555	2761	3100
	90"	537	634	740	833	951	1051	1149	1259	1352	1553	1800	2097	2302	2499	2699	2924	3278
	96"	559	660	769	876	996	1106	1209	1315	1425	1636	1878	2211	2417	2631	2846	3082	3459
	102"	583	699	813	932	1053	1181	1284	1401	1515	1756	1999	2340	2573	2796	3025	3278	3681
	108"	634	766	887	1008	1144	1275	1401	1536	1655	1909	2184	2569	2799	3052	3338	3575	4018

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

1652

For more Options please see page 10

1792

2071

2368

2759

3025

3308

3614

3872

4355

SPECIALTY SHADE OPTION SURCHARGES

959

1092

816

1249

1381

1515

Standard Continuous Cord	\$154
	Price as two individual shades, then add \$121
Top-Down/Bottom-Up	Price as a standard shade, then add \$163
Top-Down Only Shades	Price as a standard shade, then add \$163
Day-Night Shades	Price each fabric as a separate shade and add together
Top-Down/Bottom-Up Cordless	Add \$193 to the Standard Cordless Pricing
Top-Down/Bottom-Up Continuous Cord	Add \$204 to Standard Continuous Cord Pricing
Cut-Outs	\$89 per side (subject to approval)*
Lift & Lock Cordless	Free Upgrade
Standard Cordless	\$165
Top-Down/Bottom-Up Lift & Lock Cordless	Add \$165

^{*}There are no limits on cut-out heights. There are, however limits on cut-out widths. Less than 18" shade means 3" max width cut-out. More than 18" shade means 5" max width cut-out **Standard Continuous Cord for Top-Down/Bottom-Up add \$124 to Standard Continuous Cord System surcharge



PRICE CHART 8

STANDARD RECTANGULAR

D-21 • 3/8" SINGLE CELL FLAME RETARDANT TRANSLUCENT, G-03 • 3/4" SINGLE CELL WOVEN TRANSLUCENT, G-04 • 3/4" SINGLE CELL WOVEN BLACKOUT

<--- Width ---> 24" 30" 36" 42" 48" 54" 60" 66" 72" 84" 96" 108" 120" 132" 144" 156" 174" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108" 120"

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

For more Options please see page 10

SPECIALTY SHADE OPTION SURCHARGES

Standard Continuous Cord	\$154
Two-on-One Headrail	Price as two individual shades, then add \$121
Top-Down/Bottom-Up	Price as a standard shade, then add \$163
Top-Down Only Shades	Price as a standard shade, then add \$163
Day-Night Shades	Price each fabric as a separate shade and add together
Top-Down/Bottom-Up Cordless	Add \$193 to the Standard Cordless Pricing
Top-Down/Bottom-Up Continuous Cord	Add \$204 to Standard Continuous Cord Pricing
Cut-Outs	\$89 per side (subject to approval)*
Lift & Lock Cordless	Free Upgrade
Standard Cordless	\$165
Top-Down/Bottom-Up Lift & Lock Cordless	Add \$165

^{*}There are no limits on cut-out heights. There are, however limits on cut-out widths. Less than 18" shade means 3" max width cut-out. More than 18" shade means 5" max width cut-out **Standard Continuous Cord for Top-Down/Bottom-Up add \$124 to Standard Continuous Cord System surcharge

Automated Motorized Shades

LONGITUDE SPECIFICATIONS

LONGITUDE


Longitude vertical honeycomb shades fit windows, sliding glass doors, and door openings. They open and close from side-to-side and are suited perfectly for sliding glass doors and room dividers. There are no dangling cords, hanging chains or wands making them a safer choice for children and pets.

Available in ¾" Single Cell Blackout, ¾" Single Cell Translucent, and ¾" Single Cell Sheer fabrics.



the width of the window)

STACKING CONFIGURATIONS



SIZE SPECIFICATIONS

Minimum Width: 24" Minimum Height: 12"

Maximum Width One Way Draw: 168"

Maximum Height: 120"

Maximum Width Split Draw/Center Opening*: 336"

Maximum Height: 120"

*If width is greater than 185", it will be fabricated as two shades.

MOUNTING REQUIREMENTS

INSIDE MOUNT

Minimum mounting depth required is 1 ¼"

May extend front of window

FLUSH MOUNT

- Minimum mounting depth required for:
 - Aluminum Valance is 3 5/8"
 - Alternative Wood Valance is 4"

OUTSIDE MOUNT

• Minimum flat vertical surface required is 1 1/8"

FABRIC STACKING

 6 ½" (Fabric stack is determined by hardware, not ordered width)

FINISHED DIMENSIONS

INSIDE MOUNT

- Track rail will measure ordered width less 3/16"
- Shade height will measure ordered height less 1/2"
- Valance width (non-flush) will measure ordered width plus 1
 1/4"
- Valance width (flush) will measure ordered width less 3/16"

OUTSIDE MOUNT

- Track rail will measure ordered width less 3/16"
- Shade height will measure ordered height
- Valance width (non-flush) will measure ordered width plus 1-1/4"

Width and height measurements may vary +/-1/8"

Please refer to price grids for surcharge information.

LONGITUDE SPECIFICIATIONS

NO CHARGE OPTIONS

- Extension brackets
- Spacer blocks

Please note any options required at time of order.

VALANCE INFORMATION

An aluminum valance comes standard with your Longitude vertical honeycomb shade order. An alternative wood valance is also available at no extra charge. Please specify valance type on your order.

Aluminum Valance Height: 17/8"Max Aluminum Valance Width: 190"

HARDWARE INFORMATION

- The track rail and fabric rails are available in soft white only
- The aluminum and alternative wood valances coordinate with the track rail



ALUMINUM VALANCE

ORDERING CHECKLIST

- Specify inside flush, inside non-flush, or outside mount. If inside non-flush mount, either the inside mounting depth or the exact valance return length (minimum 1 ½") must be specified
- With outside mounts, allow 3" to 6" overlap on each side to minimize light gap, and account for minimum vertical mounting surface and desired floor clearance when specifying height
- Specify stacking configuration
- On split stack shades, both panels will be of equal width, unless otherwise specified
- On dual panel shades, specify which fabric stacks to the left and which fabric stacks to the right
- Standard handle height ranges from 40" to 50" from bottom of moving rail; specify any non-standard handle height
- An aluminum or alternative wood valance is included in the price of each shade. If no valance is specified, an aluminum valance will be supplied*
- Specify spacer blocks or extension brackets, if desired

*Alternative wood valances wider than 96" may be spliced in the center.



LONGITUDE PRICE CHART 1-2

PRICE CHART L1 LONGITUDE - SIDE STACK

D-07 • 3/4" SINGLE CELL BLACKOUT, F-16, F-56 • 3/4" SINGLE CELL
TRANSLUCENT, F-26 • 3/4" SINGLE CELL TEXTURED TRANSLUCENT, T-21 • 3/4"
SINGLE CELL BI-LAM BLACKOUT, T-21L • 3/4" SINGLE CELL BI-LAM
BLACKOUT LINEN

									<	Width —	>								
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
	36"	790	868	965	1050	1125	1199	1279	1362	1444	1525	1599	1742	1898	2040	2177	2309	2457	2593
	42"	857	950	1052	1151	1241	1326	1421	1506	1609	1691	1779	1939	2119	2277	2440	2589	2755	2912
	48"	927	1029	1146	1249	1345	1448	1548	1658	1756	1858	1957	2136	2335	2517	2695	2867	3039	3206
	54"	989	1109	1235	1351	1460	1567	1678	1801	1913	2031	2132	2335	2550	2755	2958	3151	3319	3497
	60"	1056	1183	1322	1451	1572	1693	1818	1943	2066	2202	2313	2534	2767	2994	3212	3424	3619	3800
Ą	66"	1127	1264	1419	1560	1686	1821	1952	2094	2225	2368	2491	2736	2994	3228	3473	3703	3922	4103
ht_	72"	1195	1339	1505	1665	1798	1942	2087	2241	2382	2539	2678	2935	3212	3463	3733	3977	4204	4394
Height	78"	1264	1416	1597	1770	1913	2071	2231	2389	2539	2713	2855	3134	3434	3695	3992	4256	4484	4685
\ 	84"	1331	1491	1686	1867	2020	2183	2362	2535	2713	2880	3036	3335	3657	3940	4250	4530	4762	4974
	90"	1394	1567	1774	1974	2139	2312	2502	2682	2857	3052	3210	3533	3869	4172	4503	4804	5042	5267
	96"	1463	1641	1863	2072	2255	2440	2627	2831	3017	3225	3386	3733	4079	4408	4760	5081	5324	5570
	102"	1525	1716	1947	2170	2362	2557	2755	2972	3170	3385	3557	3924	4293	4638	5009	5349	5602	5872
	108"	1588	1790	2029	2264	2470	2673	2888	3111	3319	3548	3727	4120	4503	4866	5255	5617	5892	6162
	114"	1652	1864	2114	2362	2578	2796	3017	3251	3471	3716	3900	4311	4715	5097	5508	5892	6173	6464
	120"	1713	1934	2198	2457	2682	2912	3142	3392	3624	3872	4074	4504	4927	5333	5757	6156	6451	6753

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

___ |Midth ___ \

PRICE CHART L2 LONGITUDE - SIDE STACK

D-13, D-14, D-15 • 3/4" SINGLE CELL TRANSLUCENT, D-16 • 3/4" SINGLE CELL FLAME RETARDANT BLACKOUT, F-17 • 3/4" SINGLE CELL BLACKOUT, F-27 • 3/4" SINGLE CELL TEXTURED BLACKOUT, F-36 • 3/4" SINGLE CELL TRANSLUCENT

	_								<	vviatn —	->								
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
	36"	879	955	1040	1118	1187	1264	1345	1417	1496	1576	1644	1784	1920	2066	2197	2343	2478	2605
	42"	940	1028	1121	1209	1287	1374	1466	1548	1637	1725	1802	1963	2117	2286	2434	2601	2750	2901
	48"	999	1094	1202	1297	1385	1481	1581	1686	1781	1870	1966	2149	2316	2502	2666	2855	3028	3190
	54"	1055	1166	1279	1388	1483	1589	1698	1812	1920	2021	2127	2326	2516	2720	2913	3110	3294	3481
	60"	1115	1234	1358	1478	282	1701	1820	1941	2054	2173	2283	2504	2712	2940	3146	3370	3574	3771
Ą	66"	1179	1305	1439	1570	1686	1810	1933	2079	2195	2326	2433	2687	2912	3151	3379	3619	3841	4061
- tu	72"	1245	1381	1521	1663	1796	1922	2052	2206	2336	2473	2595	2878	3110	3379	3617	3879	4117	4348
Height	78"	1308	1450	1604	1759	1897	2041	2181	2341	2480	2625	2752	3050	3303	3589	3854	4132	4386	4640
V	84"	1374	1526	1682	1853	2005	2149	2302	2471	2625	2778	2913	3231	3502	3804	4085	4384	4662	4927
	90"	1433	1598	1773	1954	2105	2264	2427	2613	2770	2932	3083	3413	3698	4032	4331	4638	4924	5216
	96"	1494	1667	1856	2044	2204	2371	2556	2742	2913	3088	3242	3600	3899	4246	4568	4892	5198	5498
	102"	1557	1736	1933	2129	2298	2478	2666	2863	3047	3231	3388	3764	4087	4451	4788	5126	5450	5770
	108"	1617	1810	2011	2214	2394	2579	2780	2986	3182	3370	3539	3932	4271	4648	5011	5363	5711	6039
	114"	1680	1883	2087	2304	2488	2684	2897	3110	3317	3517	3689	4105	4454	4853	5230	5599	5959	6311
	120"	1740	1947	2163	2386	2581	2786	3009	3231	3443	3650	3838	4271	4635	5051	5448	5837	6214	6583

 $\textit{Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system$

DESIGN OPTION SURCHARGES

Center Stack	
Split Stack/Center Opening	Divide full width measurement in half, price as two separate units, add together
Dual Panel	Price as two separate units and add together



LONGITUDE PRICE CHART 3-4

PRICE CHART L3 LONGITUDE - SIDE STACK

D-06 • 3/4" SINGLE CELL SEMI SHEER, D-08, D-09 • 3/4" SINGLE CELL KNITTED SHEER, F-37 • 3/4" SINGLE CELL BLACKOUT, G-23, G-24, G-25 • 3/4" SINGLE CELL BLACKOUT

									<	Width —	·>								
1		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
	36"	1149	1248	1360	1462	1550	1652	1758	1852	1956	2060	2152	2332	2508	2701	2874	3066	3239	3408
	42"	1226	1341	1465	1580	1680	1797	1917	2026	2140	2255	2358	2566	2767	2990	3185	3402	3596	3790
	48"	1305	1427	1568	1696	1812	1939	2070	2205	2328	2444	2570	2809	3031	3271	3487	3733	3956	4172
	54"	1379	1526	1671	1817	1941	2079	2220	2368	2508	2643	2779	3040	3289	3557	3810	4068	4308	4550
	60"	1457	1613	1776	1932	2070	2225	2379	2537	2686	2840	2986	3276	3546	3841	4114	4407	4673	4930
^	66"	1540	1705	1880	2054	2205	2364	2527	2717	2869	3040	3182	3513	3804	4120	4416	4734	5023	5309
Height –	72"	1626	1804	1989	2173	2347	2512	2681	2882	3055	3234	3394	3761	4068	4416	4732	5074	5383	5684
- Hei	78"	1710	1898	2097	2301	2480	2666	2848	3062	3242	3434	3601	3987	4320	4695	5038	5403	5735	6068
V	84"	1797	1996	2203	2422	2621	2809	3009	3232	3434	3633	3810	4226	4580	4976	5338	5733	6096	6444
	90"	1874	2089	2318	2550	2750	2962	3174	3415	3623	3832	4031	4464	4835	5273	5662	6063	6440	6818
	96"	1954	2182	2426	2672	2880	3104	3341	3585	3810	4037	4241	4704	5099	5550	5972	6396	6798	7187
	102"	2037	2271	2527	2781	3005	3239	3487	3744	3981	4226	4431	4922	5342	5822	6263	6703	7127	7546
	108"	2116	2364	2627	2896	3132	3372	3636	3902	4161	4407	4625	5141	5584	6078	6552	7011	7468	7900
	114"	2197	2462	2731	3011	3254	3509	3787	4068	4336	4596	4824	5367	5825	6345	6837	7322	7791	8253
	120"	2274	2544	2825	3119	3376	3643	3932	4226	4503	4773	5019	5584	6060	6606	7122	7632	8128	8606

Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system

Midth

PRICE CHART L4 LONGITUDE - SIDE STACK

G-03 • 3/4" SINGLE CELL WOVEN TRANSLUCENT, G-04 • 3/4" SINGLE CELL WOVEN BLACKOUT

									<	vviatn —	->								
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
	36"	894	971	1059	1138	1207	1286	1369	1442	1523	1604	1676	1816	1953	2103	2238	2388	2522	2654
	42"	954	1044	1140	1230	1308	1399	1492	1577	1666	1756	1836	1998	2155	2329	2480	2649	2801	2952
	48"	1016	1111	1221	1320	1411	1509	1611	1717	1813	1903	2001	2187	2360	2547	2716	2907	3081	3249
	54"	1073	1188	1301	1414	1511	1619	1729	1844	1953	2058	2164	2367	2562	2770	2967	3168	3355	3544
	60"	1134	1256	1383	1504	1611	1732	1852	1976	2091	2211	2325	2551	2761	2991	3204	3432	3640	3839
\uparrow	66"	1199	1328	1464	1599	1717	1841	1968	2116	2234	2367	2478	2736	2963	3209	3439	3687	3912	4135
Height –	72"	1266	1405	1549	1692	1827	1956	2088	2245	2379	2519	2643	2929	3168	3439	3685	3952	4192	4427
- Hei	78"	1331	1478	1633	1791	1931	2076	2218	2384	2525	2674	2804	3105	3365	3657	3924	4208	4467	4726
\ \	84"	1399	1554	1715	1886	2041	2187	2343	2517	2674	2829	2967	3291	3567	3875	4157	4465	4748	5019
	90"	1459	1627	1805	1986	2142	2306	2472	2659	2821	2984	3139	3477	3766	4107	4410	4722	5016	5311
	96"	1521	1699	1889	2081	2243	2417	2602	2792	2967	3144	3303	3664	3971	4323	4652	4982	5295	5598
	102"	1586	1768	1968	2166	2340	2522	2716	2916	3101	3291	3451	3833	4161	4534	4878	5221	5551	5878
	108"	1647	1841	2046	2255	2439	2626	2832	3039	3240	3432	3602	4004	4349	4734	5103	5461	5817	6153
	114"	1711	1917	2126	2345	2534	2733	2949	3168	3377	3580	3757	4180	4537	4942	5325	5703	6068	6428
	120"	1771	1981	2200	2429	2629	2837	3062	3291	3507	3718	3909	4349	4720	5145	5547	5945	6331	6703

 $\textit{Refer to the Shade Size Specifications chart on page 7 for any size limitations or exclusions by fabric or operating system$

DESIGN OPTION SURCHARGES



CHILD SAFETY & WARRANTY

CHILD SAFETY

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach of children.

Automated

WARRANTY

Motorized

Shades

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice

date of the product.

This guarantee does not apply to
damage to exterior shades caused by high winds and/or
extreme weather conditions. Any roller shade or parts which
fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

> Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized Shades' warranty is designed to ensure a thoroughly satisfying experience with your window treatment product. Certain restrictions may apply.





TABLE OF CONTENTS

Basic Guidelines	. 1
Measuring Guidelines	. 2
Hardware Options	. 3
Liner Options	. 4
Gallery Collection Patterns	. 5
Noven Wood Price Charts	. 6
Price Chart 1	. 6
Price Chart 2	. 6
Price Chart 3	. 7
Price Chart 4	. 7
Price Chart 5	. 8
Liner Price Charts	. 9
Price Chart 1	. 9
Price Chart 2	. 9
Dual Shade Price Charts	10
Price Chart 1	10
Price Chart 2	10
Edge Banding Options	11
Available Styles	11
½ Twill Edge Binding Price Chart	11
1 ½ Twill Edge Binding Price Chart	11
Additional Information And Specifications	
Stacking Chart & Minimum Depth Requirements	12
Child Safety & Warranty	13

BASIC GUIDELINES

- Woven Wood shades are fashioned from natural reeds, fibers and bamboo to help create both formal and informal settings for any room in the home.
- Multiple patterns offer distinctive textures, grains, colors, and styles that can change the mood of any room to exotic, casual, formal, or rustic.
- Reeds are woven together, retaining their natural textures and colors, offering a handcrafted look while still adding character and charm to the ambiance of any room.
- These stylish affordable shades can be manufactured with a simple pulley system, a continuous loop chain, or cordless lifting system.
- Numerous options including lining and duo shade systems are available to truly customize Woven Wood shades to suit any décor or scenario.
- AMS Signature Woven Wood shades are covered by a 1 year fabric warranty and a 3 year mechanism warranty.
- Box Surcharge Shades 93" or wider (up to 3 shades per box) \$340.00 NET surcharge.
- Peak Season Surcharge will be charged as per FedEx or UPS at net cost (up to 10% of total order).

MEASURING GUIDELINES

MEASUREMENTS

Accurate measurements are essential for correct pricing and proper fit. Use only a hard-edged ruler or steel tape, never a cloth tape. For *inside mounts*, width measurements (A) should be rounded *down* to the nearest 1/8" to prevent blind from rubbing against the window casing.

BASIC GUIDELINES

Use a steel tape to measure the opening width (a) at three different places, and use the narrowest dimension when ordering. Be exact! The factory will make the shade ½" narrower so it will not rub against the window casing. Measure the height (a) of the window from the top (Soffit) down to the sill.

OUTSIDE MOUNT

Use a steel tape to measure the exact width o and height o of the area to be covered. It is recommended that the shades overlap the window by at least 1 ½" on each side. When installation has no sill, allow the shade to overlap the bottom of the window casing by at least 1 ½". Shade fabric will measure the exact width indicated on the order form.

FINISHED DIMENSIONS

INSIDE (IB) MOUNT Headrail Unit and Fabric Width. Shade Height	
OUTSIDE (OB) MOUNT Headrail Unit and Fabric Width . Shade Height	


HEADRAIL INFORMATION

CLASSIC, 2 ON 1, AND TOP DOWN/BOTTOM UP SHADES

Mounted on a 1" x 1 1/2" Headrail

CLUTCH OPERATED

Mounted on a 1" x 2 1/2" Headrail



MOUNTING INFORMATION

INSIDE (IB) MOUNT Minimum Mounting Depth Cla	ssic (Cordlock) Headrail 1 ½" Clutch Headrail 2 ½"
OUTSIDE (OB) MOUNT Minimum Mounting Depth	_ , _ , _ , _ , _ , _ , _ , _ , _ , _ ,
MOUNTING BRACKETS INCLUDED Shade Width 18" - 40"	# of Brackets Included
52" - 96" 96" - 144"	3

STACKING HEIGHTS


Shade Length	Approximate Stacking Height
Up to 72"	7"
72" to 84"	8"
84" to 96"	9"
96" to 108"	10"
108" to 120"	11"

HARDWARE OPTIONS

OVERVIEW

Woven Wood shades are created from natural products such as reeds, bamboo, grasses, and wood, that will age beautifully over time. It is possible that some patterns may grow slightly lighter or darker in color, depending on the fabric pattern. Variations in paint and stain, minor cracks, slight pattern irregularities and knots are all enhancements that add to the natural beauty and character of your shade. Standard Shade valance height is 7"

Cord Lock control is standard. Please specify control position. Clutch or Cordless options are available - Cordless Max. size 78" x 72"



CLASSIC ROMAN

Hangs flat when lowered and self valance is standard off front of Classic Roman Shades to neatly conceal shades hardware. Operated with a cord lock. Must specify cord lock position right or left. Cord lock right side is standard.




ROMAN WITH CLUTCH


Looks just like the Classic Roman, but has a continuous chain clutch mechanism for easier control and enhanced safety. Shaftwind system is a clutch system operated by a spear retainer and does not operate on a roller tube.

Note: Skyline system operates with a roller tube, standard on romans under 22" wide and large shades. Please specify system.

2-ON-1 OR 3-ON-1 HEADRAIL

Perfect for large windows, this style allows you to have two shades on the same headrail for independent control and more practicality. Price as separate shades and add together.





TOP-DOWN / BOTTOM-UP

Versatile, this style is perfect for those places where privacy is needed while still preserving a clear view to the outside and allowing natural light into the room.

LINER OPTIONS

OVERVIEW

The materials to make Woven Wood shades have unique variations in both color and texture. The size and shape of the slats, reeds and grasses will affect spacing from shade to shade. This variation is normal and does not represent a defect in the material. Woven Wood shades alone will filter rather than block light. Some of the woven wood patterns will provide daylight privacy; however, for added night privacy, a liner upgrade is recommended.

If a liner is chosen, you must specify your liner option on your order (please refer to price grids for pricing information). Black or beige liner colors are great to coordinate with darker colored Woven Wood Shades, while white and ivory are perfect for lighter colors.

STANDARD VS OPERABLE

A standard Woven Wood shade liner is a fixed liner upgrade for consistent filtering or blocking of light. The liner will move with your Woven Wood shade but cannot be moved as a seperate unit. An Operable Liner option is also available. This liner can be moved as a seperate unit, which allows for more freedom in your light-filtering options.

HOW TO SPECIFY YOUR LINER

- 1. Choose your opacity: Light Filtering or Room Darkening.
- 2. Choose your color option from those shown below: (This is the color that will be seen slightly through the fabric spacing).







NO LINER WITH LINER OPERABLE LINER

GALLERY COLLECTION PATTERNS

Pattern Name	Price Chart	Fabric Width
Amour	5	96"
Argos	1	96"
Aris	2	96"
Avedon	4	96"
Avia	2	96"
Bamboo	2	96"
Barents *	5	96"
Bedford	2	96"
Bengali *	5	96"
Boras	5	96"
Bromley	1	96"
Clayton	2	96"
Coral	3	96"
Edessa *	2	96"
Goya *	5	96"
Isamu *	3	96"
Kara *	1	96"
Kyoto	2	96"
Lulea	4	96"
Mesabi	2	96"
Mogu	4	96"
Norfolk	2	96"
Odene	3	96"
Osaka	2	96"
Serenity	5	96"
Srilanka	5	96"
Vaasa	5	96"
Warwick	1	96"
Zagoli	1	96"

Minimum width 12", recommended minimum height is 24"

*DENOTES THAT PATTERN HAS DISCONTINUED COLORS (SEE BELOW)

Barents Cornsilk - Discontinued Bengali Grass - Discontinued Edessa Latte - Discontinued Goya Earth - Discontinued Isamu White - Discontinued Kara Wheat - Discontinued Kara Slate - Discontinued

< I	Nidth	 >
-----	-------	---------------

		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	201	233	264	299	338	412	524	604	771
	42"	205	238	270	305	345	423	538	618	788
	48"	208	243	277	312	353	432	550	634	805
	54"	233	272	311	351	401	488	616	710	891
^	60"	238	279	318	360	408	498	628	724	908
	66"	245	287	327	372	416	510	640	739	923
— Height —	72"	265	312	359	407	456	559	700	809	1004
	78"	269	319	364	414	464	570	713	824	1021
V	84"	273	323	369	422	473	580	725	837	1037
	90"	299	353	406	461	518	636	791	914	1124
	96"	303	359	412	469	525	646	804	929	1141
	102"	306	364	417	476	535	656	815	943	1158
	108"	327	388	448	512	576	706	876	1013	1237
	114"	330	394	454	519	583	717	889	1027	1253
	120"	336	399	460	525	592	727	901	1042	1270
	Add 6"	6	7	8	8	9	11	13	14	16

Longer sizes are available with some limitations, contact customer service for pricing and information

PRICE CHART 2

<--- Width --->

						uui >				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	212	248	281	319	359	437	557	642	813
	42"	218	254	289	327	369	452	573	660	835
	48"	223	261	298	338	381	466	590	679	856
	54"	249	292	335	381	428	523	659	761	949
^	60"	256	300	343	389	439	538	676	780	971
	66"	262	308	353	403	451	552	692	800	993
Heigin	72"	283	336	386	439	494	606	756	874	1079
	78"	289	343	394	449	503	620	772	893	1101
V	84"	296	349	403	458	516	633	789	913	1123
	90"	321	382	439	501	563	692	859	993	1216
	96"	326	388	448	512	574	706	875	1013	1237
	102"	331	395	456	520	585	720	892	1032	1259
	108"	353	423	488	559	628	774	958	1108	1344
	114"	360	429	496	569	639	787	974	1127	1367
	120"	365	436	504	578	650	802	990	1145	1389
	Add 6"	7	8	9	10	12	14	16	18	21
					OVOTERA		_			

Longer sizes are available with some limitations, contact customer service for pricing and information

LIFT SYSTEM SURCHARGES

	CLUTCH	24"	36"	48"	60"	72"	84"	96"
ľ	120"	138	149	167	185	199	226	237

CORDLESS	36"	48"	60"	72"	84"	96"
36"	131	150	208	242	267	275

Note: Minimum Clutch is 13"

Note: Minimum Cordless is 24"

ADDITIONAL CHARGES

Cut-Outs	 		\$120
Returns & Hold Downs	 Free - Mu	ust be requ	ested

& add together



1	IIOL UIIA	1111 3			< Wi	idth —>				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	238	276	312	363	406	498	627	724	909
	42"	246	285	325	378	424	519	654	754	943
	48"	256	297	339	393	440	541	679	785	979
	54"	289	338	386	438	492	603	753	870	1074
	60"	299	348	399	454	510	626	779	900	1108
	66"	306	360	412	469	525	647	806	931	1143
neigh	72"	328	387	445	507	570	702	871	1007	1231
	78"	339	397	458	522	587	724	896	1039	1266
/	84"	346	408	472	538	604	746	923	1068	1300
	90"	374	444	512	583	656	808	997	1153	1397
	96"	384	454	523	599	674	830	1023	1184	1432
	102"	392	464	537	614	691	851	1048	1215	1467
	108"	414	493	570	653	734	907	1116	1292	1554
	114"	424	502	583	668	752	929	1141	1321	1590
	120"	432	515	596	682	769	951	1166	1353	1625
	4 1 1 0 11			10						0.4

Longer sizes are available with some limitations, contact customer service for pricing and information

PRICE CHART 4

<--- Width --->

						uui >				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	258	299	340	386	432	529	666	767	959
	42"	269	314	357	407	456	559	701	810	1006
	48"	282	328	375	429	479	590	738	852	1056
	54"	307	361	412	471	525	647	805	929	1142
$^{\wedge}$	60"	320	375	431	492	551	677	842	971	1190
	66"	331	390	448	513	576	706	876	1013	1239
Height	72"	351	414	477	548	614	755	935	1081	1317
	78"	364	429	496	569	638	786	971	1123	1365
V	84"	375	445	514	590	661	815	1007	1166	1414
	90"	403	476	550	632	709	872	1075	1243	1500
	96"	414	492	569	653	733	902	1110	1285	1549
	102"	427	506	585	674	758	933	1146	1329	1596
	108"	446	532	615	708	796	982	1205	1396	1674
	114"	458	545	634	728	822	1012	1242	1438	1724
	120"	471	561	651	749	845	1043	1277	1481	1772
	Add 6"	12	15	18	20	25	30	35	40	47

Longer sizes are available with some limitations, contact customer service for pricing and information

LIFT SYSTEM SURCHARGES

CLUTCH	24"	36"	48"	60"	72"	84"	96"
120"	138	149	167	185	199	226	237

CORDLESS	36"	48"	60"	72"	84"	96"
36"	131	150	208	242	267	275

Note: Minimum Clutch is 13"

Note: Minimum Cordless is 24" **ADDITIONAL CHARGES**

AUDITIONAL GRAKE

& add together

PRICE CHART 5

<--- Width --->

					\ VVI	uu1 —>				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	281	327	374	427	477	585	733	846	1047
	42"	296	345	395	453	506	622	776	896	1106
	48"	309	364	417	478	536	658	822	948	1165
	54"	341	401	459	524	590	724	896	1036	1265
$^{\wedge}$	60"	355	417	480	551	618	760	941	1087	1322
	66"	369	436	502	577	648	797	984	1139	1381
Heignt	72"	392	464	537	616	692	853	1052	1218	1472
	78"	407	482	559	642	721	890	1097	1270	1531
V	84"	422	501	581	668	752	927	1141	1319	1590
	90"	452	537	622	714	805	991	1217	1409	1689
	96"	466	556	644	740	833	1027	1260	1460	1748
	102"	480	574	667	766	864	1065	1305	1510	1805
	108"	502	602	700	806	909	1121	1373	1590	1897
	114"	518	620	723	831	938	1159	1417	1642	1956
	120"	533	638	745	856	966	1195	1460	1692	2014
	Add 6"	15	18	21	26	29	35	42	50	56

Longer sizes are available with some limitations, contact customer service for pricing and information

LIFT SYSTEM SURCHARGES

CLUTCH	24"	36"	48"	60"	72"	84"	96"	
20"	138	149	167	185	199	226	237	
Note: Minimum Clutch is 13"								

ADDITIONAL CHARGES

ADDITIONA	AL UNANGES
Top-Down/Bottom-Up (84" max width) \$184 per shade	Cut-Outs\$120
Oversized Board/Returns\$99	Returns & Hold Downs Free - Must be requested
2-on-1 or 3-on-1 (144" max width)Price as separate shades	
& add together	

LINER PRICE CHARTS

LIGHT FILTERING

	инн н н <u>ь</u> н	Lillia			< Wi	dth —>				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	49	53	59	66	81	107	121	136	149
	42"	52	57	65	71	89	116	132	147	164
	48"	55	62	70	77	96	125	143	162	179
	54"	57	66	74	82	104	135	154	174	193
^	60"	62	70	78	88	111	144	165	187	208
- 1 - 1	66"	66	74	83	94	118	153	176	201	223
Height -	72"	70	77	89	100	126	163	187	213	238
1	78"	92	105	118	131	179	225	258	290	323
٧	84"	95	110	124	139	187	235	270	305	341
	90"	100	115	130	145	195	247	284	322	359
	96"	103	120	136	151	205	259	298	338	377
	102"	107	124	142	159	214	270	311	353	395
	108"	110	129	146	164	224	281	325	369	413
	114"	115	133	152	171	233	292	340	385	432
	120"	118	139	159	176	241	304	351	401	449

Longer sizes are available with some limitations, contact customer service for pricing and information

<--- Width --->

42"

ROOM DARKENING

90"

96" 102" 108" 114" 120" 24"

117

30"

137

159

36"	56	66	73	81	100	129	147	166	185
42"	61	72	80	89	109	142	163	184	205
48"	66	76	87	97	118	153	176	201	224
54"	71	82	93	104	129	165	192	218	243
60"	75	88	98	113	139	179	206	234	263
66"	80	94	105	120	147	189	220	251	282
72"	83	98	113	128	157	203	235	268	302
78"	107	125	143	162	215	272	317	359	402
84"	113	131	151	170	227	286	331	380	425

60"

302

72"

349

84"

399

96"

448

122	144	165	186	250	318	368	419	471
126	149	172	195	262	330	386	439	494
132	155	180	204	273	346	403	459	517
136	162	186	212	285	361	419	480	541
142	167	194	220	298	374	437	501	563

239

Longer sizes are available with some limitations, contact customer service for pricing and information

WITH LIGHT FILTERING

W W I	III LIGII	1 1 1121211	iiiu		< Wi	dth —>				
		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	136	147	160	174	208	254	282	307	334
	42"	140	151	164	180	214	262	291	319	346
	48"	142	154	168	184	221	269	301	328	359
	54"	145	160	172	189	227	278	309	341	370
Ņ	60"	147	163	176	194	233	285	320	350	383
	66"	151	165	182	199	239	292	328	362	396
Height	72"	153	170	186	204	246	301	339	373	412
	78"	203	221	241	263	350	426	475	521	567
V	84"	206	226	246	269	360	435	486	535	583
	90"	209	229	250	276	367	446	498	549	600
	96"	212	234	257	281	375	455	512	562	615
	102"	215	239	261	286	384	466	522	578	632
	108"	219	242	265	292	392	476	535	592	654
	114"	223	247	270	299	401	486	548	606	676
	120"	226	250	277	304	408	496	559	624	697

Longer sizes are available with some limitations, contact customer service for pricing and information

WITH ROOM DARKENING

		24"	30"	36"	42"	48"	60"	72"	84"	96"
	36"	151	166	182	201	234	286	321	353	386
	42"	155	172	188	207	243	299	336	369	405
	48"	161	176	194	215	252	311	349	387	424
	54"	165	183	202	223	262	323	364	404	444
,	60"	168	188	209	230	272	335	378	419	461
- 1 1	66"	173	194	215	239	282	346	393	436	480
Height	72"	179	201	221	246	291	359	407	454	499
-11	78"	233	259	285	315	409	498	562	623	686
V	84"	238	264	292	323	422	514	580	644	709
	90"	242	271	301	331	433	527	598	666	733
	96"	248	279	308	342	446	542	616	687	756
	102"	252	284	317	350	457	558	634	708	782
	108"	259	291	323	360	469	573	653	730	806
	114"	263	298	330	368	480	588	671	749	829
	120"	268	303	340	378	494	603	689	770	853

Longer sizes are available with some limitations, contact customer service for pricing and information

AVAILABLE STYLES



WATERFALL SHADE

- Min Width 12" Min Height 24"
- Max Width 96" Max Height 120"
- No Front Valance, 4" Back Valance
- Not Available Top Down/ Bottom Up



FLAT FOLD SHADE

- Min Width 12" Min Height 24"
- Max Width 96" Max Height 120"
- 6" Front Valance



HOBBLED SHADE

- Min Width 12" Min Height 24"
- Max Width 96" Max Height 96"
- 6" Front Valance

1/2" TWILL EDGE BINDING - SEWN ON

<--- Width --->

Ŷ		36"	48"	60"	72"	84"	96"	108"	120"
leight -	FLAT FOLD	53	60	68	75	86	95	107	111
- Hei	WATERFALL	53	60	68	75	86	95	107	111
\ \	HOBBLED	69	78	89	97	110	124	137	147

Note: Edge Binding not available across bottom of cordless shades. I Note: 1 $\frac{1}{2}$ Twill Binding will have mitered corners.

1 1/2" TWILL EDGE BINDING - SEWN ON

<--- Width --->

î		36"	48"	60"	72"	84"	96"	108"	120"
leight -	FLAT FOLD	107	122	139	154	176	201	226	248
- He	WATERFALL	107	122	139	154	176	201	226	248
V	HOBBLED	139	159	180	201	228	261	293	322

Note: Edge Binding not available across bottom of cordless shades. | Note: 1 1/2 Twill Binding will have mitered corners.



EDGE BANDING OPTIONS

ADDITIONAL INFORMATION AND SPECIFICATIONS

EDGE BRANDING

- Available in 1/2" and 1 1/2" Widths
- Mitered Corners for 1 1/2" Edge Banding
- Fabric Sewn on (No Fabric Sewn on Bottom of Cordless Shade)

PRIVACY OR BLACKOUT LINING

- · Back Side Color is Off White
- 5 Colors of Blackout Lining Available
- 5 Colors of Privacy Liner Available

TOP DOWN/BOTTOM UP (TD/BU)

- Flat Fold Style Only
- Not Available with Loop Control, Cordless, or 2-on-1 Headrail
- Min Width 18" Max Size is 72" x 72"

2 ON 1 (3 ON 1) HEADRAIL

- Flat Fold and Waterfall Style Only
- Not Available in TD/BU
- Multiple Shades with Loop Control Will Have Multiple Loops
- Min Width 24" Max Size is 120"

UPENDED HEADRAIL

- Depth ¾" Height 1 ½"
- Not Available in Cordless or Dual Shades

LOOP CONTROL

- Metal Chain Only (Stainless Steel or Bronze Only
- Wood Headrail is 2 1/2"
- Not Available in TD/BU
- Min Width 24" Max Width 96" Max Height 96"

CORDLESS SHADE

- Flat Fold and Waterfall Style Only
- Wood Headrail is 1 ½"
- Not Available in TD/BU, Loop Control, or Hobbled Shades

DUAL SHADE

- Flat Fold and Waterfall Style Only
- Back Shade Length is 1/2" Shorter than the Front Shade
- Not Available in TD/BU, Loop Control, or Hobbled Shades
- Right Control Operates Shade/Left Control Operates Liner
- Wood Headrail is 2 1/2"

HOBBLED VALANCE

- Available in 12" Double Hobble or 18" Triple Hobble
- 6" Folds
- Wood Headrail is 1 1/2"

MOTORIZATION OPTION

- Flat Fold and Waterfall Style
- Not Available in TD/BU Shades
- · Call for Pricing and Options

STACKING CHART & MINIMUM DEPTH REQUIREMENTS

	HEADRAIL D	IMENSIONS
	DEPTH	HEIGHT
STANDARD HEADRAIL (CORD- LOCK, TDBU, CORDLESS)	1 1/2"	3/4"
LOOP CONTROL & DUAL SHADE	2 1/2"	3/4"

INSIDE	MOUNT	
MIN DEPTH	FLUSH MOUNT	OUTSIDE
1 1/2"	3/4"	
2 1/2"	3/4"	2' OF FLAT SURFACE

	STACKING CHART (BASED UPON SHADE LENGTH)							
		24"	48"	72"	96"	120"		
APPROX HEIGHT	FLAT FOLD & WATERFALL	7.5"	7.5"	7.5"	8"	8.5"		
AFFROX HEIGHT	HOBBLED	8.5"	8.5"	8.5"	9"	9.5"		
APPROX THICKNESS	FLAT FOLD & WATERFALL	1.5"	2.5"	3.5"	4.5"	5.5"		
APPRUX IHIUKNESS	HOBBLED	2.5"	3"	3.5"	4.5"	5.5"		



CHILD SAFETY & WARRANTY

CHILD SAFETY

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach of children.

Automated Motorized

WARRANTY

Shades

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice

date of the product.

This guarantee does not apply to
damage to exterior shades caused by high winds and/or
extreme weather conditions. Any roller shade or parts which
fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

> Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized Shades' warranty is designed to ensure a thoroughly

satisfying experience with your window treatment product. Certain restrictions may apply.





TABLE OF CONTENTS

Pricing	1
Remotes, Controls & Integration	
Somfy Irismo™ 35 Mini 24V DC RTS Motorized Drapery Track	
Somfy Irismo™ 45 Wirefree RTS Battery Motorized Drapery Track	
120v Somfy Glydea Motorized Drapery Track	
5060 Classic Motorized Drapery Track with RTS Receiver	4
5060 Classic Motorized Drapery Track	5
Drapery Height Adjustments	
Curves & Bends	
Template Instructions	8
Child Safety & Warranty	

PRICING MOTORIZATION

This motorization price guide is designed to make pricing automated drapery tracks a simple and easy process. Just follow this step by step guide (as outlined below and on each of the drapery track system pricing pages) to calculate a fast, accurate price for all of your motorized drapery track needs.

STEPS FOR PRICING

- 1. Determine what type of motorization/power choice best suits your customer's needs
- 2. Find the price for your motorization following the easy steps outlined on the product pages
- 3. Add any surcharges at the bottom of the page and total all prices
- 4. Apply any discounts
- 5. Using our order form, Email your orders to orders@amsshades.com or fax 954.974.0529

REMOTES, CONTROLS AND INTEGRATION

Please refer to the Motorization Price Guide, pages 6-8 for remotes, controls and integration options. All of which are applicable with any Motorized Drapery Track option.

IRISMO

SOMFY IRISMO™ 35 MINI 24V DC RTS MOTORIZED DRAPERY TRACK SOMFY IRISMO™ 45 WIREFREE RTS BATTERY MOTORIZED DRAPERY TRACK





STEP 1: MOTOR SPECIFICATIONS, BRACKETS, & DRAPERY TRACK PRICING

Α.	4	0			
IV	IOTOF	SPF	CIFIC	ATIC)NS

MotorIrismo 35 RTS or DCT & Irismo 45 F	RTS	Minimum Width	24"
Power Source24 volt & Bat	tery	Maximum Width (One Way Draw)	288"
Control Type	RTS	Maximum Weight Irismo 35	77 lbs
		Maximum Weight Irismo 45	99 lbs

Rod Size	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"
Irismo 35 Mini DC PP	1860	1921	1981	2042	2100	2160	2221	2281	2341	2401	2461	2522
Irismo 45 Battery PP	1860	1921	1981	2042	2100	2160	2221	2281	2341	2401	2461	2522
Irismo 35 Mini DC RF	2131	2199	2270	2338	2406	2476	2545	2614	2683	2751	2821	2889
Irismo 45 Battery RF	2131	2199	2270	2338	2406	2476	2545	2614	2683	2751	2821	2889
Rod Size	192"	204"	216"	228"	240"	252"	264"	276"	288"	300"	312"	324"
Irismo 35 Mini DC PP	2580	2641	2701	2760	2821	2881	2942	3000	3060	3121	3181	3241
Irismo 45 Battery PP	2580	2641	2701	2760	2821	2881	2942	3000	3060	3121	3181	3241
Irismo 35 Mini DC RF	2851	2919	2989	3058	3126	3197	3265	3333	3402	3472	3541	3609
Irismo 45 Battery RF	2851	2919	2989	3058	3126	3197	3265	3333	3402	3472	3541	3609

Irismo 45 - Rechargeable LI-ION Battery included in Track Pricing | Irismo 35 - 24V DC Power Supply Included

STEP 2: SELECT YOUR POWER - POWER OPTIONS

OPTION	Somfy Glydea® Irismo 45 Wirefree Motor Options (DC)	RETAIL
1	Battery Charger for Irismo 45 Wirefree RTS Motor	\$210
2	Additional or Replacement 26.5V Rechargeable LI-Ion Battery	\$699
OPTION	AC Motor Options	RETAIL
1	10' Power Cord with Grounded Plug	Included

STEP 3: SELECT YOUR CONTROL - CONTROL OPTIONS		
Information and addition	al control options page 6-8	
1Telis - 1 Channel F		
2Telis - 4 Channel F	RTS Remote (White)	\$185
3Telis - 16 Channel	RTS Remote (White)	\$561
4My	· ·	
5URTSI (Universal Radio To	echnology Somfy Interface)	\$1068
RS-485 Motor Setting & Address Reader Tool*\$640	SDN Extender	\$950
DCT to RS 485 Module\$235	Data Hub	\$185
DCT to Z-Wave® Module \$345 DCT to Zigbee Module \$360	Data Hub Plus	\$600

*Motor Setting & Address Reader Tool may be reused for any project using an RS485 Motor *Options not available for Irismo 45 Wirefree RTS Battery Motorized Drapery Track

SURCHARGES

Crate Charge (per crate)	.\$268
Continuous Curve (per track)	.\$539
45/90 Radius (per bend)	.\$269



GLYDEA

120 VOLT SOMFY GLYDEA® MOTORIZED DRAPERY TRACK





STEP 1: MOTOR SPECIFICATIONS, BRACKETS, & DRAPERY TRACK PRICING

Power Source	MOTOR SPECIFICATIONS DR 35 & DR 60-RTS Minimum Width											288"
Rod Size	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"
35-DCT Pinch Pleat	1801	1860	1921	1981	2042	2100	2160	2221	2281	2341	2401	2461
35-DCT Ripplefold	2070	2140	2209	2278	2347	2415	2485	2554	2623	2692	2760	2830
35-RTS Pinch Pleat	1860	1921	1981	2042	2100	2160	2221	2281	2341	2401	2461	2522
35-RTS Ripplefold	2131	2199	2270	2338	2406	2476	2545	2614	2683	2751	2821	2889
60-DCT Pinch Pleat	2042	2100	2160	2221	2281	2341	2401	2461	2522	2580	2641	2701
60-DCT Ripplefold	2310	2380	2449	2517	2588	2656	2724	2795	2863	2932	3000	3070
60-RTS Pinch Pleat	2100	2160	2221	2281	2341	2401	2461	2522	2580	2641	2701	2760
60-RTS Ripplefold	2370	2440	2509	2578	2646	2716	2785	2853	2924	2992	3060	3091
Rod Size	192"	204"	216"	228"	240"	252"	264"	276"	288"	300"	312"	324"
35-DCT Pinch Pleat	2522	2580	2641	2701	2760	2821	2881	2942	3000	3060	3121	3181
35-DCT Ripplefold	2790	2861	2929	2997	3068	3136	3205	3273	3343	3412	3480	3551
35-RTS Pinch Pleat	2580	2641	2701	2760	2821	2881	2942	3000	3060	3121	3181	3241
35-RTS Ripplefold	2851	2919	2989	3058	3126	3197	3265	3333	3402	3472	3541	3609
60-DCT Pinch Pleat	2760	2821	2881	2942	3000	3060	3121	3181	3241	3301	3360	3421
60-DCT Ripplefold	3031	3100	3169	3238	3306	3376	3444	3514	3583	3651	3721	3790
60-RTS Pinch Pleat	2821	2881	2942	3000	3060	3121	3181	3241	3301	3360	3421	3480
60-RTS Ripplefold	3129	3160	3229	3297	3367	3435	3505	3574	3642	3712	3780	3850
STEP 2: SELECT YOUR	POWER - P	OWER OPT	TONS (PLU	G-IN OR HA	ARD WIRE	D)						
OPTION				120	V OLT P O	WER SOURCE	E					RETAIL
1			1	10' Power	Cord wi	th Ground	led Plug.					. Included
						ilable Up to 24						
STEP 3: SELECT YOUR	CONTROL -	CONTROL	OPTIONS									
1 2 3			T	elis - 4 Cl	nannel R	TS Remot	e (White)					\$185

Prices subject to change without notice

RS-485 (Call for Information)......\$70

Z-Wave® (Call for information).....\$470

SURCHARGES

Crate Charge (per crate).....\$268

Continuous Curve (per track)\$539

45/90 Radius (per bend).....\$269

5060 CLASSIC - RTS

5060 CLASSIC MOTORIZED DRAPERY TRACK WITH RTS RECEIVER





STEP 1: MOTOR SPECIFICATIONS, BRACKETS, & DRAPERY TRACK PRICING

	WOTOR SPECIFICATIONS							
Motor	5060-30W & 5060-45W	Minimum Width	24"					
Power Source	120 volt	Maximum Width (One Way Draw)	576"					
Control Type	Wall Switch or Control System	Maximum Weight	240 lbs					

Rod Size	48"	72"	96"	120"	144"	168"	192"	216"	240"	264"	288"	324"
30W RTS	2149	2310	2472	2661	2823	2979	3136	3292	3448	3604	3761	N/A
45W RTS	2373	2532	2691	2845	3000	3157	3313	3470	3624	3780	3937	4170
35W RTS Ripplefold	2382	2567	2754	2971	3157	3336	3515	3695	3875	4055	4234	N/A
45W RTS Ripplefold	2640	2822	3005	3182	3360	3540	3720	3899	4079	4258	4437	4707

STEP 2: SELECT YOUR POWER - POWER OPTIONS (PLUG-IN OR HARD WIRED)

OPTION	120 Volt Power Source	RETAIL
1	RTS Receiver with 10' Power Cord and 6' Power Cord	Included
	Custom Cord Lengths Available Unito 24' Add \$66	

STEP 3: SELECT YOUR CONTROL - CONTROL OPTIONS

Please refer to RTS Remote controls in Motorization Price Book from pricing and options

SURCHARGES

Crate Charge (per crate)	\$268
Continuous Curve (per track)	\$539
45/90 Radius (per bend)	\$269



5060 CLASSIC

5060 CLASSIC MOTORIZED DRAPERY TRACK



N/A

STEP 1: MOTOR SPECIFICATIONS, BRACKETS, & DRAPERY TRACK PRICING

	MOTOR SPECIFICATIONS											CHART		
Motor	5060-30W & 5060-45W Minimum Width						24"							
Power Source		120 volt					Maximum Width (One Way Draw)					576"		
Control Type		Wall Sv	vitch or C	Control Sy	stem	Maximur	n Weight					240 lbs		
Rod Size	48"	72"	96"	120"	144"	168"	192"	216"	240"	264"	288"	324"		
30W	1549	1711	1873	2062	2223	2380	2535	2692	2848	3005	3160	N/A		
45W	1774	1932	2091	2244	2401	2557	2713	2869	3024	3181	3336	3570		

STEP 2: SELECT YOUR POWER - POWER OPTIONS (PLUG-IN OR HARD WIRED)

OPTION	120 Volt Power Source	RETAIL
1	Up to 6' Power Cord with or without Grounded Plug	Included
2		\$119
	Custom Cord Lengths Available Un to 24' Add \$66	

STEP 3: SELECT YOUR WALL SWITCHES

35W Ripplefold

45W Ripplefold


Please refer to 120 Wall Switches in Motorization Price Book from pricing and options

SURCHARGES


RS-485 (Call for Information)\$70	Crate Charge (per crate)\$268
Zigbee® (Call for Information)\$470	Continuous Curve (per track)\$539
Z-Wave® (Call for information)\$470	45/90 Radius (per bend)\$269

DRAPERY HEIGHT ADJUSTMENTS

GLYDEA




PINCH PLEAT




RIPPLEFOLD

5060 CLASSIC DRAPERY TRACK



PINCH PLEAT




RIPPLEFOLD

CURVES & BENDS

AUTOMATED CONTROLS


BENDS

Tracks with bends are ideal for bay and corner windows. Track bends are available at a fixed radius of 13". For more information on how to measure for a bend, please see bottom of page and next.




CURVES

Custom curves are ideal for bow windows and other special applications. For additional information on how to measure for a curve, and how to make a template, please see bottom of page and next.



BRACKET MOUNTING RECOMMENDATIONS (TOP VIEW OF TRACK)

Automated Motorized Shades recommends 1 bracket by each pulley and 1 bracket every 24". Additionally, 1 bracket should be placed on each side of a splice if used.




Note: Splices are not available on One Way Draw Rods

BENT DRAPERY TRACK MEASUREMENT FORM

The following dimensions are shown from the top view of the track and show various wall designs.

- 1. Choose the design that best fits your room setup.
- 2. Provide all of the proper wall measurements and degrees of all angles.
- 3. Provide the Return measurement "R" (distance from wall to front of drapery track as shown) and submit to Automated Motorized Shades.

NOTE: When fabricating your drapery, please add 1 1/2" to your return



CREATING A TEMPLATE

DIRECTIONS FOR CREATING A TEMPLATE FOR DRAPERY CURVES AND BENDS

WHAT YOU NEED: • LARGE PIECE OF CONSTRUCTION PAPER • TAPE MEASURE • MARKER • TAPE

- 1. Start with a large piece of construction paper that exceeds the depth and length of the curve.
- Place the paper on the floor or ceiling depending on the orientation of the curve.
- 3. Secure the paper with the tape.
- Clearly define the stacking side, motor placement, pocket depth and center line of track with the marker.
- 5. Mark the radius of the curve

- 6. Please provide as much detail as possible and all templates must include the following:
 - Indicate "room side"
 - · Note how the template was created
 - Template created on the floor facing up (See Figure 1)
 - Template created on the ceiling facing down (See Figure 2) (Preferred method)
 - Purchase order number
 - Customer name
 - · Company name and account number
- Note the distance from the wall or the window to the center of the track.

Note: Be sure to clear all possible obstructions such as handles, sills etc.

- 8. Identify the following measurement points:
 - · Placement of motor
 - Exact stopping point of track on template
 - Total measurement of curve (See Figure 4-"C")

Please call Automated Motorized Shades for specialty curving applications. Depending on your particular application, your project may require special attention.

FIGURE 1: TEMPLATE ON THE FLOOR FACING UP





FIGURE 3: CRITICAL DIMENSIONS OF A CURVED TRACK



TEMPLATE SUBMISSION INSTRUCTIONS

Attach a copy of the purchase order to the template. Roll up template and place in a mailing tube. DO NOT FOLD TEMPLATE

Mail to:

Automated Motorized Shades 3117 NW 25th Avenue Pompano Beach, FL 33069 Attn: Drapery Department

Note: When mailing, be sure to:

- · Get a tracking number
- Include your return address
- Include your purchase order number on the label

FIGURE 2: TEMPLATE ON THE CEILING FACING DOWN





FIGURE 4: TOTAL MEASUREMENT OF CURVE



ACCEPTABLE MATERIALS FOR MAKING TEMPLATES:

- Kraft Paper Butcher Paper Construction Paper Automated Motorized Shades will not accept templates made from the following materials:
- Newspaper Plastic Wax Paper Fabric Tissue Paper
- Roofing Paper Existing Arch Shades Wrapping Paper or any templates that require assembly of any kind

Note: If the material used to make a template stretches, tears easily or will not lay flat it WILL NOT be used.



CHILD SAFETY & WARRANTY

CHILD SAFETY

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach of children.

Automated

WARRANTY

Motorized

Shades

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice

date of the product.

This guarantee does not apply to
damage to exterior shades caused by high winds and/or
extreme weather conditions. Any roller shade or parts which
fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

> Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized Shades' warranty is designed to ensure a thoroughly satisfying experience with your window treatment product. Certain restrictions may apply.





TABLE OF CONTENTS

pShade®	2
Introduction	2
Maximum Sun Protection	3
Crystal View	3
Patented Zip System	3
Simplified Automation	3
Patented Zip System	3
Product Specifications	
Recessed Installation	4
Operational Wind Speed	5
able Guide System	6
Introduction.	6
nild Safety & Warranty	

ZIPSHADE®

INTRODUCTION

The Automated Motorized Shades® ZipShade® offers proven performance, high quality, superior design and easy installation. Wind tight in every position, thanks to the patented ZipShade® technology, flapping or tearing of screen fabrics is a thing of the past. The ZipShade® makes outdoor eating spaces more comfortable for occupants in any season.



IMPROVED COMFORT

The ZipShade® offers maximum sun protection and glare control for occupants.



EASY TO OPERATE

Offered exclusively with motorization, ZipShade® can be controlled with a hand-held remote or wall switch.



DURABILITY

Patented ZipShade® technology guarantees a fixed fabric with no wrinkles.



INSECT-PROOF

In the closed position, the ZipShade® is insectproof, making outdoor conditions more comfortable.



WIND RESISTENT

The ZipShade® is operational in winds up to 80 mph* * Wind rating subject to change based on shade size.



AUTOMATION

For full automation, ZipShade® can be controlled with a wind or sun sensor.



ZIPSHADE®

MAXIMUM SUN PROTECTION

When placed on the exterior facade, the Automated Motorized Shades® ZipShade® helps avoid overheating by filtering the direct sunlight that enters an interior space. This can result in decreased cooling and air conditioning costs and can reduce overall energy consumption by utilizing natural daylight. Depending on the type of fabric selected, different degrees of heat-resistance are possible. The ZipShade® can greatly reduce the use of artificial lighting while also reducing heat gain by not allowing sun rays to penetrate the glass exterior of the building.

The extensive range of fabric colors and profiles ensures that the ZipShade® is in perfect harmony with the architecture of your building, thus creating a pleasant environment.

CRYSTAL VIEW

In order to have optimal contact with the exterior, transparent Crystal view can be fitted in the ZipShade®.

SIMPLIFIED AUTOMATION

The ZipShade® can be paired with a sun sensor to provide maximum sun protection, even when the space is unoccupied. As the sun moved across the sky, the shades will automatically adjust according to the sun's position, optimizing energy efficiency.


PATENTED ZIP SYSTEM

The superior ZipShade® utilizes a patented zip system called Smooth Technology. The custom zipper is welded onto the edges of the shade fabric and inserted into the custom, 2-part side channel. This locking zipper guarantees a fixed fabric with no wrinkles. The interior or the channel contains a co-extruded self-lubricating PVC top coating which results in smooth, quiet operation.



PATENTED ZIP SYSTEM

The superior ZipShade® utilizes a patented zip system called Smooth Technology. The custom zipper is welded onto the edges of the shade fabric and inserted into the custom, 2-part side channel. This locking zipper guarantees a fixed fabric with no wrinkles. The interior of the channel contains a co-extruded self-lubricating PVC top coating which results in smooth, quiet operation.



ZIPSHADE®

PRODUCT SPECIFICATIONS

There are three different ZipShade® sizes: ZipShade® 100, ZipShade® 100 Slim and ZipShade® 150. Each system has unique characteristics and can be installed in a variety of applications.

SHADE HEADBOX

The ZipShade® headbox is constructed of two aluminum profiles. The headbox is closed by means of a square front profile that hinges into the box. This construction of the headbox results in easy assembly and installation. Each end has a side console that supports the roller tube and is equipped with heavy duty pins that lock the headbox into the side channels.

FABRIC ROLL

The ZipShade® fabric roller is composed of steel and has a unique sunken groove to limit the impression of the fabric loop. This groove strongly reduces the horizontal line formation in the fabric.

BOTTOM BAR

The ZipShade® bottom bar is composed of extruded aluminum and is made heavier with a round bar of galvanized steel. For perfect connection with the sill, the bottom bar has a plastic darkening strip.

SIDE CHANNEL

The ZipShade® side channels are made of extruded aluminum. The external side channel consists of 2 parts. The internal channel is made of HPVC and is fitted with neoprene buffer zones to compensate for wind gusts. The zip, which is welded to the fabric, slides into the HPVC side channels and the fabric is 'held fast'.

RECESSED INSTALLATION

When specified in architectural plans, the ZipShade® 100 Slim can be recessed into the building. The ZipShade® 100 Slim headbox is specially constructed to ease installation by allowing the roller tube to be installed via the underside of the headbox. The Zipshade® 100 Slim is designed to completely conceal the headbox, side channels and bottom bar, when rolled up, so that the system seamlessly integrates into the structure.



ZIPSHADE ® 100

Ideal for smaller openings.



ZIPSHADE ® 150

Designed for larger applications up to 20' wide with a bottom bar that conceals in the head box for a practical, but sleek



ZIPSHADE ® 100 SLIM


Side channels and headbox can be recessed into walls to provide a seamless appearance.

OPERATION WIND SPEED

OPERATIONAL WIND SPEED

The superior ZipShade® side channel technology results in extreme wind resistance. Thanks to the ingenious zip system, the shade fabric is windproof in any position. Due to the edging, the symmetrical zipper is positioned on both sides of the fabric and is firmly embedded in the zip guides. Testing has shown that the ZipShade® is resistant against a wind speed of up to 80mph* in a closed position which makes the ZipShade® one of the most weather resistant, sun protection screens on the market.

ZIPSHADE® WIND RATING



Wind tests performed on the ZipShade ® installed in front of a window and manufactured using fiberglass shade fabric.

^{*} Wind rating subject to change based on shade size.

CABLE GUIDE SYSTEM

INTRODUCTION

The durable exterior Cable Guided System is a cost-effective shading solution for exterior applications. This heavy-duty system is made to withstand moisture and temperature fluctuation while keeping your customers comfortable. Made of stainless steel, guide wires are connected to the upper bracket and ground to stabilize the shade and prevent damage from outdoor weather conditions. This system preserves your outdoor view while allowing you to maximize heat gain reduction and control sunlight. Outdoor roller shades are a stylish addition to any patio, veranda, sun-room or courtyard, and can be rolled up when not in use.



CHILD SAFETY & WARRANTY

CHILD SAFETY

Every product we send out meets or exceeds the latest safety standards as set forth by the Consumer Product Safety Council and the Window Covering Manufacturers Association. For enhanced safety, Automated Motorized Shades offers cordless and motorized window treatments.

REMEMBER THESE SAFETY RULES...

- For children's bedrooms only install window coverings that are cordless.
- Any window coverings in your home that were made before 2001, should be replaced with today's newer, safer models.
- Do not place furniture near windows that have window coverings with cords.
- Keep all cords out of reach from small children. Do this by securing tasseled pull cords out of reach with a cord cleat, and anchoring continuous-loop cords to the wall with safety devices.
- Always be sure to lock and firmly secure cords in position.
- Products such as Roman or Woven Wood Shades that have accessible back cords, should not be installed within reach of children.

Automated

WARRANTY

Motorized

Shades

All products come with safety labels attached. This is to help raise awareness of the potential safety risks associated with the products you purchase. If you have any concerns, please do not hesitate to contact us directly. You may also directly contact any of the associations that create the safety standards with any questions or concerns. Child safety is our top priority!

WARRANTY

Automated Motorized Shades guarantees all products manufactured in our facility to be free from defects due to faulty workmanship and/or materials. We are so confident about our quality and dependability that we back our manual shades with a limited lifetime warranty, our motors with a 5 year limited warranty, and our custom printed shades with a 3 year warranty against fading. All warranties are effective from the original invoice

date of the product.

This guarantee does not apply to
damage to exterior shades caused by high winds and/or
extreme weather conditions. Any roller shade or parts which
fail due to abuse, accident, theft, alterations, improper use or

installation, or gradual color fading, are also excluded from this warranty.

Automated Motorized Shades reserves the right to inspect products and will replace or repair any product found to be defective as a result of faulty workmanship or materials.

> Shipping charges, trip charges and labor costs for measuring and installation and/or removal of old or current products are excluded. This

warranty is available to the original owner/purchaser and is non-transferable. Automated Motorized Shades' warranty is designed to ensure a thoroughly satisfying experience with your window treatment product. Certain restrictions may apply.

